Vision Research

An International Journal for Functional Aspects of Vision

Author and Subject Index
Volume 37, 1997

PERGAMON

Supplement to Vision Research

VISION RESEARCH

Founded by THORNE SHIPLEY

Chairman

H. SPEKREIJSE, Netherlands Ophthalmic Research Institute and Laboratory of Medical Physics, University of Amsterdam, P.O. Box 12011, 1100 AA Amsterdam-Zuidoost, The Netherlands [*Tel.* (31) 20 5664584; *Fax* (31) 20 6916521; *Email* e.borghols@ioi.knaw.nl]

Editorial Assistant: ELS BORGHOLS

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and welcomes papers that address important issues in basic and/or clinical research. The journal is sub-divided into five sections, each with two Section Editors for publication of full papers and *Letters-to-the-Editor*. The journal has a new section called *Rapid Communications* for publication of highly topical material of about 2000 words on a fast publication track (within 3 months upon acceptance).

Section 1: *Neurobiology*
functional morphology and anatomy
pigments and transduction
the role of neurotransmitters
retinal, subcortical and cortical electrophysiology
physiological optics
plasticity and regeneration of function
GÜNTER NIEMEYER, Zürich, Switzerland
SAMUEL WU, Houston, TX, U.S.A.

Section 2: *Psychophysics*
binocular, depth, motion, colour, form, pattern,
orientation and texture vision
spatial vision and stereopsis
attentive vision
adaptation and aftereffects
DENNIS M. LEVI, Houston, TX, U.S.A.
STEVEN K. SHEVELL, Chicago, IL, U.S.A.

Section 3: *Behavioural Physiology and Visuomotor Control*
eye movements, animal psychophysics
oculomotor studies, reading
visual guidance of manipulation, locomotion and navigation
visual behaviour in space
EILEEN KOWLER, New Brunswick, NJ, U.S.A.
CHRISTA NEUMEYER, Mainz, Germany

Section 4: *Computational Vision*
models and theory
visual networks
computer vision
ELLEN C. HILDRETH, Wellesley, MA, U.S.A.
CONCETTA MORRONE, Pisa, Italy

Section 5: *Clinical Vision Sciences*
psychophysics, electrophysiology
pathophysiology, neuropharmacology
experimental ophthalmology and neurology
functional (brain) imaging
IVAN BODIS-WOLLNER, Brooklyn, NY, U.S.A.
EBERHART ZRENNER, Tübingen, Germany

The Section Editors are assisted by an Editorial Board consisting of:

EMIKO ADACHI-USAMI, Chiba, Japan
RICHARD ANDERSEN, Pasadena, CA, U.S.A.
JANETTE ATKINSON, London, U.K.
WOLFGANG BAEHR, Salt Lake City, UT, U.S.A.
MARTY BANKS, Berkeley, CA, U.S.A.
ANDREW BLAKE, Oxford, U.K.
RANDOLPH BLAKE, Nashville, TN, U.S.A.
COLIN BLAKEMORE, Oxford, U.K.
DENNIS DACEY, Seattle, WA, U.S.A.
MICHAEL D'ZMURA, Irvine, CA, U.S.A.
JIM ENRIGHT, La Jolla, CA, U.S.A.
CASPER ERKELENS, Utrecht, The Netherlands
MANFRED FAHLE, Tübingen, Germany
GERALD FISHMAN, Chicago, IL, U.S.A.
WILSON GEISLER, Austin, TX, U.S.A.
MARTIN GIZZI, Edison, NJ, U.S.A.
AMIRAM GRINVALD, Rehovot, Israel
WILLEM DE GRIP, Nijmegen, The Netherlands
ROBERT HESS, Montréal, Canada
HOWARD HOWLAND, Ithaca, U.S.A.
ABBIE HUGHES, Victoria, Australia
MICHAEL KASS, St Louis, MO, U.S.A.
CHRISTOF KOCH, Pasadena, CA, U.S.A.
SIMON LAUGHLIN, Cambridge, U.K.
BARRY LEE, Göttingen, Germany
GORDON LEGGE, Minneapolis, MN, U.S.A.
LUC MISSOTTEN, Leuven, Belgium
JOHN MOLLON, Cambridge, U.K.
DAVID NEWSOME, New Orleans, LA, U.S.A.
CYNTHIA OWSLEY, Birmingham, AL, U.S.A.
ADAM REEVES, Boston, MA, U.S.A.
JOHN ROBSON, Cambridge, U.K.
FRANK SCHAEFFEL, Tübingen, Germany
PAUL SIEVING, Ann Arbor, MI, U.S.A.
MANDYAM SRINIVASAN, Canberra, Australia
DAN T'SO, New York, NY, U.S.A.

Publishing Office: Elsevier Science Ltd, Bampfylde Street, Exeter EX1 2AH, U.K. [*Tel.* +44 (0)1392 251558; *Fax* +44 (0)1392 425370].

Author Service Department: For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department [*Tel.* +44 (0)1865 843900; *Fax.* +44 (0)1865 843905; *Email* authors@elsevier.co.uk].

Frequency: Published semi-monthly.

© 1998 Elsevier Science Ltd. All rights reserved.

Subscription Rates: Annual Institutional Subscription Rates 1998: Europe, The CIS and Japan 3823 Dutch Guilders. All other countries US$2197. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you:

The Americas: Elsevier Science, Customer Support Department, PO Box 945, New York, NY 10010, U.S.A. [*Tel.* (+1) 212-633-3730/1-888 4ES-INFO. *Fax* (+1) 212-633-3680. *Email* usinfo-f@elsevier.com].

Japan: Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan. [*Tel.* (+81) 3-5561-5033. *Fax* (+81) 3-5561-5047. *Email* info@elsevier.co.jp].

Asia Pacific *(excluding Japan):* Elsevier Science (Singapore) Pte Ltd, No 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192. [*Tel.* (+65) 434-3727. *Fax* (+65) 337-2230. *Email* asiainfo@elsevier.com.sg].

Rest of the World: Elsevier Science Customer Service Department, PO Box 211, 1001 AE Amsterdam, The Netherlands. [*Tel.* (+31) 20-485-3757. *Fax* (+31) 20-485-3432. *Email* nlinfo-f@elsevier.nl].

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Vision Research* (ISSN 0042–6989) is published semi-monthly, January to December in one volume, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $2197. *Vision Research* is distributed by Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001-2413. Postmaster: please send address corrections to *Vision Research*, c/o Elsevier Science RSO, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [*Tel.* (+1) 212-633-3730/1 888 4ES-INFO. *Fax* (+1) 212-633-3680. *Email* usinfo-f@elsevier.com].

Back Issues: Back issues of all previously published volumes are available direct from Elsevier Science offices. Complete volumes and single issues can be purchased for 1993–1997. Earlier issues are available in high-quality photo-duplicated copies as complete volumes only.

AUTHOR INDEX

ADACHI-USAMI, E.
Mizota, A. and Adachi-Usami, E. Functional recovery of retina after sodium iodate injection in mice 37: 1859

ADAMS, R.J.
Courage, M.L., Adams, R.J. and Hall, E.J. Contrast sensitivity in infants and children with Down syndrome 37: 1545

AGGARWALA, K.R.
Kruger, P.B., Mathews, S., Katz, M., Aggarwala, K.R. and Nowbotsing, S. Accommodation without feedback suggests directional signals specify ocular focus 37: 2511

AGONIE, C.
Gorea, A. and Agonie, C. 2E motion aliasing yielding 3D ambiguity, a study with variants of a Necker cube 37: 2195

AHMED, B.Y.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029

AHN, S.J.
Legge, G.E., Ahn, S.J., Klitz, T.S. and Luebker, A. Psychophysics of reading–XVI. The visual span in normal and low vision 37: 1999

AHUMADA, A.J. JR.
Rohaly, A.M., Ahumada, A.J. Jr. and Watson, A.B. Object detection in natural backgrounds predicted by discrimination performance and models 37: 3225

ALAIS, D.
Alais, D., Wenderoth, P. and Burke, D. The size and number of plaid blobs mediate the misperception of Type-II plaid direction 37: 143

ALBRIGHT, T.D.
Croner, L.J. and Albright, T.D. Image segmentation enhances discrimination ofmotion in visual noise 37: 1415

ALEXANDER, K.R.
Alexander, K.R., Xie, W. and Derlacki, D.J. Visual acuity and contrast sensitivity for individual Sloan letters 37: 813

ALLEN, D.
Rasengane, T.A., Allen, D. and Manny, R.E. Development of temporal contrast sensitivity in human infants 37: 1747

ALLIN, F.
Velay, J.L., Allin, F. and Bouquerel, A. Motor and perceptual responses to horizontal and vertical eye vibration in humans 37: 2631

ALVAREZ, S.L.
Alvarez, S.L., Pierce, G.E., Vingrys, A.J., Benes, S.C., Weber, P.A. and King-Smith, P.E. Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295

ANDERSEN, R.A.
Qian, N. and Andersen, R.A. A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena 37: 1683

ANDERSON, R.S.
Anderson, R.S. and O'Brien, C. Psychophysical evidence for a selective loss of M ganglion cells in glaucoma 37: 1079

ANTUONO, P.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593

ARCHER, S.N.
Djamgoz, M.B.A., Hankins, M.W., Hirano, J. and Archer, S.N. Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509
AREND, L.E.
Spehar, B., Gilchrist, A.L. and Arend, L.E. Qualitative boundaries critical in White's effect and square-wave brightness induction: a reply to Kingdom *et al.* (1997) 37: 1044
ARIEL, M.
Ariel, M. Open loop optokinetic responses of the turtle 37: 925
ARTIGAS, J.M.
Martínez-Verdú, F., Luque, M.J., Malo, J., Felipe, A. and Artigas, J.M. Implementations of a novel algorithm for colour constancy 37: 1829
ASAAD, W.
Wilson, H.R., Wilkinson, F. and Asaad, W. Concentric orientation summation in human form vision 37: 2325
ASHIDA, H.
Mareschal, I., Ashida, H., Bex, P.J., Nishida, S. and Verstraten, F.A.J. Linking lower and higher stages of motion processing? 37: 1755
Nishida, S., Ashida, H. and Sato, T. Contrast dependencies of two types of motion aftereffect 37: 553
ASHKENAZY, R.
Epelboim, J., Booth, J.R., Ashkenazy, R., Taleghani, A. and Steinman, R.M. Fillers and spaces in text: the importance of word recognition during reading 37: 2899

BACH, M.
Bach, M. and Meigen, T. Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo 37: 1409
Bach, M. and Ullrich, D. Contrast dependency of motion-onset and pattern-reversal VEPs: interaction of stimulus type, recording site and response component 37: 1845
Gerling, J., Meigen, T. and Bach, M. Shift of equiluminance in congenital color vision deficiencies: pattern-ERG, VEP and psychophysical findings 37: 821
BACKUS, B.T.
Banks, M.S., van Ee, R. and Backus, B.T. The computation of binocular visual direction: a re-examination of Mansfield and Legge (1996) 37: 1605
BAKER, C.L. JR.
Bex, P.J. and Baker, C.L. Jr. The effects of distractor elements on direction discrimination in random Gabor kinematograms 37: 1761
BALOCH, A.A.
Baloch, A.A. and Grossberg, S. A neural model of high-level motion processing: line motion and formotion dynamics 37: 3037
BALZ, G.W.
Balz, G.W. and Hock, H.S. The effect of attentional spread on spatial resolution 37: 1499
BANDELOW, B.
Haug, B.A., Hermsteiner, E.-M., Bandelow, B. and Paulus, W. Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535
BANKS, M.S.
Banks, M.S., van Ee, R. and Backus, B.T. The computation of binocular visual direction: a re-examination of Mansfield and Legge (1996) 37: 1605
BARADARAN DILMAGHANI, R.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165

BARRINGTON, M.
Napper, G.A., Brennan, N.A., Barrington, M., Squires, M.A., Vessey, G.A. and Vingrys, A.J. The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
BASELER, H.A.
Baseler, H.A. and Sutter, E.E. M and P components of the VEP and their visual field distribution 37: 675
BAUMGARTNER, A.
Drexler, W., Baumgartner, A., Findl, O., Hitzenberger, C.K. and Fercher, A.F. Biometric investigation of changes in the anterior eye segment during accommodation 37: 2789
BAUMGARTNER, I.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
BEARD, B.L.
Beard, B.L., Levi, D.M. and Klein, S.A. Vernier acuity with non-simultaneous targets: the cortical magnification factor estimated by psychophysics 37: 325
BECKER, W.
Schweigart, G., Mergner, T., Evdokimidis, I., Morand, S. and Becker, W. Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643
BELL, A.J.
Bell, A.J. and Sejnowski, T.J. The "independent components" of natural scenes are edge filters 37: 3327
BELMONTE, C.
Gilabert, R., Gasull, X., Palés, J., Belmonte, C., Bergamini, M.V.W., and Gual, A. Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
BENES, S.C.
Alvarez, S.L., Pierce, G.E., Vingrys, A.J., Benes, S.C., Weber, P.A. and King-Smith, P.E. Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295
BENNETT, S.C.
Wolfe, J.M. and Bennett, S.C. Preattentive object files: shapeless bundles of basic features 37: 25
BENOIT, J
McKerral, M., Roy, M.-S., Benoit, J., Leporé, F. and Lachapelle, P. Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193
BENTON, C.P.
Benton, C.P. and Johnston, A. Rapid communication: first-order motion from contrast modulated noise? 37: 3073
Benton, C.P., Johnston, A. and McOwan, P.W. Perception of motion direction in luminance- and contrast-defined reversed-phi motion sequences 37: 2381
Johnston, A. and Benton, C.P. Speed discrimination thresholds for first- and second-order bars and edges 37: 2217
BERENDSCHOT, T.T.J.M.
Delint, P.J., Berendschot, T.T.J.M. and van Norren, D. Local photoreceptor alignment measured with a scanning laser ophthalmoscope 37: 243
VAN DEN BERG, A.V.
Bruno, P. and van den Berg, A.V. Relative orientation of primary positions of the two eyes 37: 935
VAN DEN BERG, T.J.T.P.
van den Berg, T.J.T.P. and Spekreijse, H. Near infrared light absorption in the human eye media 37: 249

BERGAMINI, M.V.W.
Gilabert, R., Gasull, X., Palés, J., Belmonte, C., Bergamini, M.V.W., and Gual, A. Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
BERNARDES, R.F.
Nasi, J.P., Volchan, E., Tecles, M.T., Bernardes, R.F. and Rocha-Miranda, C.E. The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita)*: physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
BEX, P.J.
Bex, P.J. and Baker, C.L. Jr. The effects of distractor elements on direction discrimination in random Gabor kinematograms 37: 1761
Bex, P.J. and Makous, W. Radial motion looks faster 37: 3399
Brady, N., Bex, P.J. and Fredericksen, R.E. Independent coding across spatial scales in moving fractal images 37: 1873
Hess, R.F., Demanins, R. and Bex, P.J. A reduced motion aftereffect in strabismic amblyopia 37: 1303
Mareschal, I., Ashida, H., Bex, P.J., Nishida, S. and Verstraten, F.A.J. Linking lower and higher stages of motion processing? 37: 1755
BIDWELL, N.J.
O'Carroll, D.C., Laughlin, S.B., Bidwell, N.J. and Harris, R.A. Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427
BILLOCK, V.A.
Billock, V.A. Very short term visual memory via reverberation: a role for the cortico-thalamic excitatory circuit in temporal filling-in during blinks and saccades? 37: 949
BILODEAU, L.
Bilodeau, L. and Faubert, J. Isoluminance and chromatic motion perception throughout the visual field 37: 2073
BLAKESEE, B.
Kingdom, F.A.A., McCourt, M.E. and Blakesee, B. In defence of "lateral inhibition" as the underlying cause of induced brightness phenomena: a reply to Spehar, Gilchrist and Arend 37: 1039
BLAKESLEE, B.
Blakeslee, B. and McCourt, M.E. Similar mechanisms underlie simultaneous brightness contrast and grating induction 37: 2849
BLOUIN, J.
van Donkelaar, P., Gauthier, G.M., Blouin, J. and Vercher, J.-L. The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
BONAVENTURE, N.
Jardon, B.L.N. and Bonaventure, N. Involvement of NMDA in a plasticity phenomenon observed in the adult frog monocular optokinetic nystagmus 37: 1511
BONDARKO, V.M.
Bondarko, V.M. and Danilova, M.V. What spatial frequency do we use to detect the orientation of a Landolt C? 37: 2153
BOOTH, J.R.
Epelboim, J., Booth, J.R., Ashkenazy, R., Taleghani, A. and Steinman, R.M. Fillers and spaces in text: the importance of word recognition during reading 37: 2899
BOOTHE, R.G.
O'Dell, C. and Boothe, R.G. The development of stereoacuity in infant rhesus monkeys 37: 2675
BORCHERT, K.
Kelly, J.P., Borchert, K. and Teller, D.Y. The development of chromatic and achromatic contrast sensitivity in infancy as tested with the sweep VEP 37: 2057

BOSWORTH, C.F.
Bosworth, C.F., Sample, P.A. and Weinreb, R.N. Motion perception thresholds in areas of glaucomatous visual field loss 37: 355
Bosworth, C.F., Sample, P.A. and Weinreb, R.N. Perimetric motion thresholds are elevated in glaucoma suspects and glaucoma patients 37: 1989
BOUQUEREL, A.
Velay, J.L., Allin, F. and Bouquerel, A. Motor and perceptual responses to horizontal and vertical eye vibration in humans 37: 2631
BOURAS, C.
Hof, P.R., Vogt, B.A., Bouras, C. and Morrison, J.H. Atypical form of Alzheimer's disease with prominent posterior cortical atrophy: a review of lesion distribution and circuit disconnection in cortical visual pathways 37: 3609
BOUTET, I.
Rivest, J., Boutet, I. and Intriligator, J. Perceptual learning of orientation discrimination by more than one attribute 37: 273
BOWD, C.
Donnelly, M., Bowd, C. and Patterson, R. Direction discrimination of cyclopean (stereoscopic) and luminance motion 37: 2041
Phinney, R.E., Bowd, C. and Patterson, R. Direction-selective coding of stereoscopic (cyclopean) motion 37: 865
BOWEN, R.W.
Bowen, R.W. Isolation and interaction of ON and OFF pathways in human vision: contrast discrimination at pattern offset 37: 185
BOWMAKER, J.K.
Bowmaker, J.K., Heath, L.A., Wilkie, S.E. and Hunt, D.M. Visual pigments and oil droplets from six classes of photoreceptor in the retinas of birds 37: 2183
BRADLEY, A.
Wang, Y.-Z., Bradley, A. and Thibos, L.N. Aliased frequencies enable the discrimination of compound gratings in peripheral vision 37: 283
Wang, Y.-Z., Bradley, A. and Thibos, L.N. Interaction between sub- and supra-Nyquist spatial frequencies in peripheral vision 37: 2545
BRADNAM, M.S.
Condon, B., McFadzean, R., Hadley, D.M., Bradnam, M.S. and Shahani, U. Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
BRADY, N.
Brady, N., Bex, P.J. and Fredericksen, R.E. Independent coding across spatial scales in moving fractal images 37: 1873
Field, D.J. and Brady, N. Visual sensitivity, blur and the sources of variability in the amplitude spectra of natural scenes 37: 3367
BRAGADÓTTIR, R.
Bragadóttir, R., Kato, M. and Jarkman, S. Serotonin elevates the *c*-wave of the electroretinogram of the rabbit eye by increasing the transepithelial potential 37: 2495
BRANDT, R.
Brandt, R. and Vorobyev, M. Metric analysis of threshold spectral sensitivity in the honeybee 37: 425
BRAUN, J.
Lee, D.K., Koch, C. and Braun, J. Spatial vision thresholds in the near absence of attention 37: 2409
BREMMER, F.
Thiele, A., Bremmer, F., Ilg, U.J. and Hoffmann, K.-P. Visual responses of neurons from areas V1 and MT in a monkey with late onset strabismus: a case study 37: 853

BRENNAN, N.A.
Napper, G.A., Brennan, N.A., Barrington, M., Squires, M.A., Vessey, G.A. and Vingrys, A.J. The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
BRENNER, E.
Foster, D.H., Nascimento, S.M.C., Craven, B.J., Linnell, K.J., Cornelissen, F.W. and Brenner, E. Four issues concerning colour constancy and relationship colour constancy 37: 1341
van Damme, W. and Brenner, E. The distance used for scaling disparities is the same as the one used for scaling retinal size 37: 757
BRIGELL, M.G.
DeMarco, P.J. Jr., Brigell, M.G. and Gordon, M. The peripheral flicker effect: desensitization of the luminance pathway by static and modulated light 37: 2419
BROOKS, T.E.W.
Teller, D.Y., Brooks, T.E.W., Palmer, J. Infant color vision: moving tritan stimui do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
BROWN, J.M.
Greene, H.H. and Brown, J.M. Spatial interactions with real and gap-induced illusory lines in vernier acuity 37: 597
BROWN, L.G.
Rudd, M.E. and Brown, L.G. A model of Weber and noise gain control in the retina of the toad *Bufo marinus* 37: 2433
BROWN, R.J.
Brown, R.J. and Norcia, A.M. A method for investigating binocular rivalry in real-time with the steady-state VEP 37: 2401
BRUNNER, R.A.
Walter, P., Brunner, R.A., Widder, R.A. and Fischer, R.A. Episodic acute hypotonia after Nd:YAG laser capsulotomy–retinal function and choroidal swelling 37: 2937
BRUNO, P.
Bruno, P. and van den Berg, A.V. Relative orientation of primary positions of the two eyes 37: 935
BUCCI, M.P.
Bucci, M.P., Kapoula, Z., Eggert, T. and Garraud, L. Deficiency of adaptive control of the binocular coordination of saccades in strabismus 37: 2767
Kapoula, Z., Bucci, M.P., Eggert, T. and Garraud, L. Impairment of the binocular coordination of saccades in strabismus 37: 2757
BUCHANAN-SMITH, H.M.
Heeley, D.W., Buchanan-Smith, H.M., Cromwell, J.A. and Wright, J.S. The oblique effect in orientation acuity 37: 235
BUCK, S.L.
Buck, S.L. Influence of rod signals on hue perception: evidence from successive scotopic contrast 37: 1295
BUCKLEY, D.
Frisby, J.P., Catherall, C., Porrill, J. and Buckley, D. Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109
Wishart, K.A., Frisby, J.P. and Buckley, D. The role of 3-D surface slope in a lightness/brightness effect 37: 467
BURBECK, C.A.
Burbeck, C.A. and Zauberman, G.S. Across-object relationships in perceived object orientation 37: 879
BURKE, D.
Alais, D., Wenderoth, P. and Burke, D. The size and number of plaid blobs mediate the misperception of Type-II plaid direction 37: 143

BURR, D.C.
Morrone, M.C. and Burr, D.C. Capture and transparency in coarse quantized images 37: 2609
BUSH, R.A.
Kim, S.H., Bush, R.A. and Sieving, P.A. Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471

CAPUTO, G.
Caputo, G. Object grouping contingent upon background 37: 1313
CARANDINI, M.
Carandini, M. and Ringach, D.L. Predictions of a recurrent model of orientation selectivity 37: 3061
CARNEY, T.
Carney, T. and Klein, S.A. Resolution acuity is better than vernier acuity 37: 525
Carney, T. Evidence for an early motion system which integrates information from the two eyes 37: 2361
CARRASCO, M.
Carrasco, M. and Frieder, K.S. Cortical magnification neutralizes the eccentricity effect in visual search 37: 63
CARRUTHERS, J.A.
Lewis, J.W., van Kuijk, F.J.G.M., Carruthers, J.A., and Kliger, D.S. Metarhodopsin III formation and decay kinetics: comparison of bovine and human rhodopsin 37: 1
CASTET, E.
Castet, E. and Wuerger, S. Perception of moving lines: interactions between local perpendicular signals and 2D motion signals 37: 705
Morgan, M.J. and Castet, E. The aperture problem in stereopsis 37: 2737
CATHERALL, C.
Frisby, J.P., Catherall, C., Porrill, J. and Buckley, D. Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109
CELESIA, G.G.
Roveri, L, Demarco, P.J. Jr. and Celesia, G.G. An electrophysiological metric of activity within the ON- and OFF- pathways in humans 37: 669
CHARMAN, W.N.
Jennings, J.A.M. and Charman, W.N. Analytic approximation of the off-axis modulation transfer function of the eye 37: 697
CHASE, V.M.
Hood, D.C., Graham, N., von Wiegand, T.E. and Chase, V.M. Probed-sinewave paradigm: a test of models of light-adaptation dynamics 37: 1177
CHATURVEDI, V.
Chaturvedi, V. and van Gisbergen, J.A.M. Specificity of saccadic adaptation in three-dimensional space 37: 1367
CHEMTOB, S.
Fortin, S., Itaya, S.K., Chemtob, S. and Molotchnikoff, S. ON and OFF field potentials in the rat superior colliculus during development 37: 3079
CHEN, C.-C.
Foley, J.M. and Chen, C.-C. Analysis of the effect of pattern adaptation on pattern pedestal effects: a two-process model 37: 2779
CHICHILNISKY, E.J.
Chichilnisky, E.J. and Wandell, B.A. Increment-decrement asymmetry in adaptation 37: 616
CHINO, Y.M.
Kelly, S.A., Chino, Y.M., Cotter S.A. and Knuth, J. Orientation anisotropy and strabismus 37: 151

CHRICHTON, A.
Joffe, K.M., Raymond, J.E. and Chrichton, A. Motion coherence perimetry in glaucoma and suspected glaucoma 37: 955
CHRISTOU, C.G.
Christou, C.G. and Koenderink, J.J. Light source dependence in shape from shading 37: 1441
CHUBB, C.
Chubb, C., Lu, Z.-L. and Sperling, G. Structure detection: a statistically certified unsupervised learning procedure 37: 3343
CHUNG, S.T.L.
Chung, S.T.L. and Levi, D.M. Moving vernier in amblyopic and peripheral vision: greater tolerance to motion blur 37: 2527
CIUFFREDA, K.J.
Hung, G.K., Zhu, H. and Ciuffreda, K.J. Convergence and divergence exhibit different response characteristics to symmetric stimuli 37: 1197
COLLEWIJN, H.
Collewijn, H., Erkelens, C.J. and Steinman, R.M. Trajectories of the human binocular fixation point during conjugate and non-conjugate gaze-shifts 37: 1049
Epelboim, J., Steinman, R.M., Kowler, E., Pizlo, Z., Erkelens, C.J. and Collewijn, H. Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597
CONDON, B.
Condon, B., McFadzean, R., Hadley, D.M., Bradnam, M.S. and Shahani, U. Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
CONTE, M.M.
Taub, E., Victor, J.D. and Conte, M.M. Nonlinear preprocessing in short-range motion 37: 1459
COOPER, L.N.
Shouval, H., Intrator, N. and Cooper, L.N. BCM network develops orientation selectivity and ocular dominance in natural scene environment 37: 3339
CORNELISSEN, F.W.
Foster, D.H., Nascimento, S.M.C., Craven, B.J., Linnell, K.J., Cornelissen, F.W. and Brenner, E. Four issues concerning colour constancy and relationship colour constancy 37: 1341
COSTI, C.
Herreros de Tejada, P., Muñoz Tedó, C. and Costi, C. Behavioral estimates of absolute visual threshold in mice 37: 2427
COTTER, S.A.
Kelly, S.A., Chino, Y.M., Cotter, S.A. and Knuth, J. Orientation anisotropy and strabismus 37: 151
COURAGE, M.L.
Courage, M.L., Adams, R.J. and Hall, E.J. Contrast sensitivity in infants and children with Down syndrome 37: 1545
CRAFT, W.D.
Lappin, J. S. and Craft, W.D. Definition and detection of binocular disparity 37: 2953
CRAVEN, B.J.
Foster, D.H., Nascimento, S.M.C., Craven, B.J., Linnell, K.J., Cornelissen, F.W. and Brenner, E. Four issues concerning colour constancy and relationship colour constancy 37: 1341
CRAWFORD, M.L.J.
Harwerth, R.S., Smith, E.L. III, Crawford, M.L.J. and von Noorden, G.K. Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
CREWTHER, D.P.
Klistorner, A., Crewther, D.P. and Crewther, S.G. Separate magnocellular and parvocellular contributions from temporal analysis of the multifocal VEP 37: 2161

CREWTHER, S.G.
Klistorner, A., Crewther, D.P. and Crewther, S.G. Separate magnocellular and parvocellular contributions from temporal analysis of the multifocal VEP 37: 2161
CROMWELL, J.A.
Heeley, D.W., Buchanan-Smith, H.M., Cromwell, J.A. and Wright, J.S. The oblique effect in orientation acuity 37: 235
CRONER, L.J.
Croner, L.J. and Albright, T.D. Image segmentation enhances discrimination ofmotion in visual noise 37: 1415
CRONIN, T.W.
Howland, H.C., Howland, M., Giunta, A. and Cronin, T.W. Corneal curvatures and refractions of Central American frogs 37: 169
Osorio, D., Marshall, N.J. and Cronin, T.W. Stomatopod photoreceptor spectral tuning as an adaptation for colour constancy in water 37: 3299
CROPPER, S.J.
Cropper, S.J. and Hammett, S.T. Adaptation to motion of a second-order pattern: the motion aftereffect is not a general result 37: 2247
Mullen, K.T., Cropper, S.J. and Losada, M.A. Absence of linear subthreshold summation between red-green and luminance mechanisms over a wide range of spatio-temporal conditions 37: 1157
CROWELL, J.A.
Crowell, J.A. Testing the Perrone and Stone (1994) model of heading estimation 37: 1653
CRUYSBERG, J.R.M.
Melis, B.J.M., Cruysberg, J.R.M. and van Gisbergen, J.A.M. Listing's plane dependence on alternating fixation in a strabismus patient 37: 1355
CURRIE, D.C.
Currie, D.C. and Manny, R.E. The development of accommodation 37: 1525
CURTHOYS, I.S.
Wade, S.W. and Curthoys, I.S. The effect of ocular torsional position on perception of the roll-tilt of visual stimuli 37: 1071

DAKIN, S.C.
Dakin, S.C. and Hess, R.F. The spatial mechanisms mediating symmetry perception 37: 2915
Dakin, S.C. and Watt, R.J. The computation of orientation statistics from visual texture 37: 3181
Dakin, S.C. The detection of structure in Glass patterns: psychophysics and computational models 37: 2227
DAL BIANCO, P.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
VAN DAMME, W.
van Damme, W. and Brenner, E. The distance used for scaling disparities is the same as the one used for scaling retinal size 37: 757
DANILOVA, M.V.
Bondarko, V.M. and Danilova, M.V. What spatial frequency do we use to detect the orientation of a Landolt C? 37: 2153
DANNEMILLER, J.L.
Roessler, J.S. and Dannemiller, J.L. Changes in human infants' sensitivity to slow displacements over the first 6 months 37: 417
DAS, V.E.
Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627

DAWSON, W.W.
Kommonen, B., Kylmä, T., Karhunen, U., Dawson, W.W., Penn, J.S. Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
DE BONET, J.S.
De Bonet, J.S. and Zaidi, Q. Comparison between spatial interactions in perceived contrast and perceived brightness 37: 1141
DE BRUYN, B.
De Bruyn, B. Blending transparent motion patterns in peripheral vision 37: 645
DE VALOIS, K.K.
De Valois, R.L., De Valois, K.K., Switkes, E. and Mahon, L. Hue scaling of isoluminant and cone-specific lights 37: 885
Takeuchi, T. and De Valois, K.K. Motion-reversal reveals two motion mechanisms functioning in scoptopic vision 37: 745
DE VALOIS, R.L.
De Valois, R.L., De Valois, K.K., Switkes, E. and Mahon, L. Hue scaling of isoluminant and cone-specific lights 37: 885
DEEB, S.S.
Sanocki, E., Teller, D.Y., and Deeb, S.S. Rayleigh match ranges of red/green color-deficient observers: phsychophysical and molecular studies 37: 1897
DELINT, P.J.
Delint, P.J., Berendschot, T.T.J.M. and van Norren, D. Local photoreceptor alignment measured with a scanning laser ophthalmoscope 37: 243
DEMANINS, R.
Hess, R.F., Demanins, R. and Bex, P.J. A reduced motion aftereffect in strabismic amblyopia 37: 1303
DEMARCO, P.J. JR.
DeMarco, P.J. Jr., Brigell, M.G. and Gordon, M. The peripheral flicker effect: desensitization of the luminance pathway by static and modulated light 37: 2419
Roveri, L, Demarco, P.J. Jr. and Celesia, G.G. An electrophysiological metric of activity within the ON- and OFF- pathways in humans 37: 669
DERLACKI, D.J.
Alexander, K.R., Xie, W. and Derlacki, D.J. Visual acuity and contrast sensitivity for individual Sloan letters 37: 813
DESOUZA, J.F.X.
DeSouza, J.F.X., Nicolle, D.A. and Vilis, T. Task-dependent changes in the shape and thickness of Listing's plane 37: 2271
DE'SPERATI, C.
Harvey, R.J., De'Sperati, C. and Strata, P. The early phase of horizontal optokinetic responses in the pigmented rat and the effects of lesions of the visual cortex 37: 1615
DI BARTOLO, E.
Porciatti, V., Di Bartolo, E., Nardi M, M. and Fiorentini, A. Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
DIETHER, S.
Diether, S. and Schaeffel, F. Local changes in eye growth induced by imposed local refractive error despite active accommodation 37: 659
DISCENNA, A.O.
Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
DJAMGOZ, M.B.A.
Djamgoz, M.B.A., Hankins, M.W., Hirano, J. and Archer, S.N. Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509

Lee, J.-Y. and Djamgoz, M.B.A. Retinal dopamine depletion in young quail mimics some of the effects of ageing on visual function 37: 1103
Lee, J.-Y., Holden, L.A. and Djamgoz, M.B.A. Effects of ageing on spatial aspects of the pattern electroretinogram in male and female quail 37: 505
DOBKINS, K.R.
Dobkins, K.R., Lia, B and Teller, D.Y. Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699
VAN DONKELAAR, P.
van Donkelaar, P., Gauthier, G.M., Blouin, J. and Vercher, J.-L. The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
DONNELLY, M.
Donnelly, M., Bowd, C. and Patterson, R. Direction discrimination of cyclopean (stereoscopic) and luminance motion 37: 2041
Patterson, R., Donnelly, M., Phinney, R.E., Nawrot, M., Whiting, A. and Eyle T. Speed discrimination of stereoscopic (cyclopean) motion 37: 871
DORAIS, A.
Dorais, A. and Sagi, D. Contrast masking effects change with practice 37: 1725
DÖRR, S.
Dörr, S. and Neumeyer, C. Simultaneous color contrast in goldfish–a quantitative study 37: 1581
DRESP, B.
Dresp, B. and Grossberg, S. Contour integration across polarities and spatial gaps: from local contrast filtering to global grouping 37: 913
DREXLER, W.
Drexler, W., Baumgartner, A., Findl, O., Hitzenberger, C.K. and Fercher, A.F. Biometric investigation of changes in the anterior eye segment during accommodation 37: 2789
DREYER, E.B.
Sucher, N.J., Lipton, S.A. and Dreyer, E.B. Molecular basis of glutamate toxicity in retinal ganglion cells 37: 3483
DURGIN, F.H.
Durgin, F.H. and Huk, A.C. Texture density aftereffects in the perception of artificial and natural textures 37: 3273

EAGLE, R.A.
Eagle, R.A. and Rogers, B.J. Effects of dot density, patch size and contrast on the upper spatial limit for direction discrimination in random-dot kinematograms 37: 2091
ECKSTEIN, A.K.
Eckstein, A.K., Reichenbach, A., Jacobi, P., Weber, P., Gregor, M. and Zrenner, E. Hepatic retinopathia. Changes in retinal function 37: 1699
EDWARDS, M.
Nishida, S., Edwards, M. and Sato, T. Simultaneous motion contrast across space: involvement of second-order motion? 37: 199
Nishida, S., Ledgeway, T. and Edwards, M. Dual multiple-scale processing for motion in the human visual system 37: 2685
VAN EE, R.
Banks, M.S., van Ee, R. and Backus, B.T. The computation of binocular visual direction: a re-examination of Mansfield and Legge (1996) 37: 1605
Erkelens, C.J. and van Ee, R. Capture of the visual direction of monocular objects by adjacent binocular objects 37: 1735
Erkelens, C.J. and van Ee, R. Capture of visual direction: an unexpected phenomenon in binocular vision 37: 1193

EGAN, R.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
EGELHAAF, M.
Kern, R., Egelhaaf, M. and Srinivasan, M.V. Edge detection by landing honeybees: behavioural analysis and model simulations of the underlying mechanism 37: 2103
EGGERT, T.
Bucci, M.P., Kapoula, Z., Eggert, T. and Garraud, L. Deficiency of adaptive control of the binocular coordination of saccades in strabismus 37: 2767
Kapoula, Z., Bucci, M.P., Eggert, T. and Garraud, L. Impairment of the binocular coordination of saccades in strabismus 37: 2757
EIZENMAN, M.
Goltz, H.C., Irving, E.L., Steinbach, M.J. and Eizenman, M. Vertical eye position control in darkness: orbital position and body orientation interact to modulate drift velocity 37: 789
EJIMA, Y.
Goda, N. and Ejima, Y. Additive effect of luminance and color cues in generation of neon color spreading 37: 291
Ido, K, Ohtani, Y., Ejima, Y. Dependencies of motion assimilation and motion contrast on spatial properties of stimuli: spatial-frequency nonselective and selective interactions between local motion detectors 37: 1565
Ohtani, Y. and Ejima, Y. Anisotropy for direction discrimination in a two-frame apparent motion display 37: 765
Takemoto, A. and Ejima, Y. Retention of local information in generation of subjective contours 37: 1429
ELSNER, A.E.
Marcos, S., Tornow, R.-P., Elsner, A.E. and Navarro, R. Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909
EPELBOIM, J.
Epelboim, J., Booth, J.R., Ashkenazy, R., Taleghani, A. and Steinman, R.M. Fillers and spaces in text: the importance of word recognition during reading 37: 2899
Epelboim, J., Steinman, R.M., Kowler, E., Pizlo, Z., Erkelens, C.J. and Collewijn, H. Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597
ERGUN, E.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
ERKELENS, C.J.
Collewijn, H., Erkelens, C.J. and Steinman, R.M. Trajectories of the human binocular fixation point during conjugate and non-conjugate gaze-shifts 37: 1049
Epelboim, J., Steinman, R.M., Kowler, E., Pizlo, Z., Erkelens, C.J. and Collewijn, H. Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597
Erkelens, C.J. and van Ee, R. Capture of the visual direction of monocular objects by adjacent binocular objects 37: 1735
Erkelens, C.J. and van Ee, R. Capture of visual direction: an unexpected phenomenon in binocular vision 37: 1193
EVDOKIMIDIS, I.
Schweigart, G., Mergner, T., Evdokimidis, I., Morand, S. and Becker, W. Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643

EYLE, T.
Patterson, R., Donnelly, M., Phinney, R.E., Nawrot, M., Whiting, A. and Eyle T. Speed discrimination of stereoscopic (cyclopean) motion 37: 871

FAGIOLINI, M.
Pizzorusso, T., Fagiolini, M. Porciatti, V. and Maffei, L. Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
FAHLE, M.
Fahle, M. Specificity of learning curvature, orientation, and vernier discriminations 37: 1885
Herzog, M.H. and Fahle, M. The role of feedback in learning a vernier discrimination task 37: 2133
Morgan, M.J., Perry, R., and Fahle, M. The spatial limit for motion detection in noise depends on element size, not on spatial frequency 37: 729
FAUBERT, J.
Bilodeau, L. and Faubert, J. Isoluminance and chromatic motion perception throughout the visual field 37: 2073
FEHÉR, Á.
Kovács, I. and Fehér, Á. Non-Fourier information in bandpass noise patterns 37: 1167
FELDMAN, J.
Feldman, J. Curvilinearity, covariance, and regularity in perceptual groups 37: 2835
FELIPE, A.
Martínez-Verdú, F., Luque, M.J., Malo, J., Felipe, A. and Artigas, J.M. Implementations of a novel algorithm for colour constancy 37: 1829
FELLOUS, J.-M.
Fellous, J.-M. Gender discrimination and prediction on the basis of facial metric information 37: 1961
FERCHER, A.F.
Drexler, W., Baumgartner, A., Findl, O., Hitzenberger, C.K. and Fercher, A.F. Biometric investigation of changes in the anterior eye segment during accommodation 37: 2789
FESTA, E.K.
Festa, E.K. and Welch, L. Recruitment mechanisms in speed and fine-direction discrimination tasks 37: 3129
FIELD, D.J.
Field, D.J. and Brady, N. Visual sensitivity, blur and the sources of variability in the amplitude spectra of natural scenes 37: 3367
Hess, R.F., McIlhagga, W. and Field, D.J. Contour integration in strabismic amblyopia: the sufficiency of an explanation based on positional uncertainty 37: 3145
Olshausen, B.A. and Field, D.J. Sparse coding with an overcomplete basis set: a strategy employed by V1? 37: 3311
FINDL, O.
Drexler, W., Baumgartner, A., Findl, O., Hitzenberger, C.K. and Fercher, A.F. Biometric investigation of changes in the anterior eye segment during accommodation 37: 2789
FINDLAY, J.M.
Findlay, J.M. Saccade target selection during visual search 37: 617
FINE, E.M.
Fine, E.M., Peli, E. and Reeves, A. Simulated cataract does not reduce the benefit of RSVP 37: 2639
FINOCCHIO, D.V.
Phillips, J.O., Finocchio, D.V., Ong, L. and Fuchs, A.F. Smooth pursuit in 1- to 4-month-old human infants 37: 3009
FIORENTINI, A.
Porciatti, V., Di Bartolo, E., Nardi M, M. and Fiorentini, A. Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975

FISCHER, B.
Gezeck, S., Fischer, B. and Timmer, J. Saccadic reaction times: a statistical analysis of multimodal distributions 37: 2119
FISCHER, R.A.
Walter, P., Brunner, R.A., Widder, R.A. and Fischer, R.A. Episodic acute hypotonia after Nd:YAG laser capsulotomy–retinal function and choroidal swelling 37: 2937
FLITCROFT, D.I.
Flitcroft, D.I. and Morley, J.W. Accommodation in binocular contour rivalry 37: 121
FOLEY, J.M.
Foley, J.M. and Chen, C.-C. Analysis of the effect of pattern adaptation on pattern pedestal effects: a two-process model 37: 2779
FORTIN, S.
Fortin, S., Itaya, S.K., Chemtob, S. and Molotchnikoff, S. ON and OFF field potentials in the rat superior colliculus during development 37: 3079
FOSTER, D.H.
Foster, D.H., Nascimento, S.M.C., Craven, B.J., Linnell, K.J., Cornelissen, F.W. and Brenner, E. Four issues concerning colour constancy and relationship colour constancy 37: 1341
Nascimento, S.M.C., Foster, D.H. and McKee, P. Binary masks yielding Gaussian light distributions in Maxwellian view 37: 2975
FREDERICKSEN, R.E.
Brady, N., Bex, P.J. and Fredericksen, R.E. Independent coding across spatial scales in moving fractal images 37: 1873
Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Pitfalls in estimating motion detector receptive field geometry 37: 99
van Wezel, R.J.A., Lankheet, M.J.M., Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Responses of complex cells in cat area 17 to apparent motion of random pixel arrays 37: 839
FREEMAN, T.C.A.
Georgeson, M.A. and Freeman, T.C.A. Perceived location of bars and edges in one-dimensional images: computational models and human vision 37: 127
FRIEDER, K.S.
Carrasco, M. and Frieder, K.S. Cortical magnification neutralizes the eccentricity effect in visual search 37: 63
FRISBY, J.P.
Frisby, J.P., Catherall, C., Porrill, J. and Buckley, D. Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109
Wishart, K.A., Frisby, J.P. and Buckley, D. The role of 3-D surface slope in a lightness/brightness effect 37: 467
FUCHS, A.F.
Phillips, J.O., Finocchio, D.V., Ong, L. and Fuchs, A.F. Smooth pursuit in 1- to 4-month-old human infants 37: 3009
FUJISAWA, H.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
FUNKENSTEIN, B.
Funkenstein, B. and Jakowlew, S.B. Piscine *(Sparus aurata)* α subunit of the G-protein transducin is homologous to mammalian cone and rod transducin 37: 2487

GALVIN, S.J.
Galvin, S.J., O'Shea, R.P., Squire, A.M. and Govan, D.G. Sharpness overconstancy in peripheral vision 37: 2035

GARCÍA-PÉREZ, M.A.
García-Pérez, M.A. and Peli, E. The transition from DeVries-Rose to Weber's laws: comments on Rovamo, Mustonen and Näsänen (1995) 37: 2573
GARCÍA-SANCHEZ, J.
Trivino, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Comparative study of astrocytes in human and rabbit retinae 37: 1707
GARRAUD, L.
Bucci, M.P., Kapoula, Z., Eggert, T. and Garraud, L. Deficiency of adaptive control of the binocular coordination of saccades in strabismus 37: 2767
Kapoula, Z., Bucci, M.P., Eggert, T. and Garraud, L. Impairment of the binocular coordination of saccades in strabismus 37: 2757
GÄRTNER, W.
Towner, P., Harris, P., Wolstenholme, A.J., Hill, C., Worm, K. and Gärtner, W. Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
GASULL, X.
Gilabert, R., Gasull, X., Palés, J., Belmonte, C., Bergamini, M.V.W., and Gual, A. Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
GAUTHIER, G.M.
van Donkelaar, P., Gauthier, G.M., Blouin, J. and Vercher, J.-L. The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
GAUTHIER, I.
Gauthier, I. and Tarr, M.J. Becoming a "Greeble" expert: exploring mechanisms for face recognition 37: 1673
GEORGESON, M.A.
Georgeson, M.A. and Freeman, T.C.A. Perceived location of bars and edges in one-dimensional images: computational models and human vision 37: 127
Georgeson, M.A. and Meese, T.S. Perception of stationary plaids: The role of spatial filters in edge analysis 37: 3255
GERLING, J.
Gerling, J., Meigen, T. and Bach, M. Shift of equiluminance in congenital color vision deficiencies: pattern-ERG, VEP and psychophysical findings 37: 821
GERSTER, U.
Gerster, U. A quantitative estimate of flash-induced Ca^{2+}- and Na^{+}-influx and Na^{+}/Ca^{2+}-exchange in blowfly *Calliphora* photoreceptors 37: 2477
GEZECK, S.
Gezeck, S., Fischer, B. and Timmer, J. Saccadic reaction times: a statistical analysis of multimodal distributions 37: 2119
GIASCHI, D.
Giaschi, D., Lang, A. and Regan, D. Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531
GILABERT, R.
Gilabert, R., Gasull, X., Palés, J., Belmonte, C., Bergamini, M.V.W., and Gual, A. Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
GILCHRIST, A.L.
Spehar, B., Gilchrist, A.L. and Arend, L.E. Qualitative boundaries critical in White's effect and square-wave brightness induction: a reply to Kingdom *et al.* (1997) 37: 1044
VAN GISBERGEN, J.A.M.
Chaturvedi, V. and van Gisbergen, J.A.M. Specificity of saccadic adaptation in three-dimensional space 37: 1367
Melis, B.J.M., Cruysberg, J.R.M. and van Gisbergen, J.A.M. Listing's plane dependence on alternating fixation in a strabismus patient 37: 1355

GIUNTA, A.
Howland, H.C., Howland, M., Giunta, A. and Cronin, T.W. Corneal curvatures and refractions of Central American frogs 37: 169
GLENNERSTER, A.
Glennerster, A. and Parker, A.J. Computing stereo channels from masking data 37: 2143
GODA, N.
Goda, N. and Ejima, Y. Additive effect of luminance and color cues in generation of neon color spreading 37: 291
GOLTZ, H.C.
Goltz, H.C., Irving, E.L., Steinbach, M.J. and Eizenman, M. Vertical eye position control in darkness: orbital position and body orientation interact to modulate drift velocity 37: 789
GORDON, J.L.
Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
GORDON, M.
DeMarco, P.J. Jr., Brigell, M.G. and Gordon, M. The peripheral flicker effect: desensitization of the luminance pathway by static and modulated light 37: 2419
GOREA, A.
Gorea, A. and Agonie, C. 2E motion aliasing yielding 3D ambiguity, a study with variants of a Necker cube 37: 2195
GOVAN, D.G.
Galvin, S.J., O'Shea, R.P., Squire, A.M. and Govan, D.G. Sharpness overconstancy in peripheral vision 37: 2035
O'Shea, R.P., Sims, A.J.H. and Govan, D.G. The effect of spatial frequency and field size on the spread of exclusive visibilitiy in binocular rivalry 37: 175
GRAHAM, N.
Hood, D.C., Graham, N., von Wiegand, T.E. and Chase, V.M. Probed-sinewave paradigm: a test of models of light-adaptation dynamics 37: 1177
GRAY, R.
Gray, R.and Regan, D. Vernier step acuity and bisection acuity for texture-defined form 37: 1713
GREENE, H.H.
Greene, H.H. and Brown, J.M. Spatial interactions with real and gap-induced illusory lines in vernier acuity 37: 597
GREGOR, M.
Eckstein, A.K., Reichenbach, A., Jacobi, P., Weber, P., Gregor, M. and Zrenner, E. Hepatic retinopathia. Changes in retinal function 37: 1699
VAN DE GRIND, W.A.
Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Pitfalls in estimating motion detector receptive field geometry 37: 99
van Wezel, R.J.A., Lankheet, M.J.M., Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Responses of complex cells in cat area 17 to apparent motion of random pixel arrays 37: 839
GROSSBERG, S.
Baloch, A.A. and Grossberg, S. A neural model of high-level motion processing: line motion and formotion dynamics 37: 3037
Dresp, B. and Grossberg, S. Contour integration across polarities and spatial gaps: from local contrast filtering to global grouping 37: 913
VON GRÜNAU, M.
Gurnsey, R. and von Grünau, M. Illusory contour-motion arising from translating terminators 37: 1007

GUAL, A.
Gilabert, R., Gasull, X., Palés, J., Belmonte, C., Bergamini, M.V.W., and Gual, A. Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
GUPTA, A.
Rosenbaum, D.M., Rosenbaum, P.S., Gupta, A., Michaelson, M.D., Hall, D.H. and Kessler, J.A. Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
GUR, M.
Gur, M. and Snodderly, D.M. A dissociation between brain activity and perception: chromatically opponent cortical neurons signal chromatic flicker that is not perceived 37: 377
Gur, M. and Snodderly, D.M. Visual receptive fields in neurons in primary visual cortex (V1) move in space with the eye movements of fixation 37: 257
GURNSEY, R.
Gurnsey, R. and von Grünau, M. Illusory contour-motion arising from translating terminators 37: 1007
GUTOWSKI, N.J.
Gutowski, N.J., Heron, J.R. and Scase, M.O. Early impairment of foveal magno- and parvocellular pathways in juxta chiasmal tumours 37: 1401

HADLEY, D.M.
Condon, B., McFadzean, R., Hadley, D.M., Bradnam, M.S. and Shahani, U. Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
HALL, D.H.
Rosenbaum, D.M., Rosenbaum, P.S., Gupta, A., Michaelson, M.D., Hall, D.H. and Kessler, J.A. Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
HALL, E.J.
Courage, M.L., Adams, R.J. and Hall, E.J. Contrast sensitivity in infants and children with Down syndrome 37: 1545
HAMMETT, S.T.
Cropper, S.J. and Hammett, S.T. Adaptation to motion of a second-order pattern: the motion aftereffect is not a general result 37: 2247
Hammett, S.T. Motion blur and motion sharpening in the human visual system 37: 2505
HANKINS, M.W.
Djamgoz, M.B.A., Hankins, M.W., Hirano, J. and Archer, S.N. Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509
HANNON, D.J.
Sturr, J.F., Zhang, L., Taub, H.A., Hannon, D.J. and Jackowski, M.M. Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
HARLOW, C.E.
Volbrecht, V.J., Nerger, J.L. and Harlow, C.E. The bimodality of unique green revisited 37: 407
HARRIS, J.
McDowell, S.-A. and Harris, J. Irrelevant peripheral visual stimuli impair manual reaction times in Parkinson's disease 37: 3549
HARRIS, J.M.
McKee, S.P., Watamaniuk, S.N.J., Harris, J.M., Smallman, H.S. and Taylor, D.G. Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
HARRIS, M.G.
Meese, T.S. and Harris, M.G. Computation of surface slant from optic flow: orthogonal components of speed gradient can be combined 37: 2369

HARRIS, P.
Towner, P., Harris, P., Wolstenholme, A.J., Hill, C., Worm, K. and Gärtner, W. Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
HARRIS, R.A.
O'Carroll, D.C., Laughlin, S.B., Bidwell, N.J. and Harris, R.A. Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427
HARRISON, J.M.
Harrison, J.M., Kiel, J.W. and Smith, S. Effect of ocular perfusion pressure on retinal function in the rabbit 37: 2339
HARVEY, R.J.
Harvey, R.J., De'Sperati, C. and Strata, P. The early phase of horizontal optokinetic responses in the pigmented rat and the effects of lesions of the visual cortex 37: 1615
HARWERTH, R.S.
Harwerth, R.S., Smith, E.L. III, Crawford, M.L.J. and von Noorden, G.K. Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
HASEGAWA, E.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
HASHIMOTO, Y.
Ishikawa, M., Hashimoto, Y., Tonosaki, A. and Sakuragi, S. Preference of peanut agglutinin labeling for long-wavelength-sensitive cone photoreceptors in the dace retina 37: 383
HATASE, O.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
VAN HATEREN, J.H.
van Hateren, J.H. Processing of natural time series of intensities by the visual system of the blowfly 37: 3407
HAUG, B.A.
Haug, B.A., Hermsteiner, E.-M., Bandelow, B. and Paulus, W. Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535
HAWRYSHYN, C.W.
Novales Flamarique, I. and Hawryshyn, C.W. No evidence of polarization sensitivity in freshwater sunfish from multi-unit optic nerve recordings 37: 967
Novales Flamarique and Hawryshyn, C.W. Is the use of underwater polarized light by fish restricted to crepuscular time periods? 37: 975
HAYES, A.
Hess, R.F., Hayes, A. and Kingdom, F.A.A. Integrating contours within and through depth 37: 691
HE, J.C.
Shevell, S.K. and He, J.C. The visual photopigments of simple deuteranomalous trichromats inferred from color matching 37: 1115
HEATH, L.A.
Bowmaker, J.K., Heath, L.A., Wilkie, S.E. and Hunt, D.M. Visual pigments and oil droplets from six classes of photoreceptor in the retinas of birds 37: 2183

HEEGER, D.J.
Nestares, O. and Heeger, D.J. Modeling the apparent frequency-specific suppression in simple cell responses 37: 1535
HEELEY, D.W.
Heeley, D.W., Buchanan-Smith, H.M., Cromwell, J.A. and Wright, J.S. The oblique effect in orientation acuity 37: 235
HENGSTENBERG, R.
Krapp, H.G. and Hengstenberg, R. A fast stimulus procedure to determine local receptive field properties of motion-sensitive visual interneurons 37: 225
HERMSTEINER, E.-M.
Haug, B.A., Hermsteiner, E.-M., Bandelow, B. and Paulus, W. Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535
HERON, J.R.
Gutowski, N.J., Heron, J.R. and Scase, M.O. Early impairment of foveal magno- and parvocellular pathways in juxta chiasmal tumours 37: 1401
HERREROS DE TEJADA, P.
Herreros de Tejada, P., Muñoz Tedó, C. and Costi, C. Behavioral estimates of absolute visual threshold in mice 37: 2427
HERZOG, M.H.
Herzog, M.H. and Fahle, M. The role of feedback in learning a vernier discrimination task 37: 2133
HESS, R.F.
Dakin, S.C. and Hess, R.F. The spatial mechanisms mediating symmetry perception 37: 2915
Hess, R.F., Demanins, R. and Bex, P.J. A reduced motion aftereffect in strabismic amblyopia 37: 1303
Hess, R.F., Hayes, A. and Kingdom, F.A.A. Integrating contours within and through depth 37: 691
Hess, R.F., McIlhagga, W. and Field, D.J. Contour integration in strabismic amblyopia: the sufficiency of an explanation based on positional uncertainty 37: 3145
Wilcox, L.M. and Hess, R.F. Scale selection for second-order (non-linear) stereopsis 37: 2981
HEVNER, R.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
HIKOSAKA, O.
Shimojo, S., Miyauchi, S. and Hikosaka, O. Visual motion sensation yielded by non-visually driven attention 37: 1575
HILL, C.
Towner, P., Harris, P., Wolstenholme, A.J., Hill, C., Worm, K. and Gärtner, W. Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
HIRANO, J.
Djamgoz, M.B.A., Hankins, M.W., Hirano, J. and Archer, S.N. Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509
HIROOKA, K.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029

HISATOMI, O.
Hisatomi, O., Satoh, T. and Tokunaga, F. The primary structure and distribution of killifish visual pigments 37: 3089
HITA, E.
Jiménez, J.R., Rubiño, M., Hita, E. and Jiménez Del Barco, L. Influence of the luminance and opponent chromatic channels on stereopsis with random-dot stereograms 37: 591
HITZENBERGER, C.K.
Drexler, W., Baumgartner, A., Findl, O., Hitzenberger, C.K. and Fercher, A.F. Biometric investigation of changes in the anterior eye segment during accommodation 37: 2789
HO, K.-C.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
HOCK, H.S.
Balz, G.W. and Hock, H.S. The effect of attentional spread on spatial resolution 37: 1499
HOF, P.R.
Hof, P.R., Vogt, B.A., Bouras, C. and Morrison, J.H. Atypical form of Alzheimer's disease with prominent posterior cortical atrophy: a review of lesion distribution and circuit disconnection in cortical visual pathways 37: 3609
HOFFMANN, K.-P.
Niemann, T. and Hoffmann, K.-P. Motion processing for saccadic eye movements during the visually induced sensation of ego-motion in humans 37: 3163
Thiele, A., Bremmer, F., Ilg, U.J. and Hoffmann, K.-P. Visual responses of neurons from areas V1 and MT in a monkey with late onset strabismus: a case study 37: 853
VON HOFSTEN, C.
von Hofsten, C. and Rosander, K. Development of smooth pursuit tracking in young infants 37: 1799
HOLDEN, L.A.
Lee, J.-Y., Holden, L.A. and Djamgoz, M.B.A. Effects of ageing on spatial aspects of the pattern electroretinogram in male and female quail 37: 505
HOOD, D.C.
Hood, D.C., Graham, N., von Wiegand, T.E. and Chase, V.M. Probed-sinewave paradigm: a test of models of light-adaptation dynamics 37: 1177
HOWARD, I.P.
Kaneko, H. and Howard, I.P. Spatial limitation of vertical-size disparity processing 37: 2871
Kaneko, H. and Howard, I.P. Spatial properties of shear disparity processing 37: 315
HOWELL, N.
Howell, N. Leber hereditary optic neuropathy: mitochondrial mutations and degeneration of the optic nerve 37: 3495
HOWLAND, H.C.
Howland, H.C., Howland, M., Giunta, A. and Cronin, T.W. Corneal curvatures and refractions of Central American frogs 37: 169
HOWLAND, M.
Howland, H.C., Howland, M., Giunta, A. and Cronin, T.W. Corneal curvatures and refractions of Central American frogs 37: 169
HUANG, A.S.
Turano, K.A., Huang, A.S. and Quigley, H.A. Temporal filter of the motion sensor in glaucoma 37: 2315

HUANG, Z.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
HUK, A.C.
Durgin, F.H. and Huk, A.C. Texture density aftereffects in the perception of artificial and natural textures 37: 3273
HUNG, G.K.
Hung, G.K., Zhu, H. and Ciuffreda, K.J. Convergence and divergence exhibit different response characteristics to symmetric stimuli 37: 1197
HUNT, D.M.
Bowmaker, J.K., Heath, L.A., Wilkie, S.E. and Hunt, D.M. Visual pigments and oil droplets from six classes of photoreceptor in the retinas of birds 37: 2183
HUNTER, S.K.
Richards, J. E. and Hunter, S.K. Peripheral stimulus localization by infants with eye and head movements during visual attention 37: 3021

IDO, K.
Ido, K, Ohtani, Y., Ejima, Y. Dependencies of motion assimilation and motion contrast on spatial properties of stimuli: spatial-frequency nonselective and selective interactions between local motion detectors 37: 1565
ILG, U.J.
Thiele, A., Bremmer, F., Ilg, U.J. and Hoffmann, K.-P. Visual responses of neurons from areas V1 and MT in a monkey with late onset strabismus: a case study 37: 853
INTRATOR, N.
Shouval, H., Intrator, N. and Cooper, L.N. BCM network develops orientation selectivity and ocular dominance in natural scene environment 37: 3339
INTRILIGATOR, J.
Rivest, J., Boutet, I. and Intriligator, J. Perceptual learning of orientation discrimination by more than one attribute 37: 273
IRIE, T.
Kawamuro, K., Irie, T. and Nakamura, T. Filtering effect of cone oil droplets detected in the P-III response spectra of Japanese quail 37: 2829
IRVING, E.L.
Goltz, H.C., Irving, E.L., Steinbach, M.J. and Eizenman, M. Vertical eye position control in darkness: orbital position and body orientation interact to modulate drift velocity 37: 789
ISHIKAWA, M.
Ishikawa, M., Hashimoto, Y., Tonosaki, A. and Sakuragi, S. Preference of peanut agglutinin labeling for long-wavelength-sensitive cone photoreceptors in the dace retina 37: 383
ITANO, T.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
ITAYA, S.K.
Fortin, S., Itaya, S.K., Chemtob, S. and Molotchnikoff, S. ON and OFF field potentials in the rat superior colliculus during development 37: 3079
ITO, H.
Ito, H. The interaction between stereoscopic and luminance motion 37: 2553

JACKOWSKI, M.M.
Sturr, J.F., Zhang, L., Taub, H.A., Hannon, D.J. and Jackowski, M.M. Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
JACOBI, P.
Eckstein, A.K., Reichenbach, A., Jacobi, P., Weber, P., Gregor, M. and Zrenner, E. Hepatic retinopathia. Changes in retinal function 37: 1699
JACOBSEN, K.
Jacobsen, K., Magnussen, S. and Smith, L. Hidden visual capabilities in mentally retarded subjects diagnosed as deaf-blind 37: 2931
JAGGER, W.S.
Jagger, W.S. Chromatic and monochromatic optical resolution in the rainbow trout 37: 1249
JAKOWLEW, S.B.
Funkenstein, B. and Jakowlew, S.B. Piscine *(Sparus aurata)* α subunit of the G-protein transducin is homologous to mammalian cone and rod transducin 37: 2487
JARDON, B.L.N.
Jardon, B.L.N. and Bonaventure, N. Involvement of NMDA in a plasticity phenomenon observed in the adult frog monocular optokinetic nystagmus 37: 1511
JARKMAN, S.
Bragadóttir, R., Kato, M. and Jarkman, S. Serotonin elevates the *c*-wave of the electroretinogram of the rabbit eye by increasing the transepithelial potential 37: 2495
JENNINGS, J.A.M.
Jennings, J.A.M. and Charman, W.N. Analytic approximation of the off-axis modulation transfer function of the eye 37: 697
JIANG, B.C.
Patel, S.S., Ögmen, H., White, J.M. and Jiang, B.C. Neural network model of short-term horizontal disparity vergence dynamics 37: 1383
JIMÉNEZ, J.R.
Jiménez, J.R., Rubiño, M., Hita, E. and Jiménez Del Barco, L. Influence of the luminance and opponent chromatic channels on stereopsis with random-dot stereograms 37: 591
JIMÉNEZ DEL BARCO, L.
Jiménez, J.R., Rubiño, M., Hita, E. and Jiménez Del Barco, L. Influence of the luminance and opponent chromatic channels on stereopsis with random-dot stereograms 37: 591
JOFFE, K.M.
Joffe, K.M., Raymond, J.E. and Chrichton, A. Motion coherence perimetry in glaucoma and suspected glaucoma 37: 955
JOHNSTON, A.
Benton, C.P. and Johnston, A. Rapid communication: first-order motion from contrast modulated noise? 37: 3073
Benton, C.P., Johnston, A. and McOwan, P.W. Perception of motion direction in luminance- and contrast-defined reversed-phi motion sequences 37: 2381
Johnston, A. and Benton, C.P. Speed discrimination thresholds for first- and second-order bars and edges 37: 2217
JONES, J.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
JONES, R.
Tuan, K.-M. and Jones, R. Adaptation to the prismatic effects of refractive lenses 37: 1851

DE JONG, P.T.V.M.
Joosse, M.V., Simonsz, H.J., van Minderhout, H.M., de Jong, P.T.V.M., Noordzij, B. and Mulder, P.G.H. Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
JOOSSE, M.V.
Joosse, M.V., Simonsz, H.J., van Minderhout, H.M., de Jong, P.T.V.M., Noordzij, B. and Mulder, P.G.H. Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
JOSEPH, J.S.
Joseph, J.S., Victor, J.D. and Optican, L.M. Scaling effects in the perception of higher-order spatial correlations 37: 3097

KAISER, P.K.
Kurtenbach, A., Rüttiger, L., Kaiser, P.K. and Zrenner, E. Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721
KALLONIATIS, M.
Kalloniatis, M. and Pianta, M.J. L and M cone input into spectral sensitivity functions: a reanalysis 37: 799
KAMINSKI, S.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
KAMIYAMA, M.
Yamamoto, S., Nitta, K. and Kamiyama, M. Cone electroretinogram to chromatic stimuli in myopic eyes 37: 2157
KANEKO, H.
Kaneko, H. and Howard, I.P. Spatial limitation of vertical-size disparity processing 37: 2871
Kaneko, H. and Howard, I.P. Spatial properties of shear disparity processing 37: 315
KAPOULA, Z.
Bucci, M.P., Kapoula, Z., Eggert, T. and Garraud, L. Deficiency of adaptive control of the binocular coordination of saccades in strabismus 37: 2767
Kapoula, Z., Bucci, M.P., Eggert, T. and Garraud, L. Impairment of the binocular coordination of saccades in strabismus 37: 2757
KARHUNEN, U.
Kommonen, B., Kylmä, T., Karhunen, U., Dawson, W.W., Penn, J.S. Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
KASTNER, S.
Kastner, S., Nothdurft, H.-C. and Pigarev, I.N. Neuronal correlates of pop-out in cat striate cortex 37: 371
KATO, M.
Bragadóttir, R., Kato, M. and Jarkman, S. Serotonin elevates the *c*-wave of the electroretinogram of the rabbit eye by increasing the transepithelial potential 37: 2495
KATZ, M.
Kruger, P.B., Mathews, S., Katz, M., Aggarwala, K.R. and Nowbotsing, S. Accommodation without feedback suggests directional signals specify ocular focus 37: 2511
KAWAMURA, S.
Kawamura, S. and Yokoyama, S. Expression of visual and nonvisual opsins in American chameleon 37: 1867

KAWAMURO, K.
Kawamuro, K., Irie, T. and Nakamura, T. Filtering effect of cone oil droplets detected in the P-III response spectra of Japanese quail 37: 2829
KEEBLE, D.R.T.
Keeble, D.R.T., Kingdom, F.A.A. and Morgan, M.J. The orientational resolution of human texture perception 37: 2993
KELLMAN, P.J.
Shipley, T.F. and Kellman, P.J. Spatio-temporal boundary formation: the role of local motion signals in boundary perception 37: 1281
KELLY, J.P.
Kelly, J.P., Borchert, K. and Teller, D.Y. The development of chromatic and achromatic contrast sensitivity in infancy as tested with the sweep VEP 37: 2057
KELLY, S.A.
Kelly, S.A., Chino, Y.M., Cotter S.A. and Knuth, J. Orientation anisotropy and strabismus 37: 151
KERGOAT, H.
Kergoat, H. Using the POBF as an index of interocular blood flow effects during unilateral vascular stress 37: 1085
KERN, R.
Kern, R., Egelhaaf, M. and Srinivasan, M.V. Edge detection by landing honeybees: behavioural analysis and model simulations of the underlying mechanism 37: 2103
KESSLER, J.A.
Rosenbaum, D.M., Rosenbaum, P.S., Gupta, A., Michaelson, M.D., Hall, D.H. and Kessler, J.A. Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
KETTNER, R.E.
Leung, H.-C. and Kettner, R.E. Predictive smooth pursuit of complex two-dimensional trajectories demonstrated by perturbation responses in monkeys 37: 1347
KIEL, J.W.
Harrison, J.M., Kiel, J.W. and Smith, S. Effect of ocular perfusion pressure on retinal function in the rabbit 37: 2339
KIM, J.
Kim, J. and Wilson, H.R. Motion integration over space: interaction of the center and surround motion 37: 991
KIM, S.H.
Kim, S.H., Bush, R.A. and Sieving, P.A. Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471
KING-SMITH, P.E.
Alvarez, S.L., Pierce, G.E., Vingrys, A.J., Benes, S.C., Weber, P.A. and King-Smith, P.E. Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295
King-Smith, P.E. and Rose, D. Principles of an adaptive method for measuring the slope of the psychometric function 37: 1595
KINGDOM, F.A.A.
Hess, R.F., Hayes, A. and Kingdom, F.A.A. Integrating contours within and through depth 37: 691
Keeble, D.R.T., Kingdom, F.A.A. and Morgan, M.J. The orientational resolution of human texture perception 37: 2993
Kingdom, F.A.A., McCourt, M.E. and Blakesee, B. In defence of "lateral inhibition" as the underlying cause of induced brightness phenomena: a reply to Spehar, Gilchrist and Arend 37: 1039
Rainville, S.J.M. and Kingdom, F.A.A. The mechanisms for detecting compressively sampled gratings 37: 3237
Simmons, D.R. and Kingdom, F.A.A. On the independence of chromatic and achromatic stereopsis mechanisms 37: 1271

KITANI, T.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
KLEIN, S.A.
Beard, B.L., Levi, D.M. and Klein, S.A. Vernier acuity with non-simultaneous targets: the cortical magnification factor estimated by psychophysics 37: 325
Carney, T. and Klein, S.A. Resolution acuity is better than vernier acuity 37: 525
KLIGER, D.S.
Lewis, J.W., van Kuijk, F.J.G.M., Carruthers, J.A., and Kliger, D.S. Metarhodopsin III formation and decay kinetics: comparison of bovine and human rhodopsin 37: 1
KLISTORNER, A.
Klistorner, A., Crewther, D.P. and Crewther, S.G. Separate magnocellular and parvocellular contributions from temporal analysis of the multifocal VEP 37: 2161
KLITZ, T.S.
Legge, G.E., Ahn, S.J., Klitz, T.S. and Luebker, A. Psychophysics of reading–XVI. The visual span in normal and low vision 37: 1999
KNABE, W.
Knabe, W., Skatchkov, S. and Kuhn, H.-J. "Lens mitochondria" in the retinal cones of the tree-shrew *Tupaia belangeri* 37: 267
KNUTH, J.
Kelly, S.A., Chino, Y.M., Cotter, S.A. and Knuth, J. Orientation anisotropy and strabismus 37: 151
KOCH, C.
Lee, D.K., Koch, C. and Braun, J. Spatial vision thresholds in the near absence of attention 37: 2409
KOENDERINK, J.J.
Christou, C.G. and Koenderink, J.J. Light source dependence in shape from shading 37: 1441
KOMMONEN, B.
Kommonen, B., Kylmä, T., Karhunen, U., Dawson, W.W., Penn, J.S. Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
KONISHI, R.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
KORTH, M.
Korth, M. and Nguyen, N.X. The effect of stimulus size on human cortical potentials evoked by chromatic patterns 37: 649
KOVACS, I.
Kovács, I. and Fehér, Á. Non-Fourier information in bandpass noise patterns 37: 1167
KOWLER, E.
Epelboim, J., Steinman, R.M., Kowler, E., Pizlo, Z., Erkelens, C.J. and Collewijn, H. Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597
KRAPP, H.G.
Krapp, H.G. and Hengstenberg, R. A fast stimulus procedure to determine local receptive field properties of motion-sensitive visual interneurons 37: 225
KREMERS, J.
Kremers, J. and Weiss, S. Receptive field dimensions of lateral geniculate cells in the common marmoset *(Callithrix jacchus)* 37: 2171
Kremers, J., Weiss, S. and Zrenner, E. Temporal properties of marmoset lateral geniculate cells 37: 2649

Lee, B.B., Smith, V.C., Pokorny, J. and Kremers, J. Rod inputs to macaque ganglion cells 37: 2813

KRUGER, P.B.

Kruger, P.B., Mathews, S., Katz, M., Aggarwala, K.R. and Nowbotsing, S. Accommodation without feedback suggests directional signals specify ocular focus 37: 2511

KUHN, H.-J.

Knabe, W., Skatchkov, S. and Kuhn, H.-J. "Lens mitochondria" in the retinal cones of the tree-shrew *Tupaia belangeri* 37: 267

VAN KUIJK, F.J.G.M.

Lewis, J.W., van Kuijk, F.J.G.M., Carruthers, J.A., and Kliger, D.S. Metarhodopsin III formation and decay kinetics: comparison of bovine and human rhodopsin 37: 1

KULJIS, R.O.

Kuljis, R.O. and Tikoo, R.K. Discontinuous distribution of senile plaques within striate cortex hypercolumns in Alzheimer's disease 37: 3573

KURTENBACH, A.

Kurtenbach, A., Rüttiger, L., Kaiser, P.K. and Zrenner, E. Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721

KYLMÄ, T.

Kommonen, B., Kylmä, T., Karhunen, U., Dawson, W.W., Penn, J.S. Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365

LAARNI, J.

Laarni, J. and Nyman, G. Shape priming in a complex visual search task 37: 2561

LACHAPELLE, P.

McKerral, M., Roy, M.-S., Benoit, J., Leporé, F. and Lachapelle, P. Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193

LAMB, T.D.

Smith, N.P. and Lamb, T.D. The α-wave of the human electroretinogram recorded with a minimally invasive technique 37: 2943

LANDIS, D.M.D.

Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627

LANG, A.

Giaschi, D., Lang, A. and Regan, D. Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531

LANKHEET, M.J.M.

van Wezel, R.J.A., Lankheet, M.J.M., Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Responses of complex cells in cat area 17 to apparent motion of random pixel arrays 37: 839

LAPPIN, J.S.

Lappin, J. S. and Craft, W.D. Definition and detection of binocular disparity 37: 2953

LASKER, A.G.

Lasker, A.G. and Zee, D.S. Ocular motor abnormalities in Huntington's disease 37: 3639

LATHAM, K.

Whitaker, D. and Latham, K. Disentangling the role of spatial scale, separation and eccentricity in Weber's law for position 37: 515

LAUGHLIN, S.B.
O'Carroll, D.C., Laughlin, S.B., Bidwell, N.J. and Harris, R.A. Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427
LEDGEWAY, T.
Ledgeway, T. and Smith, A.T. Changes in perceived speed following adaptation to first-order and second-order motion 37: 215
Nishida, S., Ledgeway, T. and Edwards, M. Dual multiple-scale processing for motion in the human visual system 37: 2685
Smith, A.T. and Ledgeway, T. Separate detection of moving luminance and contrast modulations: fact or artifact? 37: 45
LEE, B.
Lee, B. and Rogers, B. Disparity modulation sensitivity for narrow-band-filtered stereograms 37: 1769
LEE, B.B.
Lee, B.B., Smith, V.C., Pokorny, J. and Kremers, J. Rod inputs to macaque ganglion cells 37: 2813
LEE, D.K.
Lee, D.K., Koch, C. and Braun, J. Spatial vision thresholds in the near absence of attention 37: 2409
LEE, J.-Y.
Lee, J.-Y. and Djamgoz, M.B.A. Retinal dopamine depletion in young quail mimics some of the effects of ageing on visual function 37: 1103
Lee, J.-Y., Holden, L.A. and Djamgoz, M.B.A. Effects of ageing on spatial aspects of the pattern electroretinogram in male and female quail 37: 505
LEGGE, G.E.
Legge, G.E., Ahn, S.J., Klitz, T.S. and Luebker, A. Psychophysics of reading–XVI. The visual span in normal and low vision 37: 1999
Mansfield, J.S. and Legge, G.E. Binocular visual direction, the cyclopean eye, and vergence: reply to Banks, van Ee and Backus 37: 1610
LEHMKUHLE, S.
Steinman, B.A, Steinman, S.B. and Lehmkuhle, S. Transient visual attention is dominated by the magnocellular stream 37: 17
LEIGH, R.J.
Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
LENNIE, P.
Li, A and Lennie, P. Mechanisms underlying segmentation of colored textures 37: 83
LEONARDS, U.
Leonards, U. and Singer, W. Selective temporal interactions between processing streams with differential sensitivity for colour and luminance contrast 37: 1129
LEPORÉ, F.
McKerral, M., Roy, M.-S., Benoit, J., Leporé, F. and Lachapelle, P. Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193
LEUNG, H.-C.
Leung, H.-C. and Kettner, R.E. Predictive smooth pursuit of complex two-dimensional trajectories demonstrated by perturbation responses in monkeys 37: 1347
LEVI, D.M.
Beard, B.L., Levi, D.M. and Klein, S.A. Vernier acuity with non-simultaneous targets: the cortical magnification factor estimated by psychophysics 37: 325
Chung, S.T.L. and Levi, D.M. Moving vernier in amblyopic and peripheral vision: greater tolerance to motion blur 37: 2527

Mussap, A.J. and Levi, D.M. Vernier acuity with plaid masks: the role of oriented filters in vernier acuity 37: 1325
Whitaker, D., McGraw, P.V. and Levi, D.M. The influence of adaptation on perceived visual location 37: 2207
Yu, C. and Levi, D.M. Cortical components of the Westheimer function 37: 2535
Yu, C. and Levi, D.M. Cortical end-stopped perceptive fields: evidence from dichoptic and amblyopic studies 37: 2261
Yu, C. and Levi, D.M. Spatial facilitation predicted with end-stopped spatial filters 37: 3117
LEWIS, J.W.
Lewis, J.W., van Kuijk, F.J.G.M., Carruthers, J.A., and Kliger, D.S. Metarhodopsin III formation and decay kinetics: comparison of bovine and human rhodopsin 37: 1
LI, A.
Li, A and Lennie, P. Mechanisms underlying segmentation of colored textures 37: 83
LI, W.
Li, W. and Matin, L. Saccadic suppression of displacement: separate influences of saccade size and of target retinal eccentricity 37: 1779
Li, W. and Westheimer, G. Human discrimination of the implicit orientation of simple symmetrical patterns 37: 565
LIA, B.
Dobkins, K.R., Lia, B and Teller, D.Y. Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699
LIEBL, W.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
LINGELBACH, B.
Schrauf, M., Lingelbach, B. and Wist, E.R. The scintillating grid illusion 37: 1033
LINNELL, K.J.
Foster, D.H., Nascimento, S.M.C., Craven, B.J., Linnell, K.J., Cornelissen, F.W. and Brenner, E. Four issues concerning colour constancy and relationship colour constancy 37: 1341
LIPTON, S.A.
Sucher, N.J., Lipton, S.A. and Dreyer, E.B. Molecular basis of glutamate toxicity in retinal ganglion cells 37: 3483
LIU, L.
Liu, L, Stevenson, S.B. and Schor, C.M. Binocular matching of dissimilar features in phantom stereopsis 37: 633
LOSADA, M.A.
Mullen, K.T., Cropper, S.J. and Losada, M.A. Absence of linear subthreshold summation between red-green and luminance mechanisms over a wide range of spatio-temporal conditions 37: 1157
LOTT, L.A.
Stevenson, S.B., Lott, L.A. and Yang, J. The influence of subject instruction on horizontal and vertical vergence tracking 37: 2891
LU, Z.-L.
Chubb, C., Lu, Z.-L. and Sperling, G. Structure detection: a statistically certified unsupervised learning procedure 37: 3343
LUEBKER, A.
Legge, G.E., Ahn, S.J., Klitz, T.S. and Luebker, A. Psychophysics of reading–XVI. The visual span in normal and low vision 37: 1999

LUKAS, J.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
LUQUE, M.J.
Martínez-Verdú, F., Luque, M.J., Malo, J., Felipe, A. and Artigas, J.M. Implementations of a novel algorithm for colour constancy 37: 1829

MACLEOD, D.I.A.
Welch, L., MacLeod, D.I.A. and McKee, S.P. Motion interference: perturbing perceived direction 37: 2725
MAFFEI, L.
Pizzorusso, T., Fagiolini, M. Porciatti, V. and Maffei, L. Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
MAGNUSSEN, S.
Jacobsen, K., Magnussen, S. and Smith, L. Hidden visual capabilities in mentally retarded subjects diagnosed as deaf-blind 37: 2931
MAHON, L.
De Valois, R.L., De Valois, K.K., Switkes, E. and Mahon, L. Hue scaling of isoluminant and cone-specific lights 37: 885
MÄKELÄ, P.
Mäkelä, P., Rovamo, J. and Whitaker, D. The effects of eccentricity and stimulus magnification on simultaneous performance in position and movement acuity tasks 37: 1261
MAKOUS, W.
Bex, P.J. and Makous, W. Radial motion looks faster 37: 3399
Yang, J. and Makous, W. Implicit masking constrained by spatial inhomogeneities 37: 1917
MALIK, J.
Rosenholtz, R. and Malik, J. Surface orientation from texture: isotropy or homogeneity (or both)? 37: 2283
MALO, J.
Martínez-Verdú, F., Luque, M.J., Malo, J., Felipe, A. and Artigas, J.M. Implementations of a novel algorithm for colour constancy 37: 1829
MANNY, R.E.
Currie, D.C. and Manny, R.E. The development of accommodation 37: 1525
Rasengane, T.A., Allen, D. and Manny, R.E. Development of temporal contrast sensitivity in human infants 37: 1747
MANSFIELD, J.S.
Mansfield, J.S. and Legge, G.E. Binocular visual direction, the cyclopean eye, and vergence: reply to Banks, van Ee and Backus 37: 1610
MARCOS, S.
Marcos, S., Tornow, R.-P., Elsner, A.E. and Navarro, R. Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909
MARESCHAL, I.
Mareschal, I., Ashida, H., Bex, P.J., Nishida, S. and Verstraten, F.A.J. Linking lower and higher stages of motion processing? 37: 1755
MARSHALL, N.J.
Osorio, D., Marshall, N.J. and Cronin, T.W. Stomatopod photoreceptor spectral tuning as an adaptation for colour constancy in water 37: 3299
MARTÍNEZ-VERDÚ, F.
Martínez-Verdú, F., Luque, M.J., Malo, J., Felipe, A. and Artigas, J.M. Implementations of a novel algorithm for colour constancy 37: 1829

MASSON, G.S.
Mestre, D.R. and Masson, G.S. Ocular responses to motion parallax stimuli: the role of perceptual and attentional factors 37: 1627
MATHER, G.
Mather, G. and Murdoch, L. Order-specific and non-specific motion responses in the human visual system 37: 605
MATHEWS, S.
Kruger, P.B., Mathews, S., Katz, M., Aggarwala, K.R. and Nowbotsing, S. Accommodation without feedback suggests directional signals specify ocular focus 37: 2511
MATIN, L.
Li, W. and Matin, L. Saccadic suppression of displacement: separate influences of saccade size and of target retinal eccentricity 37: 1779
MATSUI, H.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
MAUSFELD, R.
Neiderée, R. and Mausfeld, R. Increment-decrement asymmetry in dichoptic matching with haploscopically superimposed backgrounds 37: 613
MAXWELL, J.S.
Maxwell, J.S. and Schor, C.M. Head-position-dependent adaptation of nonconcomitant vertical skew 37: 441
MCCANDLESS, J.W.
Schor, C.M. and McCandless, J.W. Context-specific adaptation of vertical vergence to correlates of eye position 37: 1929
MCCOURT, M.E.
Blakeslee, B. and McCourt, M.E. Similar mechanisms underlie simultaneous brightness contrast and grating induction 37: 2849
Kingdom, F.A.A., McCourt, M.E. and Blakesee, B. In defence of "lateral inhibition" as the underlying cause of induced brightness phenomena: a reply to Spehar, Gilchrist and Arend 37: 1039
MCDOWELL, S.-A.
McDowell, S.-A. and Harris, J. Irrelevant peripheral visual stimuli impair manual reaction times in Parkinson's disease 37: 3549
MCFADZEAN, R.
Condon, B., McFadzean, R., Hadley, D.M., Bradnam, M.S. and Shahani, U. Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
MCGRAW, P.V.
Whitaker, D., McGraw, P.V. and Levi, D.M. The influence of adaptation on perceived visual location 37: 2207
MCILHAGGA, W.
Hess, R.F., McIlhagga, W. and Field, D.J. Contour integration in strabismic amblyopia: the sufficiency of an explanation based on positional uncertainty 37: 3145
MCKEE, P.
Nascimento, S.M.C., Foster, D.H. and McKee, P. Binary masks yielding Gaussian light distributions in Maxwellian view 37: 2975
MCKEE, S.P.
McKee, S.P., Watamaniuk, S.N.J., Harris, J.M., Smallman, H.S. and Taylor, D.G. Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
Welch, L., MacLeod, D.I.A. and McKee, S.P. Motion interference: perturbing perceived direction 37: 2725

MCKERRAL, M.
McKerral, M., Roy, M.-S., Benoit, J., Leporé, F. and Lachapelle, P. Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193
MCOWAN, P.W.
Benton, C.P., Johnston, A. and McOwan, P.W. Perception of motion direction in luminance- and contrast-defined reversed-phi motion sequences 37: 2381
MEESE, T.S.
Meese, T.S. and Harris, M.G. Computation of surface slant from optic flow: orthogonal components of speed gradient can be combined 37: 2369
MEIGEN, T.
Bach, M. and Meigen, T. Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo 37: 1409
Gerling, J., Meigen, T. and Bach, M. Shift of equiluminance in congenital color vision deficiencies: pattern-ERG, VEP and psychophysical findings 37: 821
MELIS, B.J.M.
Melis, B.J.M., Cruysberg, J.R.M. and van Gisbergen, J.A.M. Listing's plane dependence on alternating fixation in a strabismus patient 37: 1355
MERGNER, T.
Schweigart, G., Mergner, T., Evdokimidis, I., Morand, S. and Becker, W. Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643
MESSE, T.S.
Georgeson, M.A. and Meese, T.S. Perception of stationary plaids: The role of spatial filters in edge analysis 37: 3255
MESTRE, D.R.
Mestre, D.R. and Masson, G.S. Ocular responses to motion parallax stimuli: the role of perceptual and attentional factors 37: 1627
MICHAELSON, M.D.
Rosenbaum, D.M., Rosenbaum, P.S., Gupta, A., Michaelson, M.D., Hall, D.H. and Kessler, J.A. Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
VAN MINDERHOUT, H.M.
Joosse, M.V., Simonsz, H.J., van Minderhout, H.M., de Jong, P.T.V.M., Noordzij, B. and Mulder, P.G.H. Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
MIYAUCHI, S.
Shimojo, S., Miyauchi, S. and Hikosaka, O. Visual motion sensation yielded by non-visually driven attention 37: 1575
MIZOTA, A.
Mizota, A. and Adachi-Usami, E. Functional recovery of retina after sodium iodate injection in mice 37: 1859
MOLLON, J.D.
Webster, M.A. and Mollon, J.D. Adaptation and the color statistics of natural images 37: 3283
Webster, M.A. and Mollon, J.D. Motion minima for different directions in color space 37: 1479
MOLOTCHNIKOFF, S.
Fortin, S., Itaya, S.K., Chemtob, S. and Molotchnikoff, S. ON and OFF field potentials in the rat superior colliculus during development 37: 3079
MORAND, S.
Schweigart, G., Mergner, T., Evdokimidis, I., Morand, S. and Becker, W. Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643

MORGAN, M.J.
Keeble, D.R.T., Kingdom, F.A.A. and Morgan, M.J. The orientational resolution of human texture perception 37: 2993
Morgan, M.J. and Castet, E. The aperture problem in stereopsis 37: 2737
Morgan, M.J., Perry, R., and Fahle, M. The spatial limit for motion detection in noise depends on element size, not on spatial frequency 37: 729
MORLEY, J.W.
Flitcroft, D.I. and Morley, J.W. Accommodation in binocular contour rivalry 37: 121
MORRISON, J.H.
Hof, P.R., Vogt, B.A., Bouras, C. and Morrison, J.H. Atypical form of Alzheimer's disease with prominent posterior cortical atrophy: a review of lesion distribution and circuit disconnection in cortical visual pathways 37: 3609
MORRONE, M.C.
Morrone, M.C. and Burr, D.C. Capture and transparency in coarse quantized images 37: 2609
MULDER, P.G.H.
Joosse, M.V., Simonsz, H.J., van Minderhout, H.M., de Jong, P.T.V.M., Noordzij, B. and Mulder, P.G.H. Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
MULLEN, K.T.
Mullen, K.T., Cropper, S.J. and Losada, M.A. Absence of linear subthreshold summation between red-green and luminance mechanisms over a wide range of spatio-temporal conditions 37: 1157
MUÑOZ TEDÓ, C.
Herreros de Tejada, P., Muñoz Tedó, C. and Costi, C. Behavioral estimates of absolute visual threshold in mice 37: 2427
MURDOCH, L.
Mather, G. and Murdoch, L. Order-specific and non-specific motion responses in the human visual system 37: 605
MUSSAP, A.J.
Mussap, A.J. and Levi, D.M. Vernier acuity with plaid masks: the role of oriented filters in vernier acuity 37: 1325
MUSTONEN, J.
Rovamo, J., Näsänen, R. and Mustonen, J. Transition from DeVries-Rose to Weber's law: reply to García-Pérez and Peli (1997) 37: 2576

NAKAMURA, T.
Kawamuro, K., Irie, T. and Nakamura, T. Filtering effect of cone oil droplets detected in the P-III response spectra of Japanese quail 37: 2829
NAPPER, G.A.
Napper, G.A., Brennan, N.A., Barrington, M., Squires, M.A., Vessey, G.A. and Vingrys, A.J. The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
NARDI M, M.
Porciatti, V., Di Bartolo, E., Nardi M, M. and Fiorentini, A. Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
NÄSÄNEN, R.
Näsänen, R., Syväjärvi, A. and Rovamo, J. Effect of image orientation contents on detection efficiency 37: 1025
Rovamo, J., Näsänen, R. and Mustonen, J. Transition from DeVries-Rose to Weber's law: reply to García-Pérez and Peli (1997) 37: 2576

NASCIMENTO, S.M.C.
Foster, D.H., Nascimento, S.M.C., Craven, B.J., Linnell, K.J., Cornelissen, F.W. and Brenner, E. Four issues concerning colour constancy and relationship colour constancy 37: 1341
Nascimento, S.M.C., Foster, D.H. and McKee, P. Binary masks yielding Gaussian light distributions in Maxwellian view 37: 2975
NASI, J.P.
Nasi, J.P., Volchan, E., Tecles, M.T., Bernardes, R.F. and Rocha-Miranda, C.E. The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita)*: physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
NAVARRO, R.
Marcos, S., Tornow, R.-P., Elsner, A.E. and Navarro, R. Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909
NAWROT, M.
Patterson, R., Donnelly, M., Phinney, R.E., Nawrot, M., Whiting, A. and Eyle T. Speed discrimination of stereoscopic (cyclopean) motion 37: 871
NERGER, J.L.
Volbrecht, V.J., Nerger, J.L. and Harlow, C.E. The bimodality of unique green revisited 37: 407
NESTARES, O.
Nestares, O. and Heeger, D.J. Modeling the apparent frequency-specific suppression in simple cell responses 37: 1535
NEUMEYER, C.
Dörr, S. and Neumeyer, C. Simultaneous color contrast in goldfish–a quantitative study 37: 1581
NGUYEN, N.X.
Korth, M. and Nguyen, N.X. The effect of stimulus size on human cortical potentials evoked by chromatic patterns 37: 649
NICKLAS, W.J.
Zeevalk, G.D. and Nicklas, W.J. Activity at the GABA transporter contributes to acute cellular swelling produced by metabolic impairment in retina 37: 3463
NICOLLE, D.A.
DeSouza, J.F.X., Nicolle, D.A. and Vilis, T. Task-dependent changes in the shape and thickness of Listing's plane 37: 2271
NIEDERÉE, R.
Neiderée, R. and Mausfeld, R. Increment-decrement asymmetry in dichoptic matching with haploscopically superimposed backgrounds 37: 613
NIEMANN, T.
Niemann, T. and Hoffmann, K.-P. Motion processing for saccadic eye movements during the visually induced sensation of ego-motion in humans 37: 3163
NISHIDA, S.
Mareschal, I., Ashida, H., Bex, P.J., Nishida, S. and Verstraten, F.A.J. Linking lower and higher stages of motion processing? 37: 1755
Nishida, S., Ashida, H. and Sato, T. Contrast dependencies of two types of motion aftereffect 37: 553
Nishida, S., Edwards, M. and Sato, T. Simultaneous motion contrast across space: involvement of second-order motion? 37: 199
Nishida, S., Ledgeway, T. and Edwards, M. Dual multiple-scale processing for motion in the human visual system 37: 2685
NITTA, K.
Yamamoto, S., Nitta, K. and Kamiyama, M. Cone electroretinogram to chromatic stimuli in myopic eyes 37: 2157

NOBILI, L.
Nobili, L. and Sannita, W.G. Cholinergic modulation, visual function and Alzheimer's dementia 37: 3559
VON NOORDEN, G.K.
Harwerth, R.S., Smith, E.L. III, Crawford, M.L.J. and von Noorden, G.K. Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
NOORDZIJ, B.
Joosse, M.V., Simonsz, H.J., van Minderhout, H.M., de Jong, P.T.V.M., Noordzij, B. and Mulder, P.G.H. Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
NORCIA, A.M.
Brown, R.J. and Norcia, A.M. A method for investigating binocular rivalry in real-time with the steady-state VEP 37: 2401
Peterzell, D.H. and Norcia, A.M. Spatial frequency masking with the sweep-VEP 37: 2349
Polat, U., Sagi, D. and Norcia, A.M. Abnormal long-range spatial interactions in amblyopia 37: 737
VAN NORREN, D.
Delint, P.J., Berendschot, T.T.J.M. and van Norren, D. Local photoreceptor alignment measured with a scanning laser ophthalmoscope 37: 243
NOTHDURFT, H.-C.
Kastner, S., Nothdurft, H.-C. and Pigarev, I.N. Neuronal correlates of pop-out in cat striate cortex 37: 371
NOVALES FLAMARIQUE, I.
Novales Flamarique, I. and Hawryshyn, C.W. No evidence of polarization sensitivity in freshwater sunfish from multi-unit optic nerve recordings 37: 967
Novales Flamarique and Hawryshyn, C.W. Is the use of underwater polarized light by fish restricted to crepuscular time periods? 37: 975
NOWBOTSING, S.
Kruger, P.B., Mathews, S., Katz, M., Aggarwala, K.R. and Nowbotsing, S. Accommodation without feedback suggests directional signals specify ocular focus 37: 2511
NYMAN, G.
Laarni, J. and Nyman, G. Shape priming in a complex visual search task 37: 2561

O'BRIEN, C.
Anderson, R.S. and O'Brien, C. Psychophysical evidence for a selective loss of M ganglion cells in glaucoma 37: 1079
O'CARROLL, D.C.
O'Carroll, D.C., Laughlin, S.B., Bidwell, N.J. and Harris, R.A. Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427
O'DELL, C.
O'Dell, C. and Boothe, R.G. The development of stereoacuity in infant rhesus monkeys 37: 2675
ÖGMEN, H.
Patel, S.S., Ögmen, H., White, J.M. and Jiang, B.C. Neural network model of short-term horizontal disparity vergence dynamics 37: 1383
OHTANI, Y.
Ido, K, Ohtani, Y., Ejima, Y. Dependencies of motion assimilation and motion contrast on spatial properties of stimuli: spatial-frequency nonselective and selective interactions between local motion detectors 37: 1565
Ohtani, Y. and Ejima, Y. Anisotropy for direction discrimination in a two-frame apparent motion display 37: 765

OKUNO, S.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
OLSHAUSEN, B.A.
Olshausen, B.A. and Field, D.J. Sparse coding with an overcomplete basis set: a strategy employed by V1? 37: 3311
ONG, L.
Phillips, J.O., Finocchio, D.V., Ong, L. and Fuchs, A.F. Smooth pursuit in 1- to 4-month-old human infants 37: 3009
OPTICAN, L.M.
Joseph, J.S., Victor, J.D. and Optican, L.M. Scaling effects in the perception of higher-order spatial correlations 37: 3097
O'SHEA, R.P.
Galvin, S.J., O'Shea, R.P., Squire, A.M. and Govan, D.G. Sharpness overconstancy in peripheral vision 37: 2035
O'Shea, R.P., Sims, A.J.H. and Govan, D.G. The effect of spatial frequency and field size on the spread of exclusive visibilitiy in binocular rivalry 37: 175
OSORIO, D.
Osorio, D., Marshall, N.J. and Cronin, T.W. Stomatopod photoreceptor spectral tuning as an adaptation for colour constancy in water 37: 3299
OSTWALD, P.
Ostwald, P., Park, S.S., Toledano, A.Y. and Roth, S. Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453

PALÉS, J.
Gilabert, R., Gasull, X., Palés, J., Belmonte, C., Bergamini, M.V.W., and Gual, A. Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
PALMER, J.
Teller, D.Y., Brooks, T.E.W., Palmer, J. Infant color vision: moving tritan stimui do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
PANTLE, A.
Pinkus, A. and Pantle, A. Probing visual motion signals with a priming paradigm 37: 541
PARK, S.S.
Ostwald, P., Park, S.S., Toledano, A.Y. and Roth, S. Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453
PARKER, A.J.
Glennerster, A. and Parker, A.J. Computing stereo channels from masking data 37: 2143
PATEL, S.S.
Patel, S.S., Ögmen, H., White, J.M. and Jiang, B.C. Neural network model of short-term horizontal disparity vergence dynamics 37: 1383
PATTERSON, R.
Donnelly, M., Bowd, C. and Patterson, R. Direction discrimination of cyclopean (stereoscopic) and luminance motion 37: 2041
Patterson, R., Donnelly, M., Phinney, R.E., Nawrot, M., Whiting, A. and Eyle T. Speed discrimination of stereoscopic (cyclopean) motion 37: 871
Phinney, R.E., Bowd, C. and Patterson, R. Direction-selective coding of stereoscopic (cyclopean) motion 37: 865
PAULUS, W.
Haug, B.A., Hermsteiner, E.-M., Bandelow, B. and Paulus, W. Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535

PELI, E.
Fine, E.M., Peli, E. and Reeves, A. Simulated cataract does not reduce the benefit of RSVP 37: 2639
García-Pérez, M.A. and Peli, E. The transition from DeVries-Rose to Weber's laws: comments on Rovamo, Mustonen and Näsänen (1995) 37: 2573
Peli, E. In search of a contrast metric: Matching the perceived contrast of Gabor patches at different phases and bandwidths 37: 3217
PENN, J.S.
Kommonen, B., Kylmä, T., Karhunen, U., Dawson, W.W., Penn, J.S. Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
PERRONE, J.A.
Stone, L.S. and Perrone, J.A. Human heading estimation during visually simulated curvilinear motion 37: 573
PERRY, R.
Morgan, M.J., Perry, R., and Fahle, M. The spatial limit for motion detection in noise depends on element size, not on spatial frequency 37: 729
PETERZELL, D.H.
Peterzell, D.H. and Norcia, A.M. Spatial frequency masking with the sweep-VEP 37: 2349
PHILLIPS, J.O.
Phillips, J.O., Finocchio, D.V., Ong, L. and Fuchs, A.F. Smooth pursuit in 1- to 4-month-old human infants 37: 3009
PHINNEY, R.E.
Patterson, R., Donnelly, M., Phinney, R.E., Nawrot, M., Whiting, A. and Eyle T. Speed discrimination of stereoscopic (cyclopean) motion 37: 871
Phinney, R.E., Bowd, C. and Patterson, R. Direction-selective coding of stereoscopic (cyclopean) motion 37: 865
PIANTA, M.J.
Kalloniatis, M. and Pianta, M.J. L and M cone input into spectral sensitivity functions: a reanalysis 37: 799
PIERCE, G.E.
Alvarez, S.L., Pierce, G.E., Vingrys, A.J., Benes, S.C., Weber, P.A. and King-Smith, P.E. Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295
PIGAREV, I.N.
Kastner, S., Nothdurft, H.-C. and Pigarev, I.N. Neuronal correlates of pop-out in cat striate cortex 37: 371
PINKUS, A.
Pinkus, A. and Pantle, A. Probing visual motion signals with a priming paradigm 37: 541
PINTO, L.H.
Yazulla, S., Studholme, K.M. and Pinto, L.H. Differences in the retinal GABA system among control, *spastic* mutant and *retinal degeneration* mutant mice 37: 3471
PIZLO, Z.
Epelboim, J., Steinman, R.M., Kowler, E., Pizlo, Z., Erkelens, C.J. and Collewijn, H. Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597
Pizlo, Z., Salach-Golyska, M. and Rosenfeld, A. Curve detection in a noisy image 37: 1217
PIZZORUSSO, T.
Pizzorusso, T., Fagiolini, M. Porciatti, V. and Maffei, L. Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
POKORNY, J.
Lee, B.B., Smith, V.C., Pokorny, J. and Kremers, J. Rod inputs to macaque ganglion cells 37: 2813

POLA, J.
Pola, J. and Wyatt, H.J. Offset dynamics of human smooth pursuit eye movements: effects of target presence and subject attention 37: 2579
POLAT, U.
Polat, U., Sagi, D. and Norcia, A.M. Abnormal long-range spatial interactions in amblyopia 37: 737
POLLICK, F.E.
Pollick, F.E. and Sapiro, G. Constant affine velocity predicts the 1/3 power law of planar motion perception and generation 37: 347
Pollick, F.E. The perception of motion and structure in structure-from-motion: comparisons of affine and Euclidean formulations 37: 447
PORCIATTI, V.
Pizzorusso, T., Fagiolini, M. Porciatti, V. and Maffei, L. Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
Porciatti, V., Di Bartolo, E., Nardi M, M. and Fiorentini, A. Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
PORRILL, J.
Frisby, J.P., Catherall, C., Porrill, J. and Buckley, D. Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109
POTTEK, M.
Pottek, M., Schultz, K. and Weiler, R. Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091

QIAN, N.
Qian, N. and Andersen, R.A. A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena 37: 1683
Qian, N. and Zhu, Y. Physiological computation of binocular disparity 37: 1811
QUIGLEY, H.A.
Turano, K.A., Huang, A.S. and Quigley, H.A. Temporal filter of the motion sensor in glaucoma 37: 2315

RACHEL, R.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
RAINVILLE, S.J.M.
Rainville, S.J.M. and Kingdom, F.A.A. The mechanisms for detecting compressively sampled gratings 37: 3237
RAMÍREZ, A.I.
Trivino, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Comparative study of astrocytes in human and rabbit retinae 37: 1707
RAMÍREZ, J.M.
Trivino, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Comparative study of astrocytes in human and rabbit retinae 37: 1707
RASENGANE, T.A.
Rasengane, T.A., Allen, D. and Manny, R.E. Development of temporal contrast sensitivity in human infants 37: 1747
RAYMOND, J.E.
Joffe, K.M., Raymond, J.E. and Chrichton, A. Motion coherence perimetry in glaucoma and suspected glaucoma 37: 955

REED, M.J.
Reed, M.J., Steeves, J.K.E. and Steinbach, M.J. A comparison of contrast letter thresholds in unilateral eye enucleated subjects and binocular and monocular control subjects 37: 2465
REEVES, A.
Fine, E.M., Peli, E. and Reeves, A. Simulated cataract does not reduce the benefit of RSVP 37: 2639
REGAN, D.
Giaschi, D., Lang, A. and Regan, D. Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531
Gray, R.and Regan, D. Vernier step acuity and bisection acuity for texture-defined form 37: 1713
REICHENBACH, A.
Eckstein, A.K., Reichenbach, A., Jacobi, P., Weber, P., Gregor, M. and Zrenner, E. Hepatic retinopathia. Changes in retinal function 37: 1699
REITNER, A.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
RICHARDS, J.E.
Richards, J. E. and Hunter, S.K. Peripheral stimulus localization by infants with eye and head movements during visual attention 37: 3021
RIDDER, W.H. III
Ridder, W.H. III and Tomlinson, A. A comparison of saccadic and blink suppression in normal observers 37: 3171
RINE, R.M.
Rine, R.M. and Skavenski, A.A. Extraretinal eye position signals determine perceived target location when they conflict with visual cues 37: 775
RINGACH, D.L.
Carandini, M. and Ringach, D.L. Predictions of a recurrent model of orientation selectivity 37: 3061
Ringach, D.L., Sapiro, G. and Shapley, R. A subspace reverse-correlation technique for the study of visual neurons 37: 2455
RIVEST, J.
Rivest, J., Boutet, I. and Intriligator, J. Perceptual learning of orientation discrimination by more than one attribute 37: 273
ROCHA-MIRANDA, C.E.
Nasi, J.P., Volchan, E., Tecles, M.T., Bernardes, R.F. and Rocha-Miranda, C.E. The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita)*: physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
ROESSLER, J.S.
Roessler, J.S. and Dannemiller, J.L. Changes in human infants' sensitivity to slow displacements over the first 6 months 37: 417
ROGERS, B.
Lee, B. and Rogers, B. Disparity modulation sensitivity for narrow-band-filtered stereograms 37: 1769
ROGERS, B.J.
Eagle, R.A. and Rogers, B.J. Effects of dot density, patch size and contrast on the upper spatial limit for direction discrimination in random-dot kinematograms 37: 2091
ROHALY, A.M.
Rohaly, A.M., Ahumada, A.J. Jr. and Watson, A.B. Object detection in natural backgrounds predicted by discrimination performance and models 37: 3225

ROSANDER, K.
von Hofsten, C. and Rosander, K. Development of smooth pursuit tracking in young infants 37: 1799
ROSE, D.
King-Smith, P.E. and Rose, D. Principles of an adaptive method for measuring the slope of the psychometric function 37: 1595
ROSENBAUM, D.M.
Rosenbaum, D.M., Rosenbaum, P.S., Gupta, A., Michaelson, M.D., Hall, D.H. and Kessler, J.A. Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
ROSENBAUM, P.S.
Rosenbaum, D.M., Rosenbaum, P.S., Gupta, A., Michaelson, M.D., Hall, D.H. and Kessler, J.A. Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
ROSENFELD, A.
Pizlo, Z., Salach-Golyska, M. and Rosenfeld, A. Curve detection in a noisy image 37: 1217
ROSENHOLTZ, R.
Rosenholtz, R. and Malik, J. Surface orientation from texture: isotropy or homogeneity (or both)? 37: 2283
ROTH, S.
Ostwald, P., Park, S.S., Toledano, A.Y. and Roth, S. Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453
ROTTACH, K.G.
Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
ROVAMO, J.
Mäkelä, P., Rovamo, J. and Whitaker, D. The effects of eccentricity and stimulus magnification on simultaneous performance in position and movement acuity tasks 37: 1261
Näsänen, R., Syväjärvi, A. and Rovamo, J. Effect of image orientation contents on detection efficiency 37: 1025
Rovamo, J., Näsänen, R. and Mustonen, J. Transition from DeVries-Rose to Weber's law: reply to García-Pérez and Peli (1997) 37: 2576
ROVERI, L.
Roveri, L, Demarco, P.J. Jr. and Celesia, G.G. An electrophysiological metric of activity within the ON- and OFF- pathways in humans 37: 669
ROY, M.-S.
McKerral, M., Roy, M.-S., Benoit, J., Leporé, F. and Lachapelle, P. Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193
RUBIÑO, M.
Jiménez, J.R., Rubiño, M., Hita, E. and Jiménez Del Barco, L. Influence of the luminance and opponent chromatic channels on stereopsis with random-dot stereograms 37: 591
RUDD, M.E.
Rudd, M.E. and Brown, L.G. A model of Weber and noise gain control in the retina of the toad *Bufo marinus* 37: 2433
RUDERMAN, D.L.
Ruderman, D.L. Origins of scaling in natural images 37: 3385

RÜTTIGER, L.
Kurtenbach, A., Rüttiger, L., Kaiser, P.K. and Zrenner, E. Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721

SADOWSKI, B.
Sadowski, B. and Zrenner, E. Cone and rod function in cone degenerations 37: 2303
SAGI, D.
Dorais, A. and Sagi, D. Contrast masking effects change with practice 37: 1725
Polat, U., Sagi, D. and Norcia, A.M. Abnormal long-range spatial interactions in amblyopia 37: 737
SAITO, T.
Yamada, M. and Saito, T. Dual component in receptive field centre of bipolar cells in carp retina 37: 2331
SAKURAGI, S
Ishikawa, M., Hashimoto, Y., Tonosaki, A. and Sakuragi, S. Preference of peanut agglutinin labeling for long-wavelength-sensitive cone photoreceptors in the dace retina 37: 383
SALACH-GOLYSKA, M.
Pizlo, Z., Salach-Golyska, M. and Rosenfeld, A. Curve detection in a noisy image 37: 1217
SALAZAR, J.J.
Trivino, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Comparative study of astrocytes in human and rabbit retinae 37: 1707
SAMPLE, P.A.
Bosworth, C.F., Sample, P.A. and Weinreb, R.N. Motion perception thresholds in areas of glaucomatous visual field loss 37: 355
Bosworth, C.F., Sample, P.A. and Weinreb, R.N. Perimetric motion thresholds are elevated in glaucoma suspects and glaucoma patients 37: 1989
SANNITA, W.G.
Nobili, L. and Sannita, W.G. Cholinergic modulation, visual function and Alzheimer's dementia 37: 3559
SANOCKI, E.
Sanocki, E., Teller, D.Y., and Deeb, S.S. Rayleigh match ranges of red/green color-deficient observers: phsychophysical and molecular studies 37: 1897
SAPIRO, G.
Pollick, F.E. and Sapiro, G. Constant affine velocity predicts the 1/3 power law of planar motion perception and generation 37: 347
Ringach, D.L., Sapiro, G. and Shapley, R. A subspace reverse-correlation technique for the study of visual neurons 37: 2455
SATO, T.
Nishida, S., Ashida, H. and Sato, T. Contrast dependencies of two types of motion aftereffect 37: 553
Nishida, S., Edwards, M. and Sato, T. Simultaneous motion contrast across space: involvement of second-order motion? 37: 199
SATOH, T.
Hisatomi, O., Satoh, T. and Tokunaga, F. The primary structure and distribution of killifish visual pigments 37: 3089
SCASE, M.O.
Gutowski, N.J., Heron, J.R. and Scase, M.O. Early impairment of foveal magno- and parvocellular pathways in juxta chiasmal tumours 37: 1401
SCHAEFFEL, F.
Diether, S. and Schaeffel, F. Local changes in eye growth induced by imposed local refractive error despite active accommodation 37: 659

Schwahn, H.N. and Schaeffel, F. Flicker parameters are different for suppression of myopia and hyperopia 37: 2661
SCHMID, K.L.
Schmid, K.L. and Wildsoet, C.F. Contrast and spatial-frequency requirements for emmetropization in chicks 37: 2011
SCHMIDT, K.-F.
Schmidt, K.-F. Properties of glutamate-gated ion channels in horizontal cells of the perch retina 37: 2023
SCHOR, C.M.
Liu, L, Stevenson, S.B. and Schor, C.M. Binocular matching of dissimilar features in phantom stereopsis 37: 633
Maxwell, J.S. and Schor, C.M. Head-position-dependent adaptation of nonconcomitant vertical skew 37: 441
Schor, C.M. and McCandless, J.W. Context-specific adaptation of vertical vergence to correlates of eye position 37: 1929
Stevenson, S.B. and Schor, C.M. Human stereo matching is not restricted to epipolar lines 37: 2717
SCHRAUF, M.
Schrauf, M., Lingelbach, B. and Wist, E.R. The scintillating grid illusion 37: 1033
SCHULTZ, K.
Pottek, M., Schultz, K. and Weiler, R. Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091
SCHWAHN, H.N.
Schwahn, H.N. and Schaeffel, F. Flicker parameters are different for suppression of myopia and hyperopia 37: 2661
SCHWEIGART, G.
Schweigart, G., Mergner, T., Evdokimidis, I., Morand, S. and Becker, W. Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643
SEJNOWSKI, T.J.
Bell, A.J. and Sejnowski, T.J. The "independent components" of natural scenes are edge filters 37: 3327
SHAHANI, U.
Condon, B., McFadzean, R., Hadley, D.M., Bradnam, M.S. and Shahani, U. Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
SHAPLEY, R.
Ringach, D.L., Sapiro, G. and Shapley, R. A subspace reverse-correlation technique for the study of visual neurons 37: 2455
SHEVELL, S.K.
Shevell, S.K. and He, J.C. The visual photopigments of simple deuteranomalous trichromats inferred from color matching 37: 1115
SHIMOJO, S.
Shimojo, S., Miyauchi, S. and Hikosaka, O. Visual motion sensation yielded by non-visually driven attention 37: 1575
SHIPLEY, T.F.
Shipley, T.F. and Kellman, P.J. Spatio-temporal boundary formation: the role of local motion signals in boundary perception 37: 1281
SHOUVAL, H.
Shouval, H., Intrator, N. and Cooper, L.N. BCM network develops orientation selectivity and ocular dominance in natural scene environment 37: 3339
SIEVING, P.A.
Kim, S.H., Bush, R.A. and Sieving, P.A. Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471

SIMMONS, D.R.
Simmons, D.R. and Kingdom, F.A.A. On the independence of chromatic and achromatic stereopsis mechanisms 37: 1271
SIMONSZ, H.J.
Joosse, M.V., Simonsz, H.J., van Minderhout, H.M., de Jong, P.T.V.M., Noordzij, B. and Mulder, P.G.H. Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
SIMS, A.J.H.
O'Shea, R.P., Sims, A.J.H. and Govan, D.G. The effect of spatial frequency and field size on the spread of exclusive visibilitiy in binocular rivalry 37: 175
SINGER, W.
Leonards, U. and Singer, W. Selective temporal interactions between processing streams with differential sensitivity for colour and luminance contrast 37: 1129
SKATCHKOV, S.
Knabe, W., Skatchkov, S. and Kuhn, H.-J. "Lens mitochondria" in the retinal cones of the tree-shrew *Tupaia belangeri* 37: 267
SKAVENSKI, A.A.
Rine, R.M. and Skavenski, A.A. Extraretinal eye position signals determine perceived target location when they conflict with visual cues 37: 775
SKOTTUN, B.C.
Skottun, B.C. Some remarks on the magnocellular deficit theory of dyslexia 37: 965
SMALLMAN, H.S.
McKee, S.P., Watamaniuk, S.N.J., Harris, J.M., Smallman, H.S. and Taylor, D.G. Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
SMITH, A.T.
Ledgeway, T. and Smith, A.T. Changes in perceived speed following adaptation to first-order and second-order motion 37: 215
Smith, A.T. and Ledgeway, T. Separate detection of moving luminance and contrast modulations: fact or artifact? 37: 45
SMITH, E.L. III
Harwerth, R.S., Smith, E.L. III, Crawford, M.L.J. and von Noorden, G.K. Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
SMITH, L.
Jacobsen, K., Magnussen, S. and Smith, L. Hidden visual capabilities in mentally retarded subjects diagnosed as deaf-blind 37: 2931
SMITH, N.P.
Smith, N.P. and Lamb, T.D. The α-wave of the human electroretinogram recorded with a minimally invasive technique 37: 2943
SMITH, S.
Harrison, J.M., Kiel, J.W. and Smith, S. Effect of ocular perfusion pressure on retinal function in the rabbit 37: 2339
SMITH, V.C.
Lee, B.B., Smith, V.C., Pokorny, J. and Kremers, J. Rod inputs to macaque ganglion cells 37: 2813
SNODDERLY, D.M.
Gur, M. and Snodderly, D.M. A dissociation between brain activity and perception: chromatically opponent cortical neurons signal chromatic flicker that is not perceived 37: 377
Gur, M. and Snodderly, D.M. Visual receptive fields in neurons in primary visual cortex (V1) move in space with the eye movements of fixation 37: 257
SOMMER, M.A.
Sommer, M.A. The spatial relationship between scanning saccades and express saccades 37: 2745

SPEHAR, B.
Spehar, B., Gilchrist, A.L. and Arend, L.E. Qualitative boundaries critical in White's effect and square-wave brightness induction: a reply to Kingdom *et al.* (1997) 37: 1044
SPEKREIJSE, H.
van den Berg, T.J.T.P. and Spekreijse, H. Near infrared light absorption in the human eye media 37: 249
SPERLING, G.
Chubb, C., Lu, Z.-L. and Sperling, G. Structure detection: a statistically certified unsupervised learning procedure 37: 3343
SQUIRE, A.M.
Galvin, S.J., O'Shea, R.P., Squire, A.M. and Govan, D.G. Sharpness overconstancy in peripheral vision 37: 2035
SQUIRES, M.A.
Napper, G.A., Brennan, N.A., Barrington, M., Squires, M.A., Vessey, G.A. and Vingrys, A.J. The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
SRINIVASAN, M.V.
Kern, R., Egelhaaf, M. and Srinivasan, M.V. Edge detection by landing honeybees: behavioural analysis and model simulations of the underlying mechanism 37: 2103
ST. JOHN, R.
St. John, R. Contrast detection and orientation discrimination thresholds associated with meridional amblyopia 37: 1451
STEEVES, J.K.E.
Reed, M.J., Steeves, J.K.E. and Steinbach, M.J. A comparison of contrast letter thresholds in unilateral eye enucleated subjects and binocular and monocular control subjects 37: 2465
STEINBACH, M.J.
Goltz, H.C., Irving, E.L., Steinbach, M.J. and Eizenman, M. Vertical eye position control in darkness: orbital position and body orientation interact to modulate drift velocity 37: 789
Reed, M.J., Steeves, J.K.E. and Steinbach, M.J. A comparison of contrast letter thresholds in unilateral eye enucleated subjects and binocular and monocular control subjects 37: 2465
STEINMAN, B.A.
Steinman, B.A., Steinman, S.B., and Lehmkuhle, S. Transient visual attention is dominated by the magnocellular stream 37: 17
STEINMAN, R.M.
Collewijn, H., Erkelens, C.J. and Steinman, R.M. Trajectories of the human binocular fixation point during conjugate and non-conjugate gaze-shifts 37: 1049
Epelboim, J., Booth, J.R., Ashkenazy, R., Taleghani, A. and Steinman, R.M. Fillers and spaces in text: the importance of word recognition during reading 37: 2899
Epelboim, J., Steinman, R.M., Kowler, E., Pizlo, Z., Erkelens, C.J. and Collewijn, H. Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597
STEINMAN, S.B.
Steinman, B.A., Steinman, S.B., and Lehmkuhle, S. Transient visual attention is dominated by the magnocellular stream 37: 17
STEVENSON, S.B.
Liu, L, Stevenson, S.B. and Schor, C.M. Binocular matching of dissimilar features in phantom stereopsis 37: 633
Stevenson, S.B. and Schor, C.M. Human stereo matching is not restricted to epipolar lines 37: 2717
Stevenson, S.B., Lott, L.A. and Yang, J. The influence of subject instruction on horizontal and vertical vergence tracking 37: 2891

STONE, L.S.
Stone, L.S. and Perrone, J.A. Human heading estimation during visually simulated curvilinear motion 37: 573
Thompson, P. and Stone, L.S. Contrast affects flicker and speed perception differently 37: 1255
Verghese, P. and Stone, L.S. Spatial layout affects speed discrimination 37: 397
STRATA, P.
Harvey, R.J., De'Sperati, C. and Strata, P. The early phase of horizontal optokinetic responses in the pigmented rat and the effects of lesions of the visual cortex 37: 1615
STUDHOLME, K.M.
Yazulla, S., Studholme, K.M. and Pinto, L.H. Differences in the retinal GABA system among control, *spastic* mutant and *retinal degeneration* mutant mice 37: 3471
STURGES, J.
Sturges, J. and Whitfield, T.W.A. Salient features of Munsell colour space as a function of monolexemic naming and response latencies 37: 307
STURR, J.F.
Sturr, J.F., Zhang, L., Taub, H.A., Hannon, D.J. and Jackowski, M.M. Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
SUCHER, N.J.
Sucher, N.J., Lipton, S.A. and Dreyer, E.B. Molecular basis of glutamate toxicity in retinal ganglion cells 37: 3483
SUTTER, E.E.
Baseler, H.A. and Sutter, E.E. M and P components of the VEP and their visual field distribution 37: 675
SWITKES, E.
De Valois, R.L., De Valois, K.K., Switkes, E. and Mahon, L. Hue scaling of isoluminant and cone-specific lights 37: 885
SYVÄJÄRVI, A.
Näsänen, R., Syväjärvi, A. and Rovamo, J. Effect of image orientation contents on detection efficiency 37: 1025

TADMOR, Y.
Tolhurst, D.J. and Tadmor, Y. Band-limited contrast in natural images explains the detectability of changes in the amplitude spectra 37: 3203
TAKEMOTO, A.
Takemoto, A. and Ejima, Y. Retention of local information in generation of subjective contours 37: 1429
TAKEUCHI, T.
Takeuchi, T. and De Valois, K.K. Motion-reversal reveals two motion mechanisms functioning in scoptopic vision 37: 745
Takeuchi, T. Visual search of expansion and contraction 37: 2083
TALEGHANI, A.
Epelboim, J., Booth, J.R., Ashkenazy, R., Taleghani, A. and Steinman, R.M. Fillers and spaces in text: the importance of word recognition during reading 37: 2899
TARR, M.J.
Gauthier, I. and Tarr, M.J. Becoming a "Greeble" expert: exploring mechanisms for face recognition 37: 1673
TAUB, E.
Taub, E., Victor, J.D. and Conte, M.M. Nonlinear preprocessing in short-range motion 37: 1459
TAUB, H.A.
Sturr, J.F., Zhang, L., Taub, H.A., Hannon, D.J. and Jackowski, M.M. Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475

TAYLOR, D.G.
McKee, S.P., Watamaniuk, S.N.J., Harris, J.M., Smallman, H.S. and Taylor, D.G. Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
TECLES, M.T.
Nasi, J.P., Volchan, E., Tecles, M.T., Bernardes, R.F. and Rocha-Miranda, C.E. The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita)*: physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
TELLER, D.Y.
Dobkins, K.R., Lia, B and Teller, D.Y. Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699
Kelly, J.P., Borchert, K. and Teller, D.Y. The development of chromatic and achromatic contrast sensitivity in infancy as tested with the sweep VEP 37: 2057
Sanocki, E., Teller, D.Y., and Deeb, S.S. Rayleigh match ranges of red/green color-deficient observers: phsychophysical and molecular studies 37: 1897
Teller, D.Y., Brooks, T.E.W., Palmer, J. Infant color vision: moving tritan stimui do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
THIBOS, L.N.
Wang, Y.-Z., Bradley, A. and Thibos, L.N. Aliased frequencies enable the discrimination of compound gratings in peripheral vision 37: 283
Wang, Y.-Z., Bradley, A. and Thibos, L.N. Interaction between sub- and supra-Nyquist spatial frequencies in peripheral vision 37: 2545
THIELE, A.
Thiele, A., Bremmer, F., Ilg, U.J. and Hoffmann, K.-P. Visual responses of neurons from areas V1 and MT in a monkey with late onset strabismus: a case study 37: 853
THOMPSON, P.
Thompson, P. and Stone, L.S. Contrast affects flicker and speed perception differently 37: 1255
THUILE, C.
Reitner, A., Baumgartner, I., Thuile, C., Baradaran Dilmaghani, R., Ergun E., Kaminski, S., Lukas, J. and Dal Bianco, P. The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
TIKOO, R.K.
Kuljis, R.O. and Tikoo, R.K. Discontinuous distribution of senile plaques within striate cortex hypercolumns in Alzheimer's disease 37: 3573
TIMMER, J.
Gezeck, S., Fischer, B. and Timmer, J. Saccadic reaction times: a statistical analysis of multimodal distributions 37: 2119
TOKUDA, M.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
TOKUNAGA, F.
Hisatomi, O., Satoh, T. and Tokunaga, F. The primary structure and distribution of killifish visual pigments 37: 3089
TOLEDANO, A.Y.
Ostwald, P., Park, S.S., Toledano, A.Y. and Roth, S. Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453
TOLHURST, D.J.
Tolhurst, D.J. and Tadmor, Y. Band-limited contrast in natural images explains the detectability of changes in the amplitude spectra 37: 3203

TOMLINSON, A.
Ridder, W.H. III and Tomlinson, A. A comparison of saccadic and blink suppression in normal observers 37: 3171
TONOSAKI, A.
Ishikawa, M., Hashimoto, Y., Tonosaki, A. and Sakuragi, S. Preference of peanut agglutinin labeling for long-wavelength-sensitive cone photoreceptors in the dace retina 37: 383
TORNOW, R.-P.
Marcos, S., Tornow, R.-P., Elsner, A.E. and Navarro, R. Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909
TOWNER, P.
Towner, P., Harris, P., Wolstenholme, A.J., Hill, C., Worm, K. and Gärtner, W. Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
TRIVINO, A.
Trivino, A., Ramírez, J.M., Ramírez, A.I., Salazar, J.J. and García-Sanchez, J. Comparative study of astrocytes in human and rabbit retinae 37: 1707
TSUMURA, T.
Hirooka, K., Tokuda, M., Tsumura, T., Ahmed, B.Y., Itano, T., Matsui, H., Konishi, R., Hasegawa, E., Okuno, S., Kitani, T., Fujisawa, H. and Hatase, O. Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
TUAN, K.-M.
Tuan, K.-M. and Jones, R. Adaptation to the prismatic effects of refractive lenses 37: 1851
TURANO, K.A.
Turano, K.A., Huang, A.S. and Quigley, H.A. Temporal filter of the motion sensor in glaucoma 37: 2315
TWEED, D.
Tweed, D. Visual-motor optimization in binocular control 37: 1939

ULLRICH, D.
Bach, M. and Ullrich, D. Contrast dependency of motion-onset and pattern-reversal VEPs: interaction of stimulus type, recording site and response component 37: 1845

VELAY, J.L.
Velay, J.L., Allin, F. and Bouquerel, A. Motor and perceptual responses to horizontal and vertical eye vibration in humans 37: 2631
VERCHER, J.-L.
van Donkelaar, P., Gauthier, G.M., Blouin, J. and Vercher, J.-L. The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
VERGHESE, P.
Verghese, P. and Stone, L.S. Spatial layout affects speed discrimination 37: 397
VERSTRATEN, F.A.J.
Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Pitfalls in estimating motion detector receptive field geometry 37: 99
Mareschal, I., Ashida, H., Bex, P.J., Nishida, S. and Verstraten, F.A.J. Linking lower and higher stages of motion processing? 37: 1755
van Wezel, R.J.A., Lankheet, M.J.M., Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Responses of complex cells in cat area 17 to apparent motion of random pixel arrays 37: 839
VESSEY, G.A.
Napper, G.A., Brennan, N.A., Barrington, M., Squires, M.A., Vessey, G.A. and Vingrys, A.J. The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557

VICTOR, J.D.
Joseph, J.S., Victor, J.D. and Optican, L.M. Scaling effects in the perception of higher-order spatial correlations 37: 3097
Taub, E., Victor, J.D. and Conte, M.M. Nonlinear preprocessing in short-range motion 37: 1459
VILIS, T.
DeSouza, J.F.X., Nicolle, D.A. and Vilis, T. Task-dependent changes in the shape and thickness of Listing's plane 37: 2271
VINGRYS, A.J.
Alvarez, S.L., Pierce, G.E., Vingrys, A.J., Benes, S.C., Weber, P.A. and King-Smith, P.E. Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295
Napper, G.A., Brennan, N.A., Barrington, M., Squires, M.A., Vessey, G.A. and Vingrys, A.J. The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
VOGT, B.A.
Hof, P.R., Vogt, B.A., Bouras, C. and Morrison, J.H. Atypical form of Alzheimer's disease with prominent posterior cortical atrophy: a review of lesion distribution and circuit disconnection in cortical visual pathways 37: 3609
VOLBRECHT, V.J.
Volbrecht, V.J., Nerger, J.L. and Harlow, C.E. The bimodality of unique green revisited 37: 407
VOLCHAN, E.
Nasi, J.P., Volchan, E., Tecles, M.T., Bernardes, R.F. and Rocha-Miranda, C.E. The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita):* physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
VON MAYDELL, R.D.
Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
VOROBYEV, M.
Brandt, R. and Vorobyev, M. Metric analysis of threshold spectral sensitivity in the honeybee 37: 425

WADE, S.W.
Wade, S.W. and Curthoys, I.S. The effect of ocular torsional position on perception of the roll-tilt of visual stimuli 37: 1071
WALTER, P.
Walter, P., Brunner, R.A., Widder, R.A. and Fischer, R.A. Episodic acute hypotonia after Nd:YAG laser capsulotomy–retinal function and choroidal swelling 37: 2937
WANDELL, B.A.
Chichilnisky, E.J. and Wandell, B.A. Increment-decrement asymmetry in adaptation 37: 616
WANG, Y.-Z.
Wang, Y.-Z., Bradley, A. and Thibos, L.N. Aliased frequencies enable the discrimination of compound gratings in peripheral vision 37: 283
Wang, Y.-Z., Bradley, A. and Thibos, L.N. Interaction between sub- and supra-Nyquist spatial frequencies in peripheral vision 37: 2545
WATAMANIUK, S.N.J.
McKee, S.P., Watamaniuk, S.N.J., Harris, J.M., Smallman, H.S. and Taylor, D.G. Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
WATANABE, T.
Watanabe, T. Velocity decomposition and surface decomposition–reciprocal interactions between motion and form processing 37: 2879

WATSON, A.B.
Rohaly, A.M., Ahumada, A.J. Jr. and Watson, A.B. Object detection in natural backgrounds predicted by discrimination performance and models 37: 3225
WATT, R.J.
Dakin, S.C. and Watt, R.J. The computation of orientation statistics from visual texture 37: 3181
WEBER, P.
Eckstein, A.K., Reichenbach, A., Jacobi, P., Weber, P., Gregor, M. and Zrenner, E. Hepatic retinopathia. Changes in retinal function 37: 1699
WEBER, P.A.
Alvarez, S.L., Pierce, G.E., Vingrys, A.J., Benes, S.C., Weber, P.A. and King-Smith, P.E. Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295
WEBSTER, M.A.
Webster, M.A. and Mollon, J.D. Adaptation and the color statistics of natural images 37: 3283
Webster, M.A. and Mollon, J.D. Motion minima for different directions in color space 37: 1479
WEILER, R.
Pottek, M., Schultz, K. and Weiler, R. Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091
WEINREB, R.N.
Bosworth, C.F., Sample, P.A. and Weinreb, R.N. Motion perception thresholds in areas of glaucomatous visual field loss 37: 355
Bosworth, C.F., Sample, P.A. and Weinreb, R.N. Perimetric motion thresholds are elevated in glaucoma suspects and glaucoma patients 37: 1989
WEISS, S.
Kremers, J. and Weiss, S. Receptive field dimensions of lateral geniculate cells in the common marmoset *(Callithrix jacchus)* 37: 2171
Kremers, J., Weiss, S. and Zrenner, E. Temporal properties of marmoset lateral geniculate cells 37: 2649
WELCH, L.
Festa, E.K. and Welch, L. Recruitment mechanisms in speed and fine-direction discrimination tasks 37: 3129
Welch, L., MacLeod, D.I.A. and McKee, S.P. Motion interference: perturbing perceived direction 37: 2725
WENDEROTH, P.
Alais, D., Wenderoth, P. and Burke, D. The size and number of plaid blobs mediate the misperception of Type-II plaid direction 37: 143
WESTHEIMER, G.
Li, W. and Westheimer, G. Human discrimination of the implicit orientation of simple symmetrical patterns 37: 565
VAN WEZEL, R.J.A.
van Wezel, R.J.A., Lankheet, M.J.M., Fredericksen, R.E., Verstraten, F.A.J. and van de Grind, W.A. Responses of complex cells in cat area 17 to apparent motion of random pixel arrays 37: 839
WHITAKER, D.
Mäkelä, P., Rovamo, J. and Whitaker, D. The effects of eccentricity and stimulus magnification on simultaneous performance in position and movement acuity tasks 37: 1261
Whitaker, D. and Latham, K. Disentangling the role of spatial scale, separation and eccentricity in Weber's law for position 37: 515
Whitaker, D., McGraw, P.V. and Levi, D.M. The influence of adaptation on perceived visual location 37: 2207

WHITE, J.M.
Patel, S.S., Ögmen, H., White, J.M. and Jiang, B.C. Neural network model of short-term horizontal disparity vergence dynamics 37: 1383
WHITFIELD, T.W.A.
Sturges, J. and Whitfield, T.W.A. Salient features of Munsell colour space as a function of monolexemic naming and response latencies 37: 307
WHITING, A.
Patterson, R., Donnelly, M., Phinney, R.E., Nawrot, M., Whiting, A. and Eyle T. Speed discrimination of stereoscopic (cyclopean) motion 37: 871
WIDDER, R.A.
Walter, P., Brunner, R.A., Widder, R.A. and Fischer, R.A. Episodic acute hypotonia after Nd:YAG laser capsulotomy–retinal function and choroidal swelling 37: 2937
VON WIEGAND, T.E.
Hood, D.C., Graham, N., von Wiegand, T.E. and Chase, V.M. Probed-sinewave paradigm: a test of models of light-adaptation dynamics 37: 1177
WILCOX, L.M.
Wilcox, L.M. and Hess, R.F. Scale selection for second-order (non-linear) stereopsis 37: 2981
WILDSOET, C.F.
Schmid, K.L. and Wildsoet, C.F. Contrast and spatial-frequency requirements for emmetropization in chicks 37: 2011
WILKIE, S.E.
Bowmaker, J.K., Heath, L.A., Wilkie, S.E. and Hunt, D.M. Visual pigments and oil droplets from six classes of photoreceptor in the retinas of birds 37: 2183
WILKINSON, F.
Wilson, H.R., Wilkinson, F. and Asaad, W. Concentric orientation summation in human form vision 37: 2325
WILSON, H.R.
Kim, J. and Wilson, H.R. Motion integration over space: interaction of the center and surround motion 37: 991
Wilson, H.R., Wilkinson, F. and Asaad, W. Concentric orientation summation in human form vision 37: 2325
WISHART, K.A.
Wishart, K.A., Frisby, J.P. and Buckley, D. The role of 3-D surface slope in a lightness/brightness effect 37: 467
WIST, E.R.
Schrauf, M., Lingelbach, B. and Wist, E.R. The scintillating grid illusion 37: 1033
WOLFE, J.M.
Wolfe, J.M. and Bennett, S.C. Preattentive object files: shapeless bundles of basic features 37: 25
WOLSTENHOLME, A.J.
Towner, P., Harris, P., Wolstenholme, A.J., Hill, C., Worm, K. and Gärtner, W. Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
WONG-RILEY, M.
Wong-Riley, M., Antuono, P., Ho, K.-C., Egan, R., Hevner, R., Liebl, W., Huang, Z., Rachel, R. and Jones, J. Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
WORM, K.
Towner, P., Harris, P., Wolstenholme, A.J., Hill, C., Worm, K. and Gärtner, W. Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495

WRIGHT, J.S.
Heeley, D.W., Buchanan-Smith, H.M., Cromwell, J.A. and Wright, J.S. The oblique effect in orientation acuity 37: 235
WU, S.M.
Yang, J.-H. and Wu, S.M. Characterization of glutamate transporter function in the tiger salamander retina 37: 827
WUERGER, S.
Castet, E. and Wuerger, S. Perception of moving lines: interactions between local perpendicular signals and 2D motion signals 37: 705
WYATT, H.J.
Pola, J. and Wyatt, H.J. Offset dynamics of human smooth pursuit eye movements: effects of target presence and subject attention 37: 2579

XIE, W.
Alexander, K.R., Xie, W. and Derlacki, D.J. Visual acuity and contrast sensitivity for individual Sloan letters 37: 813

YAMADA, M.
Yamada, M. and Saito, T. Dual component in receptive field centre of bipolar cells in carp retina 37: 2331
YAMAMOTO, S.
Yamamoto, S., Nitta, K. and Kamiyama, M. Cone electroretinogram to chromatic stimuli in myopic eyes 37: 2157
YANG, J.
Stevenson, S.B., Lott, L.A. and Yang, J. The influence of subject instruction on horizontal and vertical vergence tracking 37: 2891
Yang, J. and Makous, W. Implicit masking constrained by spatial inhomogeneities 37: 1917
YANG, J.-H.
Yang, J.-H. and Wu, S.M. Characterization of glutamate transporter function in the tiger salamander retina 37: 827
YAZULLA, S.
Yazulla, S., Studholme, K.M. and Pinto, L.H. Differences in the retinal GABA system among control, *spastic* mutant and *retinal degeneration* mutant mice 37: 3471
YOKOYAMA, S.
Kawamura, S. and Yokoyama, S. Expression of visual and nonvisual opsins in American chameleon 37: 1867
YU, C.
Yu, C. and Levi, D.M. Cortical components of the Westheimer function 37: 2535
Yu, C. and Levi, D.M. Cortical end-stopped perceptive fields: evidence from dichoptic and amblyopic studies 37: 2261
Yu, C. and Levi, D.M. Spatial facilitation predicted with end-stopped spatial filters 37: 3117

ZAIDI, Q.
De Bonet, J.S. and Zaidi, Q. Comparison between spatial interactions in perceived contrast and perceived brightness 37: 1141
ZANKER, J.M.
Zanker, J.M. Is facilitation responsible for the "motion induction" effect? 37: 1953
Zeil, J. and Zanker, J.M. A glimpse into crabworld 37: 3417
ZAUBERMAN, G.S.
Burbeck, C.A. and Zauberman, G.S. Across-object relationships in perceived object orientation 37: 879
ZEE, D.S.
Lasker, A.G. and Zee, D.S. Ocular motor abnormalities in Huntington's disease 37: 3639

ZEEVALK, G.D.
Zeevalk, G.D. and Nicklas, W.J. Activity at the GABA transporter contributes to acute cellular swelling produced by metabolic impairment in retina 37: 3463
ZEIL, J.
Zeil, J. and Zanker, J.M. A glimpse into crabworld 37: 3417
ZHANG, L.
Sturr, J.F., Zhang, L., Taub, H.A., Hannon, D.J. and Jackowski, M.M. Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
ZHU, H.
Hung, G.K., Zhu, H. and Ciuffreda, K.J. Convergence and divergence exhibit different response characteristics to symmetric stimuli 37: 1197
ZHU, Y.
Qian, N. and Zhu, Y. Physiological computation of binocular disparity 37: 1811
ZIVOTOFSKY, A.Z.
Rottach, K.G., Von Maydell, R.D., Das, V.E., Zivotofsky, A.Z., Discenna, A.O., Gordon, J.L., Landis, D.M.D. and Leigh, R.J. Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
ZRENNER, E.
Eckstein, A.K., Reichenbach, A., Jacobi, P., Weber, P., Gregor, M. and Zrenner, E. Hepatic retinopathia. Changes in retinal function 37: 1699
Kremers, J., Weiss, S. and Zrenner, E. Temporal properties of marmoset lateral geniculate cells 37: 2649
Kurtenbach, A., Rüttiger, L., Kaiser, P.K. and Zrenner, E. Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721
Sadowski, B. and Zrenner, E. Cone and rod function in cone degenerations 37: 2303

SUBJECT INDEX

ABERRATION
Analytic approximation of the off-axis modulation transfer function of the eye 37: 697
Chromatic and monochromatic optical resolution in the rainbow trout 37: 1249
Accommodation without feedback suggests directional signals specify ocular focus 37: 2511

ABSOLUTE THRESHOLD (*see* DETECTION THRESHOLD)

ACCOMMODATION
Accommodation in binocular contour rivalry 37: 121
Local changes in eye growth induced by imposed local refractive error despite active accommodation 37: 659
The development of accommodation 37: 1525
Accommodation without feedback suggests directional signals specify ocular focus 37: 2511
Biometric investigation of changes in the anterior eye segment during accommodation 37: 2789

ACUITY (*see also* HYPERACUITY; STEREOPSIS)
The oblique effect in orientation acuity 37: 235
Resolution acuity is better than vernier acuity 37: 525
Visual acuity and contrast sensitivity for individual Sloan letters 37: 813
The effects of eccentricity and stimulus magnification on simultaneous performance in position and movement acuity tasks 37: 1261
Contrast sensitivity in infants and children with Down syndrome 37: 1545
Saccadic suppression of displacement: separate influences of saccade size and of target retinal eccentricity 37: 1779
What spatial frequency do we use to detect the orientation of a Landolt C? 37: 2153
Hidden visual capabilities in mentally retarded subjects diagnosed as deaf-blind 37: 2931

ADAPTATION
Changes in perceived speed following adaptation to first-order and second-order motion 37: 215
Head-position-dependent adaptation of nonconcomitant vertical skew 37: 441
Increment-decrement asymmetry in dichoptic matching with haploscopically superimposed backgrounds 37: 613
Increment-decrement asymmetry in adaptation 37: 616
An electrophysiological metric of activity within the ON- and OFF- pathways in humans 37: 669
Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
A reduced motion aftereffect in strabismic amblyopia 37: 1303
Adaptation to the prismatic effects of refractive lenses 37: 1851
Context-specific adaptation of vertical vergence to correlates of eye position 37: 1929
The influence of adaptation on perceived visual location 37: 2207
Adaptation to motion of a second-order pattern: the motion aftereffect is not a general result 37: 2247
Dual component in receptive field centre of bipolar cells in carp retina 37: 2331
Behavioral estimates of absolute visual threshold in mice 37: 2427
Dual multiple-scale processing for motion in the human visual system 37: 2685
Analysis of the effect of pattern adaptation on pattern pedestal effects: a two-process model 37: 2779

Texture density aftereffects in the perception of artificial and natural textures 37: 3273

ADAPTATION, CHROMATIC
Implementations of a novel algorithm for colour constancy 37: 1829
Adaptation and the color statistics of natural images 37: 3283

ADAPTATION, DARK
Metarhodopsin III formation and decay kinetics: comparison of bovine and human rhodopsin 37: 1
Vertical eye position control in darkness: orbital position and body orientation interact to modulate drift velocity 37: 789
Cone and rod function in cone degenerations 37: 2303

ADAPTATION, LIGHT
Probed-sinewave paradigm: a test of models of light-adaptation dynamics 37: 1177
Adaptation and the color statistics of natural images 37: 3283

ADAPTATION, MOTION
Specificity of saccadic adaptation in three-dimensional space 37: 1367

ADAPTATION, OCULOMOTOR
Head-position-dependent adaptation of nonconcomitant vertical skew 37: 441
Smooth pursuit in 1- to 4-month-old human infants 37: 3009

ADAPTATION, SPATIAL
Perception of stationary plaids: The role of spatial filters in edge analysis 37: 3255

AFTEREFFECTS (*see also* ILLUSION; PERSISTENCE)
Simultaneous motion contrast across space: involvement of second-order motion? 37: 199
Contrast dependencies of two types of motion aftereffect 37: 553
A reduced motion aftereffect in strabismic amblyopia 37: 1303
Linking lower and higher stages of motion processing? 37: 1755
Adaptation to motion of a second-order pattern: the motion aftereffect is not a general result 37: 2247
Texture density aftereffects in the perception of artificial and natural textures 37: 3273

AFTERIMAGES (*see* AFTEREFFECTS)

AGING
Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
Effects of ageing on spatial aspects of the pattern electroretinogram in male and female quail 37: 505
Retinal dopamine depletion in young quail mimics some of the effects of ageing on visual function 37: 1103
Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509
Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531
Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535
Irrelevant peripheral visual stimuli impair manual reaction times in Parkinson's disease 37: 3549
Cholinergic modulation, visual function and Alzheimer's dementia 37: 3559
Discontinuous distribution of senile plaques within striate cortex hypercolumns in Alzheimer's disease 37: 3573
Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593

Atypical form of Alzheimer's disease with prominent posterior cortical atrophy: a review of lesion distribution and circuit disconnection in cortical visual pathways 37: 3609

ALIASING
Aliased frequencies enable the discrimination of compound gratings in peripheral vision 37: 283
2D motion aliasing yielding 3D ambiguity, a study with variants of a Necker cube 37: 2195
Interaction between sub- and supra-Nyquist spatial frequencies in peripheral vision 37: 2545

ALIGNMENT (*see* HYPERACUITY)

AMBLYOPIA
Accommodation in binocular contour rivalry 37: 121
Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
Abnormal long-range spatial interactions in amblyopia 37: 737
A reduced motion aftereffect in strabismic amblyopia 37: 1303
Contrast detection and orientation discrimination thresholds associated with meridional amblyopia 37: 1451
Cortical end-stopped perceptive fields: evidence from dichoptic and amblyopic studies 37: 2261
Moving vernier in amblyopic and peripheral vision: greater tolerance to motion blur 37: 2527
Cortical components of the Westheimer function 37: 2535
Contour integration in strabismic amblyopia: the sufficiency of an explanation based on positional uncertainty 37: 3145

ANTIBODIES (*see* IMMUNOCHEMISTRY)

APPARATUS
Binary masks yielding Gaussian light distributions in Maxwellian view 37: 2975

APPARENT MOTION (*see* MOTION PERCEPTION (APPARENT MOTION))

ATTENTION
Transient visual attention is dominated by the magnocellular stream 37: 17
Preattentive object files: shapeless bundles of basic features 37: 25
Cortical magnification neutralizes the eccentricity effect in visual search 37: 63
Saccade target selection during visual search 37: 617
The effect of attentional spread on spatial resolution 37: 1499
Visual motion sensation yielded by non-visually driven attention 37: 1575
Ocular responses to motion parallax stimuli: the role of perceptual and attentional factors 37: 1627
Is facilitation responsible for the "motion induction" effect? 37: 1953
Spatial vision thresholds in the near absence of attention 37: 2409
Offset dynamics of human smooth pursuit eye movements: effects of target presence and subject attention 37: 2579
The influence of subject instruction on horizontal and vertical vergence tracking 37: 2891
Peripheral stimulus localization by infants with eye and head movements during visual attention 37: 3021
A neural model of high-level motion processing: line motion and formotion dynamics 37: 3037

BINOCULAR RIVALRY (*see also* SUPPRESSION)
Accommodation in binocular contour rivalry 37: 121
The effect of spatial frequency and field size on the spread of exclusive visibility in binocular rivalry 37: 175
Visual responses of neurons from areas V1 and MT in a monkey with late onset strabismus: a case study 37: 853
A method for investigating binocular rivalry in real-time with the steady-state VEP 37: 2401

BINOCULAR VISION
Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
Binocular matching of dissimilar features in phantom stereopsis 37: 633
The distance used for scaling disparities is the same as the one used for scaling retinal size 37: 757
Trajectories of the human binocular fixation point during conjugate and non-conjugate gaze-shifts 37: 1049
Capture of visual direction: an unexpected phenomenon in binocular vision 37: 1193
On the independence of chromatic and achromatic stereopsis mechanisms 37: 1271
Listing's plane dependence on alternating fixation in a strabismus patient 37: 1355
Specificity of saccadic adaptation in three-dimensional space 37: 1367
The computation of binocular visual direction: a re-examination of Mansfield and Legge (1996) 37: 1605
Binocular visual direction, the cyclopean eye, and vergence: reply to Banks, van Ee and Backus 37: 1610
A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena 37: 1683
Capture of the visual direction of monocular objects by adjacent binocular objects 37: 1735
Physiological computation of binocular disparity 37: 1811
Visual-motor optimization in binocular control 37: 1939
Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
Evidence for an early motion system which integrates information from the two eyes 37: 2361
A comparison of contrast letter thresholds in unilateral eye enucleated subjects and binocular and monocular control subjects 37: 2465
Human stereo matching is not restricted to epipolar lines 37: 2717
Impairment of the binocular coordination of saccades in strabismus 37: 2757
Deficiency of adaptive control of the binocular coordination of saccades in strabismus 37: 2767
Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
The influence of subject instruction on horizontal and vertical vergence tracking 37: 2891
Definition and detection of binocular disparity 37: 2953

BIPOLAR CELLS
Dual component in receptive field centre of bipolar cells in carp retina 37: 2331
Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471

BLEACHING (*see* ADAPTATION, DARK)

BLINKING
Very short term visual memory via reverberation: a role for the cortico-thalamic excitatory circuit in temporal filling-in during blinks and saccades? 37: 949
A comparison of saccadic and blink suppression in normal observers 37: 3171

BRIGHTNESS PERCEPTION
The role of 3-D surface slope in a lightness/brightness effect 37: 467

Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721
The scintillating grid illusion 37: 1033
In defence of "lateral inhibition" as the underlying cause of induced brightness phenomena: a reply to Spehar, Gilchrist and Arend 37: 1039
Qualitative boundaries critical in White's effect and square-wave brightness induction: a reply to Kingdom *et al.* (1997) 37: 1044
Comparison between spatial interactions in perceived contrast and perceived brightness 37: 1141
Similar mechanisms underlie simultaneous brightness contrast and grating induction 37: 2849

BROCA-SULZER EFFECT (*see* BRIGHTNESS PERCEPTION)

CELLS (*see* BIPOLAR CELLS; CORTEX; GANGLION CELLS; HORIZONTAL CELLS; LATERAL GENICULATE NUCLEUS)

CHANNELS
Selective temporal interactions between processing streams with differential sensitivity for colour and luminance contrast 37: 1129
Spatial frequency masking with the sweep-VEP 37: 2349

CHROMATIC ABERRATION (*see* ABERRATION)

CHROMATIC ADAPTATION (*see* ADAPTATION)

CHROMATIC CONTRAST (*see* COLOR CONTRAST)

CHROMATIC INDUCTION (*see* COLOR CONTRAST)

CLINICAL APPLICATIONS
The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
Local photoreceptor alignment measured with a scanning laser ophthalmoscope 37: 243
Motion perception thresholds in areas of glaucomatous visual field loss 37: 355
Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
Perimetric motion thresholds are elevated in glaucoma suspects and glaucoma patients 37: 1989
Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295
Cone and rod function in cone degenerations 37: 2303
Fillers and spaces in text: the importance of word recognition during reading 37: 2899
Hidden visual capabilities in mentally retarded subjects diagnosed as deaf-blind 37: 2931
Episodic acute hypotonia after Nd:YAG laser capsulotomy–retinal function and choroidal swelling 37: 2937

COGNITION
Four issues concerning colour constancy and relationship colour constancy 37: 1341

COLOR ANOMALY
Shift of equiluminance in congenital color vision deficiencies: pattern-ERG, VEP and psychophysical findings 37: 821
The visual photopigments of simple deuteranomalous trichromats inferred from color matching 37: 1115

Rayleigh match ranges of red/green color-deficient observers: phsychophysical and molecular studies 37: 1897
Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295

COLOR APPEARANCE
Salient features of Munsell colour space as a function of monolexemic naming and response latencies 37: 307
The bimodality of unique green revisited 37: 407
Hue scaling of isoluminant and cone-specific lights 37: 885
Influence of rod signals on hue perception: evidence from successive scotopic contrast 37: 1295
Four issues concerning colour constancy and relationship colour constancy 37: 1341
Implementations of a novel algorithm for colour constancy 37: 1829
Adaptation and the color statistics of natural images 37: 3283
Stomatopod photoreceptor spectral tuning as an adaptation for colour constancy in water 37: 3299

COLOR BLINDNESS (*see* COLOR ANOMALY; MONOCHROMACY)

COLOR CODING
Metric analysis of threshold spectral sensitivity in the honeybee 37: 425
Increment-decrement asymmetry in dichoptic matching with haploscopically superimposed backgrounds 37: 613
Increment-decrement asymmetry in adaptation 37: 616

COLOR CONTRAST
Perceptual learning of orientation discrimination by more than one attribute 37: 273
Additive effect of luminance and color cues in generation of neon color spreading 37: 291
L and M cone input into spectral sensitivity functions: a reanalysis 37: 799
Hue scaling of isoluminant and cone-specific lights 37: 885
Infant color vision: moving tritan stimuli do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
Selective temporal interactions between processing streams with differential sensitivity for colour and luminance contrast 37: 1129
Absence of linear subthreshold summation between red-green and luminance mechanisms over a wide range of spatio-temporal conditions 37: 1157
On the independence of chromatic and achromatic stereopsis mechanisms 37: 1271
Influence of rod signals on hue perception: evidence from successive scotopic contrast 37: 1295
Four issues concerning colour constancy and relationship colour constancy 37: 1341
Motion minima for different directions in color space 37: 1479
Simultaneous color contrast in goldfish–a quantitative study 37: 1581
Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
The development of chromatic and achromatic contrast sensitivity in infancy as tested with the sweep VEP 37: 2057
Isoluminance and chromatic motion perception throughout the visual field 37: 2073
Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699
Adaptation and the color statistics of natural images 37: 3283

COLOR DISCRIMINATION
Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721

Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535

COLOR MATCHING
Increment-decrement asymmetry in dichoptic matching with haploscopically superimposed backgrounds, 37: 613, 37: 616
The visual photopigments of simple deuteranomalous trichromats inferred from color matching 37: 1115
Rayleigh match ranges of red/green color-deficient observers: phsychophysical and molecular studies 37: 1897

COLOR OPPONENCY
A dissociation between brain activity and perception: chromatically opponent cortical neurons signal chromatic flicker that is not perceived 37: 377
Influence of the luminance and opponent chromatic channels on stereopsis with random-dot stereograms 37: 591

COLOR SELECTIVITY
Mechanisms underlying segmentation of colored textures 37: 83

CONES
"Lens mitochondria" in the retinal cones of the tree-shrew *Tupaia belangeri* 37: 267
Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
Preference of peanut agglutinin labeling for long-wavelength-sensitive cone photoreceptors in the dace retina 37: 383
The effect of stimulus size on human cortical potentials evoked by chromatic patterns 37: 649
L and M cone input into spectral sensitivity functions: a reanalysis 37: 799
Infant color vision: moving tritan stimuli do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
No evidence of polarization sensitivity in freshwater sunfish from multi-unit optic nerve recordings 37: 967
Influence of rod signals on hue perception: evidence from successive scotopic contrast 37: 1295
Four issues concerning colour constancy and relationship colour constancy 37: 1341
Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909
Cone electroretinogram to chromatic stimuli in myopic eyes 37: 2157
Cone and rod function in cone degenerations 37: 2303
Piscine *(Sparus aurata)* α subunit of the G-protein transducin is homologous to mammalian cone and rod transducin 37: 2487
Rod inputs to macaque ganglion cells 37: 2813
Filtering effect of cone oil droplets detected in the P-III response spectra of Japanese quail 37: 2829
The primary structure and distribution of killifish visual pigments 37: 3089

CONTOUR PERCEPTION
Perceived location of bars and edges in one-dimensional images: computational models and human vision 37: 127
Aliased frequencies enable the discrimination of compound gratings in peripheral vision 37: 283
Constant affine velocity predicts the 1/3 power law of planar motion perception and generation 37: 347
Human discrimination of the implicit orientation of simple symmetrical patterns 37: 565
Integrating contours within and through depth 37: 691

Contour integration across polarities and spatial gaps: from local contrast filtering to global grouping 37: 913
Illusory contour-motion arising from translating terminators 37: 1007
Retention of local information in generation of subjective contours 37: 1429
Sharpness overconstancy in peripheral vision 37: 2035
Contour integration in strabismic amblyopia: the sufficiency of an explanation based on positional uncertainty 37: 3145

CONTRAST DISCRIMINATION
Isolation and interaction of ON and OFF pathways in human vision: contrast discrimination at pattern offset 37: 185
Resolution acuity is better than vernier acuity 37: 525
Contour integration across polarities and spatial gaps: from local contrast filtering to global grouping 37: 913
Effect of image orientation contents on detection efficiency 37: 1025
Contrast detection and orientation discrimination thresholds associated with meridional amblyopia 37: 1451
Contrast masking effects change with practice 37: 1725
Band-limited contrast in natural images explains the detectability of changes in the amplitude spectra 37: 3203
Object detection in natural backgrounds predicted by discrimination performance and models 37: 3225

CONTRAST FLASH (*see* MASKING)

CONTRAST PERCEPTION
Simultaneous motion contrast across space: involvement of second-order motion? 37: 199
Comparison between spatial interactions in perceived contrast and perceived brightness 37: 1141
In search of a contrast metric: Matching the perceived contrast of Gabor patches at different phases and bandwidths 37: 3217

CONTRAST SENSITIVITY
Orientation anisotropy and strabismus 37: 151
Metric analysis of threshold spectral sensitivity in the honeybee 37: 425
Contrast dependencies of two types of motion aftereffect 37: 553
Visual acuity and contrast sensitivity for individual Sloan letters 37: 813
Contrast affects flicker and speed perception differently 37: 1255
Contrast sensitivity in infants and children with Down syndrome 37: 1545
Development of temporal contrast sensitivity in human infants 37: 1747
Contrast dependency of motion-onset and pattern-reversal VEPs: interaction of stimulus type, recording site and response component 37: 1845
Implicit masking constrained by spatial inhomogeneities 37: 1917
Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
Psychophysics of reading–XVI. The visual span in normal and low vision 37: 1999
The development of chromatic and achromatic contrast sensitivity in infancy as tested with the sweep VEP 37: 2057
Separate magnocellular and parvocellular contributions from temporal analysis of the multifocal VEP 37: 2161
A comparison of contrast letter thresholds in unilateral eye enucleated subjects and binocular and monocular control subjects 37: 2465
The transition from DeVries-Rose to Weber's laws: comments on Rovamo, Mustonen and Näsänen (1995) 37: 2573

Transition from DeVries-Rose to Weber's law: reply to García-Pérez and Peli (1997) 37: 2576
Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699
Analysis of the effect of pattern adaptation on pattern pedestal effects: a two-process model 37: 2779
A comparison of saccadic and blink suppression in normal observers 37: 3171
The mechanisms for detecting compressively sampled gratings 37: 3237

CORNEA
Corneal curvatures and refractions of Central American frogs 37: 169

CORTEX
Visual receptive fields in neurons in primary visual cortex (V1) move in space with the eye movements of fixation 37: 257
Neuronal correlates of pop-out in cat striate cortex 37: 371
A dissociation between brain activity and perception: chromatically opponent cortical neurons signal chromatic flicker that is not perceived 37: 377
Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
Responses of complex cells in cat area 17 to apparent motion of random pixel arrays 37: 839
Visual responses of neurons from areas V1 and MT in a monkey with late onset strabismus: a case study 37: 853
Very short term visual memory via reverberation: a role for the cortico-thalamic excitatory circuit in temporal filling-in during blinks and saccades? 37: 949
Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
Modeling the apparent frequency-specific suppression in simple cell responses 37: 1535
The early phase of horizontal optokinetic responses in the pigmented rat and the effects of lesions of the visual cortex 37: 1615
A neural model of high-level motion processing: line motion and formotion dynamics 37: 3037
Predictions of a recurrent model of orientation selectivity 37: 3061
Sparse coding with an overcomplete basis set: a strategy employed by V1? 37: 3311
BCM network develops orientation selectivity and ocular dominance in natural scene environment 37: 3339
Cholinergic modulation, visual function and Alzheimer's dementia 37: 3559
Discontinuous distribution of senile plaques within striate cortex hypercolumns in Alzheimer's disease 37: 3573
Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
Atypical form of Alzheimer's disease with prominent posterior cortical atrophy: a review of lesion distribution and circuit disconnection in cortical visual pathways 37: 3609

CORTICAL MAGNIFICATION
Cortical magnification neutralizes the eccentricity effect in visual search 37: 63
Vernier acuity with non-simultaneous targets: the cortical magnification factor estimated by psychophysics 37: 325

CRAIK-O'BRIEN EFFECT (*see* CONTOUR PERCEPTION)

CURVATURE
Curve detection in a noisy image 37: 1217
Specificity of learning curvature, orientation, and vernier discriminations 37: 1885

Curvilinearity, covariance, and regularity in perceptual groups 37: 2835

DEPTH PERCEPTION
The perception of motion and structure in structure-from-motion: comparisons of affine and Euclidean formulations 37: 447
Integrating contours within and through depth 37: 691
Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
2D motion aliasing yielding 3D ambiguity, a study with variants of a Necker cube 37: 2195
Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109

DETECTION THRESHOLD
Separate detection of moving luminance and contrast modulations: fact or artifact? 37: 45
Motion perception thresholds in areas of glaucomatous visual field loss 37: 355
Metric analysis of threshold spectral sensitivity in the honeybee 37: 425
Human discrimination of the implicit orientation of simple symmetrical patterns 37: 565
Effect of image orientation contents on detection efficiency 37: 1025
Absence of linear subthreshold summation between red-green and luminance mechanisms over a wide range of spatio-temporal conditions 37: 1157
Contrast detection and orientation discrimination thresholds associated with meridional amblyopia 37: 1451
Principles of an adaptive method for measuring the slope of the psychometric function 37: 1595
Contrast masking effects change with practice 37: 1725
Perimetric motion thresholds are elevated in glaucoma suspects and glaucoma patients 37: 1989
Spatial vision thresholds in the near absence of attention 37: 2409
Behavioral estimates of absolute visual threshold in mice 37: 2427
Motion blur and motion sharpening in the human visual system 37: 2505

DEVELOPMENT
Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
Changes in human infants' sensitivity to slow displacements over the first 6 months 37: 417
Local changes in eye growth induced by imposed local refractive error despite active accommodation 37: 659
Infant color vision: moving tritan stimuli do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
The development of accommodation 37: 1525
Development of temporal contrast sensitivity in human infants 37: 1747
Development of smooth pursuit tracking in young infants 37: 1799
The development of chromatic and achromatic contrast sensitivity in infancy as tested with the sweep VEP 37: 2057
The development of stereoacuity in infant rhesus monkeys 37: 2675
Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699
Smooth pursuit in 1- to 4-month-old human infants 37: 3009
Peripheral stimulus localization by infants with eye and head movements during visual attention 37: 3021
ON and OFF field potentials in the rat superior colliculus during development 37: 3079

DIPLOPIA (*see* BINOCULAR VISION)

DIRECTIONAL SENSITIVITY (MOTION) (*see* MOTION PERCEPTION (DIRECTIONAL SENSITIVITY))

DISPARITY (*see* BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (*see* PERIPHERAL VISION)

ELECTRORETINOGRAM
Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
Effects of ageing on spatial aspects of the pattern electroretinogram in male and female quail 37: 505
Shift of equiluminance in congenital color vision deficiencies: pattern-ERG, VEP and psychophysical findings 37: 821
Retinal dopamine depletion in young quail mimics some of the effects of ageing on visual function 37: 1103
Hepatic retinopathia. Changes in retinal function 37: 1699
Functional recovery of retina after sodium iodate injection in mice 37: 1859
Cone electroretinogram to chromatic stimuli in myopic eyes 37: 2157
Effect of ocular perfusion pressure on retinal function in the rabbit 37: 2339
Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471
Serotonin elevates the *c*-wave of the electroretinogram of the rabbit eye by increasing the transepithelial potential 37: 2495
Flicker parameters are different for suppression of myopia and hyperopia 37: 2661
Episodic acute hypotonia after Nd:YAG laser capsulotomy–retinal function and choroidal swelling 37: 2937
The α-wave of the human electroretinogram recorded with a minimally invasive technique 37: 2943
Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453
Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509

EVOKED POTENTIALS
Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
The effect of stimulus size on human cortical potentials evoked by chromatic patterns 37: 649
An electrophysiological metric of activity within the ON- and OFF- pathways in humans 37: 669
M and P components of the VEP and their visual field distribution 37: 675
Abnormal long-range spatial interactions in amblyopia 37: 737
Shift of equiluminance in congenital color vision deficiencies: pattern-ERG, VEP and psychophysical findings 37: 821
Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo 37: 1409
Contrast dependency of motion-onset and pattern-reversal VEPs: interaction of stimulus type, recording site and response component 37: 1845
Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
The development of chromatic and achromatic contrast sensitivity in infancy as tested with the sweep VEP 37: 2057

Separate magnocellular and parvocellular contributions from temporal analysis of the multifocal VEP 37: 2161
Spatial frequency masking with the sweep-VEP 37: 2349
A method for investigating binocular rivalry in real-time with the steady-state VEP 37: 2401
ON and OFF field potentials in the rat superior colliculus during development 37: 3079
Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193

EYE-MOVEMENTS
Visual receptive fields in neurons in primary visual cortex (V1) move in space with the eye movements of fixation 37: 257
The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
Vertical eye position control in darkness: orbital position and body orientation interact to modulate drift velocity 37: 789
The scintillating grid illusion 37: 1033
Capture of visual direction: an unexpected phenomenon in binocular vision 37: 1193
Convergence and divergence exhibit different response characteristics to symmetric stimuli 37: 1197
The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita)*: physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
Testing the Perrone and Stone (1994) model of heading estimation 37: 1653
Capture of the visual direction of monocular objects by adjacent binocular objects 37: 1735
Psychophysics of reading–XVI. The visual span in normal and low vision 37: 1999
Motor and perceptual responses to horizontal and vertical eye vibration in humans 37: 2631

EYE-MOVEMENTS, OPTOKINETIC NYSTAGMUS
Infant color vision: moving tritan stimuli do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
Open loop optokinetic responses of the turtle 37: 925
Involvement of NMDA in a plasticity phenomenon observed in the adult frog monocular optokinetic nystagmus 37: 1511
The early phase of horizontal optokinetic responses in the pigmented rat and the effects of lesions of the visual cortex 37: 1615
Ocular responses to motion parallax stimuli: the role of perceptual and attentional factors 37: 1627
Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643

EYE-MOVEMENTS, SACCADIC
Saccade target selection during visual search 37: 617
Very short term visual memory via reverberation: a role for the cortico-thalamic excitatory circuit in temporal filling-in during blinks and saccades? 37: 949
Trajectories of the human binocular fixation point during conjugate and non-conjugate gaze-shifts 37: 1049
Listing's plane dependence on alternating fixation in a strabismus patient 37: 1355
Specificity of saccadic adaptation in three-dimensional space 37: 1367
Saccadic suppression of displacement: separate influences of saccade size and of target retinal eccentricity 37: 1779
Development of smooth pursuit tracking in young infants 37: 1799
Saccadic reaction times: a statistical analysis of multimodal distributions 37: 2119
Task-dependent changes in the shape and thickness of Listing's plane 37: 2271

Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597
The spatial relationship between scanning saccades and express saccades 37: 2745
Impairment of the binocular coordination of saccades in strabismus 37: 2757
Deficiency of adaptive control of the binocular coordination of saccades in strabismus 37: 2767
Fillers and spaces in text: the importance of word recognition during reading 37: 2899
Smooth pursuit in 1- to 4-month-old human infants 37: 3009
Peripheral stimulus localization by infants with eye and head movements during visual attention 37: 3021
Motion processing for saccadic eye movements during the visually induced sensation of ego-motion in humans 37: 3163
Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
Ocular motor abnormalities in Huntington's disease 37: 3639

EYE-MOVEMENTS, SMOOTH PURSUIT
The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
Predictive smooth pursuit of complex two-dimensional trajectories demonstrated by perturbation responses in monkeys 37: 1347
Development of smooth pursuit tracking in young infants 37: 1799
Offset dynamics of human smooth pursuit eye movements: effects of target presence and subject attention 37: 2579
Smooth pursuit in 1- to 4-month-old human infants 37: 3009

EYE-MOVEMENTS, TORSIONAL
Relative orientation of primary positions of the two eyes 37: 935
The effect of ocular torsional position on perception of the roll-tilt of visual stimuli 37: 1071
Visual-motor optimization in binocular control 37: 1939

EYE-MOVEMENTS, VERGENCE
Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
Extraretinal eye position signals determine perceived target location when they conflict with visual cues 37: 775
Relative orientation of primary positions of the two eyes 37: 935
Trajectories of the human binocular fixation point during conjugate and non-conjugate gaze-shifts 37: 1049
Specificity of saccadic adaptation in three-dimensional space 37: 1367
Neural network model of short-term horizontal disparity vergence dynamics 37: 1383
The development of accommodation 37: 1525
The computation of binocular visual direction: a re-examination of Mansfield and Legge (1996) 37: 1605
Binocular visual direction, the cyclopean eye, and vergence: reply to Banks, van Ee and Backus 37: 1610
Context-specific adaptation of vertical vergence to correlates of eye position 37: 1929
Visual-motor optimization in binocular control 37: 1939
The influence of subject instruction on horizontal and vertical vergence tracking 37: 2891

EYE-MOVEMENTS, VESTIBULO-OCULAR
Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643
Task-dependent changes in the shape and thickness of Listing's plane 37: 2271
Gaze-shift dynamics in two kinds of sequential looking tasks 37: 2597

FEATURE DETECTION
Perceived location of bars and edges in one-dimensional images: computational models and human vision 37: 127
Neuronal correlates of pop-out in cat striate cortex 37: 371
Perception of moving lines: interactions between local perpendicular signals and 2D motion signals 37: 705
Curve detection in a noisy image 37: 1217
Spatio-temporal boundary formation: the role of local motion signals in boundary perception 37: 1281
Becoming a "Greeble" expert: exploring mechanisms for face recognition 37: 1673
The effects of distractor elements on direction discrimination in random Gabor kinematograms 37: 1761
Gender discrimination and prediction on the basis of facial metric information 37: 1961
Sharpness overconstancy in peripheral vision 37: 2035
Edge detection by landing honeybees: behavioural analysis and model simulations of the underlying mechanism 37: 2103
Speed discrimination thresholds for first- and second-order bars and edges 37: 2217
Capture and transparency in coarse quantized images 37: 2609
Object detection in natural backgrounds predicted by discrimination performance and models 37: 3225
Perception of stationary plaids: The role of spatial filters in edge analysis 37: 3255
The "independent components" of natural scenes are edge filters 37: 3327
Structure detection: a statistically certified unsupervised learning procedure 37: 3343

FISH VISION
No evidence of polarization sensitivity in freshwater sunfish from multi-unit optic nerve recordings 37: 967
Is the use of underwater polarized light by fish restricted to crepuscular time periods? 37: 975
Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091
Chromatic and monochromatic optical resolution in the rainbow trout 37: 1249
Simultaneous color contrast in goldfish–a quantitative study 37: 1581
Properties of glutamate-gated ion channels in horizontal cells of the perch retina 37: 2023
Dual component in receptive field centre of bipolar cells in carp retina 37: 2331
Piscine *(Sparus aurata)* α subunit of the G-protein transducin is homologous to mammalian cone and rod transducin 37: 2487
The primary structure and distribution of killifish visual pigments 37: 3089

FIXATION
Relative orientation of primary positions of the two eyes 37: 935
Trajectories of the human binocular fixation point during conjugate and non-conjugate gaze-shifts 37: 1049
Listing's plane dependence on alternating fixation in a strabismus patient 37: 1355

FLICKER
A dissociation between brain activity and perception: chromatically opponent cortical neurons signal chromatic flicker that is not perceived 37: 377
Contrast dependencies of two types of motion aftereffect 37: 553
Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721
L and M cone input into spectral sensitivity functions: a reanalysis 37: 799
Shift of equiluminance in congenital color vision deficiencies: pattern-ERG, VEP and psychophysical findings 37: 821

Probed-sinewave paradigm: a test of models of light-adaptation dynamics 37: 1177
Contrast affects flicker and speed perception differently 37: 1255
Linking lower and higher stages of motion processing? 37: 1755
The peripheral flicker effect: desensitization of the luminance pathway by static and modulated light 37: 2419
Flicker parameters are different for suppression of myopia and hyperopia 37: 2661

FORM PERCEPTION
Preattentive object files: shapeless bundles of basic features 37: 25
The role of 3-D surface slope in a lightness/brightness effect 37: 467
Across-object relationships in perceived object orientation 37: 879
Spatio-temporal boundary formation: the role of local motion signals in boundary perception 37: 1281
Light source dependence in shape from shading 37: 1441
Becoming a "Greeble" expert: exploring mechanisms for face recognition 37: 1673
Gender discrimination and prediction on the basis of facial metric information 37: 1961
Surface orientation from texture: isotropy or homogeneity (or both)? 37: 2283
Concentric orientation summation in human form vision 37: 2325
Velocity decomposition and surface decomposition–reciprocal interactions between motion and form processing 37: 2879
Definition and detection of binocular disparity 37: 2953

FOVEA
Visual acuity and contrast sensitivity for individual Sloan letters 37: 813
Early impairment of foveal magno- and parvocellular pathways in juxta chiasmal tumours 37: 1401

GAIN CONTROL
Contrast masking effects change with practice 37: 1725
Is facilitation responsible for the "motion induction" effect? 37: 1953
A model of Weber and noise gain control in the retina of the toad *Bufo marinus* 37: 2433
The mechanisms for detecting compressively sampled gratings 37: 3237
Processing of natural time series of intensities by the visual system of the blowfly 37: 3407

GANGLION CELLS
Psychophysical evidence for a selective loss of M ganglion cells in glaucoma 37: 1079
A model of Weber and noise gain control in the retina of the toad *Bufo marinus* 37: 2433
Rod inputs to macaque ganglion cells 37: 2813
Molecular basis of glutamate toxicity in retinal ganglion cells 37: 3483

GROUPING
Preattentive object files: shapeless bundles of basic features 37: 25
Object grouping contingent upon background 37: 1313
The detection of structure in Glass patterns: psychophysics and computational models 37: 2227
Shape priming in a complex visual search task 37: 2561
Curvilinearity, covariance, and regularity in perceptual groups 37: 2835

HEAD MOVEMENTS
Gaze stabilization by optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) during active head rotation in man 37: 1643
Development of smooth pursuit tracking in young infants 37: 1799

HISTOCHEMISTRY (*see* NEUROCHEMISTRY)

HORIZONTAL CELLS
Characterization of glutamate transporter function in the tiger salamander retina 37: 827
Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091
Properties of glutamate-gated ion channels in horizontal cells of the perch retina 37: 2023

HYPERACUITY
Vernier acuity with non-simultaneous targets: the cortical magnification factor estimated by psychophysics 37: 325
Resolution acuity is better than vernier acuity 37: 525
Spatial interactions with real and gap-induced illusory lines in vernier acuity 37: 597
Vernier acuity with plaid masks: the role of oriented filters in vernier acuity 37: 1325
The effect of attentional spread on spatial resolution 37: 1499
Vernier step acuity and bisection acuity for texture-defined form 37: 1713
Specificity of learning curvature, orientation, and vernier discriminations 37: 1885
The role of feedback in learning a vernier discrimination task 37: 2133
Moving vernier in amblyopic and peripheral vision: greater tolerance to motion blur 37: 2527

ILLUSION (*see also* AFTEREFFECTS)
Transient visual attention is dominated by the magnocellular stream 37: 17
Additive effect of luminance and color cues in generation of neon color spreading 37: 291
Spatial interactions with real and gap-induced illusory lines in vernier acuity 37: 597
The scintillating grid illusion 37: 1033
Capture and transparency in coarse quantized images 37: 2609
Motor and perceptual responses to horizontal and vertical eye vibration in humans 37: 2631

ILLUSORY CONTOURS (*see* ILLUSION)

IMMUNOCHEMISTRY
Comparative study of astrocytes in human and rabbit retinae 37: 1707
Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029

INCREMENT THRESHOLD
Increment-decrement asymmetry in dichoptic matching with haploscopically superimposed backgrounds, 37: 613, 37: 616
Probed-sinewave paradigm: a test of models of light-adaptation dynamics 37: 1177
Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535

INSECT VISION
Edge detection by landing honeybees: behavioural analysis and model simulations of the underlying mechanism 37: 2103
Processing of natural time series of intensities by the visual system of the blowfly 37: 3407
Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427

INTEROCULAR TRANSFER (*see* AFTEREFFECTS)

LATENCY (*see* REACTION TIME)

LATERAL GENICULATE NUCLEUS
Very short term visual memory via reverberation: a role for the cortico-thalamic excitatory circuit in temporal filling-in during blinks and saccades? 37: 949
Receptive field dimensions of lateral geniculate cells in the common marmoset *(Callithrix jacchus)* 37: 2171
Temporal properties of marmoset lateral geniculate cells 37: 2649
Cholinergic modulation, visual function and Alzheimer's dementia 37: 3559
Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593

LATERAL INHIBITION
Motion integration over space: interaction of the center and surround motion 37: 991
In defence of "lateral inhibition" as the underlying cause of induced brightness phenomena: a reply to Spehar, Gilchrist and Arend 37: 1039

LENS
Near infrared light absorption in the human eye media 37: 249

LIGHT DAMAGE
Near infrared light absorption in the human eye media 37: 249

LOW VISION
Simulated cataract does not reduce the benefit of RSVP 37: 2639

LUMINANCE
Separate detection of moving luminance and contrast modulations: fact or artifact? 37: 45
Perceptual learning of orientation discrimination by more than one attribute 37: 273
Additive effect of luminance and color cues in generation of neon color spreading 37: 291
Influence of the luminance and opponent chromatic channels on stereopsis with random-dot stereograms 37: 591
Influence of luminance flicker and purity on heterochromatic brightness matching and hue discrimination: a postreceptoral opponent process 37: 721
In defence of "lateral inhibition" as the underlying cause of induced brightness phenomena: a reply to Spehar, Gilchrist and Arend 37: 1039
Qualitative boundaries critical in White's effect and square-wave brightness induction: a reply to Kingdom *et al.* (1997) 37: 1044
Selective temporal interactions between processing streams with differential sensitivity for colour and luminance contrast 37: 1129
Motion minima for different directions in color space 37: 1479
The effect of attentional spread on spatial resolution 37: 1499
Direction discrimination of cyclopean (stereoscopic) and luminance motion 37: 2041
Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699

MACH BANDS (*see* CONTOUR PERCEPTION)

MASKING
Mechanisms underlying segmentation of colored textures 37: 83

Isolation and interaction of ON and OFF pathways in human vision: contrast discrimination at pattern offset 37: 185
Aliased frequencies enable the discrimination of compound gratings in peripheral vision 37: 283
Vernier acuity with plaid masks: the role of oriented filters in vernier acuity 37: 1325
Contrast masking effects change with practice 37: 1725
Implicit masking constrained by spatial inhomogeneities 37: 1917
Computing stereo channels from masking data 37: 2143
Spatial frequency masking with the sweep-VEP 37: 2349
Interaction between sub- and supra-Nyquist spatial frequencies in peripheral vision 37: 2545
Shape priming in a complex visual search task 37: 2561
Analysis of the effect of pattern adaptation on pattern pedestal effects: a two-process model 37: 2779
The spatial mechanisms mediating symmetry perception 37: 2915

MCCOLLOUGH EFFECT (*see* AFTEREFFECTS)

MEMORY (*see* COGNITION)

METACONTRAST (*see* MASKING)

MOLECULAR BIOLOGY
Molecular basis of glutamate toxicity in retinal ganglion cells 37: 3483

MONOCHROMACY
Chromatic and monochromatic optical resolution in the rainbow trout 37: 1249

MONOCULAR VISION
A comparison of contrast letter thresholds in unilateral eye enucleated subjects and binocular and monocular control subjects 37: 2465

MORPHOLOGY (*see* NEUROANATOMY)

MOTION PERCEPTION
Pitfalls in estimating motion detector receptive field geometry 37: 99
Perceptual learning of orientation discrimination by more than one attribute 37: 273
Constant affine velocity predicts the 1/3 power law of planar motion perception and generation 37: 347
Motion perception thresholds in areas of glaucomatous visual field loss 37: 355
The perception of motion and structure in structure-from-motion: comparisons of affine and Euclidean formulations 37: 447
Contrast dependencies of two types of motion aftereffect 37: 553
Blending transparent motion patterns in peripheral vision 37: 645
The spatial limit for motion detection in noise depends on element size, not on spatial frequency 37: 729
Motion-reversal reveals two motion mechanisms functioning in scotopic vision 37: 745
The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
Illusory contour-motion arising from translating terminators 37: 1007
Spatio-temporal boundary formation: the role of local motion signals in boundary perception 37: 1281
Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo 37: 1409
Image segmentation enhances discrimination of motion in visual noise 37: 1415
Nonlinear preprocessing in short-range motion 37: 1459

Dependencies of motion assimilation and motion contrast on spatial properties of stimuli: spatial-frequency nonselective and selective interactions between local motion detectors 37: 1565
Visual motion sensation yielded by non-visually driven attention 37: 1575
A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena 37: 1683
Linking lower and higher stages of motion processing? 37: 1755
Perimetric motion thresholds are elevated in glaucoma suspects and glaucoma patients 37: 1989
Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
Isoluminance and chromatic motion perception throughout the visual field 37: 2073
Visual search of expansion and contraction 37: 2083
Adaptation to motion of a second-order pattern: the motion aftereffect is not a general result 37: 2247
Temporal filter of the motion sensor in glaucoma 37: 2315
Evidence for an early motion system which integrates information from the two eyes 37: 2361
Motion blur and motion sharpening in the human visual system 37: 2505
Moving vernier in amblyopic and peripheral vision: greater tolerance to motion blur 37: 2527
The interaction between stereoscopic and luminance motion 37: 2553
Infant color vision: temporal contrast sensitivity functions for chromatic (red/green) stimuli in 3-month-olds 37: 2699
Velocity decomposition and surface decomposition–reciprocal interactions between motion and form processing 37: 2879
A glimpse into crabworld 37: 3417

MOTION PERCEPTION (APERTURE PROBLEM)
Perception of moving lines: interactions between local perpendicular signals and 2D motion signals 37: 705
The aperture problem in stereopsis 37: 2737

MOTION PERCEPTION (APPARENT MOTION)
Simultaneous motion contrast across space: involvement of second-order motion? 37: 199
Probing visual motion signals with a priming paradigm 37: 541
Anisotropy for direction discrimination in a two-frame apparent motion display 37: 765
Responses of complex cells in cat area 17 to apparent motion of random pixel arrays 37: 839
Is facilitation responsible for the "motion induction" effect? 37: 1953
Motion interference: perturbing perceived direction 37: 2725
A neural model of high-level motion processing: line motion and formotion dynamics 37: 3037

MOTION PERCEPTION (DIRECTIONAL SENSITIVITY)
Separate detection of moving luminance and contrast modulations: fact or artifact? 37: 45
The size and number of plaid blobs mediate the misperception of Type-II plaid direction 37: 143
A fast stimulus procedure to determine local receptive field properties of motion-sensitive visual interneurons 37: 225
Order-specific and non-specific motion responses in the human visual system 37: 605
Anisotropy for direction discrimination in a two-frame apparent motion display 37: 765
Direction-selective coding of stereoscopic (cyclopean) motion 37: 865
Infant color vision: moving tritan stimuli do not elicit directionally appropriate eye movements in 2- and 4-month-olds 37: 899
Motion coherence perimetry in glaucoma and suspected glaucoma 37: 955

Motion integration over space: interaction of the center and surround motion 37: 991
Motion minima for different directions in color space 37: 1479
The effects of distractor elements on direction discrimination in random Gabor kinematograms 37: 1761
Independent coding across spatial scales in moving fractal images 37: 1873
Direction discrimination of cyclopean (stereoscopic) and luminance motion 37: 2041
Effects of dot density, patch size and contrast on the upper spatial limit for direction discrimination in random-dot kinematograms 37: 2091
Perception of motion direction in luminance- and contrast-defined reversed-phi motion sequences 37: 2381
Dual multiple-scale processing for motion in the human visual system 37: 2685
Motion interference: perturbing perceived direction 37: 2725
Rapid communication: first-order motion from contrast modulated noise? 37: 3073
Recruitment mechanisms in speed and fine-direction discrimination tasks 37: 3129
Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427

MOTION PERCEPTION (OPTIC FLOW)
A fast stimulus procedure to determine local receptive field properties of motion-sensitive visual interneurons 37: 225
Human heading estimation during visually simulated curvilinear motion 37: 573
Ocular responses to motion parallax stimuli: the role of perceptual and attentional factors 37: 1627
Testing the Perrone and Stone (1994) model of heading estimation 37: 1653
Computation of surface slant from optic flow: orthogonal components of speed gradient can be combined 37: 2369
Motion processing for saccadic eye movements during the visually induced sensation of ego-motion in humans 37: 3163
Radial motion looks faster 37: 3399

MOTION PERCEPTION (SPEED SENSITIVITY)
Changes in perceived speed following adaptation to first-order and second-order motion 37: 215
Spatial layout affects speed discrimination 37: 397
Changes in human infants' sensitivity to slow displacements over the first 6 months 37: 417
Speed discrimination of stereoscopic (cyclopean) motion 37: 871
Contrast affects flicker and speed perception differently 37: 1255
Speed discrimination thresholds for first- and second-order bars and edges 37: 2217
Recruitment mechanisms in speed and fine-direction discrimination tasks 37: 3129
Radial motion looks faster 37: 3399
Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531

MYOPIA
Local changes in eye growth induced by imposed local refractive error despite active accommodation 37: 659
The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
Adaptation to the prismatic effects of refractive lenses 37: 1851
Contrast and spatial-frequency requirements for emmetropization in chicks 37: 2011
Cone electroretinogram to chromatic stimuli in myopic eyes 37: 2157
Flicker parameters are different for suppression of myopia and hyperopia 37: 2661

NATURAL IMAGES
Independent coding across spatial scales in moving fractal images 37: 1873
Band-limited contrast in natural images explains the detectability of changes in the amplitude spectra 37: 3203
Object detection in natural backgrounds predicted by discrimination performance and models 37: 3225
Texture density aftereffects in the perception of artificial and natural textures 37: 3273
Adaptation and the color statistics of natural images 37: 3283
Sparse coding with an overcomplete basis set: a strategy employed by V1? 37: 3311
The "independent components" of natural scenes are edge filters 37: 3327
BCM network develops orientation selectivity and ocular dominance in natural scene environment 37: 3339
Structure detection: a statistically certified unsupervised learning procedure 37: 3343
Visual sensitivity, blur and the sources of variability in the amplitude spectra of natural scenes 37: 3367
Origins of scaling in natural images 37: 3385
Processing of natural time series of intensities by the visual system of the blowfly 37: 3407
A glimpse into crabworld 37: 3417

NEURAL NETWORKS
Neural network model of short-term horizontal disparity vergence dynamics 37: 1383
The role of feedback in learning a vernier discrimination task 37: 2133
A neural model of high-level motion processing: line motion and formotion dynamics 37: 3037
The "independent components" of natural scenes are edge filters 37: 3327
Structure detection: a statistically certified unsupervised learning procedure 37: 3343

NEUROANATOMY
The role of ocular muscle proprioception during modifications in smooth pursuit output 37: 769
The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita):* physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
Involvement of NMDA in a plasticity phenomenon observed in the adult frog monocular optokinetic nystagmus 37: 1511
A subspace reverse-correlation technique for the study of visual neurons 37: 2455

NEUROCHEMISTRY
Metarhodopsin III formation and decay kinetics: comparison of bovine and human rhodopsin 37: 1
Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091
Retinal dopamine depletion in young quail mimics some of the effects of ageing on visual function 37: 1103
Comparative study of astrocytes in human and rabbit retinae 37: 1707
Serotonin elevates the *c*-wave of the electroretinogram of the rabbit eye by increasing the transepithelial potential 37: 2495
Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445

Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453
Activity at the GABA transporter contributes to acute cellular swelling produced by metabolic impairment in retina 37: 3463
Differences in the retinal GABA system among control, *spastic* mutant and *retinal degeneration* mutant mice 37: 3471
Molecular basis of glutamate toxicity in retinal ganglion cells 37: 3483
Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509
Cholinergic modulation, visual function and Alzheimer's dementia 37: 3559
Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593

NEURODEGENERATIVE DISEASES 37: SEE PATHOLOGY

NEUROTRANSMITTER (*see* NEUROCHEMISTRY)

NOISE
Mechanisms underlying segmentation of colored textures 37: 83
The spatial limit for motion detection in noise depends on element size, not on spatial frequency 37: 729
Effect of image orientation contents on detection efficiency 37: 1025
Non-Fourier information in bandpass noise patterns 37: 1167
Curve detection in a noisy image 37: 1217
Image segmentation enhances discrimination of motion in visual noise 37: 1415
A model of Weber and noise gain control in the retina of the toad *Bufo marinus* 37: 2433
Predictions of a recurrent model of orientation selectivity 37: 3061
Rapid communication: first-order motion from contrast modulated noise? 37: 3073

OCCLUSION
Spatial layout affects speed discrimination 37: 397
Capture of visual direction: an unexpected phenomenon in binocular vision 37: 1193
The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
Capture of the visual direction of monocular objects by adjacent binocular objects 37: 1735

OCULAR MEDIA
Near infrared light absorption in the human eye media 37: 249

OPTIC FLOW (*see* MOTION PERCEPTION (OPTIC FLOW))

OPTICAL QUALITY
Analytic approximation of the off-axis modulation transfer function of the eye 37: 697

ORIENTATION PERCEPTION
Orientation anisotropy and strabismus 37: 151
The oblique effect in orientation acuity 37: 235
Perceptual learning of orientation discrimination by more than one attribute 37: 273
Spatial properties of shear disparity processing 37: 315
The role of 3-D surface slope in a lightness/brightness effect 37: 467
Human discrimination of the implicit orientation of simple symmetrical patterns 37: 565
Across-object relationships in perceived object orientation 37: 879
The effect of ocular torsional position on perception of the roll-tilt of visual stimuli 37: 1071
Vernier acuity with plaid masks: the role of oriented filters in vernier acuity 37: 1325

Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo 37: 1409
Light source dependence in shape from shading 37: 1441
Contrast detection and orientation discrimination thresholds associated with meridional amblyopia 37: 1451
Vernier step acuity and bisection acuity for texture-defined form 37: 1713
Specificity of learning curvature, orientation, and vernier discriminations 37: 1885
What spatial frequency do we use to detect the orientation of a Landolt C? 37: 2153
The detection of structure in Glass patterns: psychophysics and computational models 37: 2227
Computation of surface slant from optic flow: orthogonal components of speed gradient can be combined 37: 2369
The aperture problem in stereopsis 37: 2737
Spatial limitation of vertical-size disparity processing 37: 2871
The spatial mechanisms mediating symmetry perception 37: 2915
The orientational resolution of human texture perception 37: 2993
Predictions of a recurrent model of orientation selectivity 37: 3061
The computation of orientation statistics from visual texture 37: 3181
Perception of stationary plaids: The role of spatial filters in edge analysis 37: 3255
BCM network develops orientation selectivity and ocular dominance in natural scene environment 37: 3339

PATHOLOGY
Facility changes mediated by cAMP in the bovine anterior segment *in vitro* 37: 9
The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165
Motion perception thresholds in areas of glaucomatous visual field loss 37: 355
Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
Motion coherence perimetry in glaucoma and suspected glaucoma 37: 955
Psychophysical evidence for a selective loss of M ganglion cells in glaucoma 37: 1079
Using the POBF as an index of interocular blood flow effects during unilateral vascular stress 37: 1085
Early impairment of foveal magno- and parvocellular pathways in juxta chiasmal tumours 37: 1401
Hepatic retinopathia. Changes in retinal function 37: 1699
Responses to chromatic and luminance contrast in glaucoma: a psychophysical and electrophysiological study 37: 1975
Perimetric motion thresholds are elevated in glaucoma suspects and glaucoma patients 37: 1989
Comparison of red-green, blue-yellow and achromatic losses in glaucoma 37: 2295
Cone and rod function in cone degenerations 37: 2303
Temporal filter of the motion sensor in glaucoma 37: 2315
Simulated cataract does not reduce the benefit of RSVP 37: 2639
Episodic acute hypotonia after Nd:YAG laser capsulotomy–retinal function and choroidal swelling 37: 2937
Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453
Activity at the GABA transporter contributes to acute cellular swelling produced by metabolic impairment in retina 37: 3463
Differences in the retinal GABA system among control, *spastic* mutant and *retinal degeneration* mutant mice 37: 3471
Molecular basis of glutamate toxicity in retinal ganglion cells 37: 3483

Leber hereditary optic neuropathy: mitochondrial mutations and degeneration of the optic nerve 37: 3495
Neurobiology of retinal dopamine in relation to degenerative states of the tissue 37: 3509
Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531
Parallel increase of heterochromatic increment threshold and postadaptation thresholds in Parkinson's disease and in neuroleptic treatment 37: 3535
Irrelevant peripheral visual stimuli impair manual reaction times in Parkinson's disease 37: 3549
Cholinergic modulation, visual function and Alzheimer's dementia 37: 3559
Discontinuous distribution of senile plaques within striate cortex hypercolumns in Alzheimer's disease 37: 3573
Cytochrome oxidase in Alzheimer's disease: biochemical, histochemical, and immunohistochemical analyses of the visual and other systems 37: 3593
Atypical form of Alzheimer's disease with prominent posterior cortical atrophy: a review of lesion distribution and circuit disconnection in cortical visual pathways 37: 3609
Evidence for independent feedback control of horizontal and vertical saccades from Niemann-Pick type C disease 37: 3627
Ocular motor abnormalities in Huntington's disease 37: 3639

PATHWAYS, LUMINANCE AND CHROMATIC
Selective temporal interactions between processing streams with differential sensitivity for colour and luminance contrast 37: 1129
Absence of linear subthreshold summation between red-green and luminance mechanisms over a wide range of spatio-temporal conditions 37: 1157
On the independence of chromatic and achromatic stereopsis mechanisms 37: 1271
The peripheral flicker effect: desensitization of the luminance pathway by static and modulated light 37: 2419

PATHWAYS, MAGNOCELLULAR AND PARVOCELLULAR
Transient visual attention is dominated by the magnocellular stream 37: 17
M and P components of the VEP and their visual field distribution 37: 675
Some remarks on the magnocellular deficit theory of dyslexia 37: 965
Psychophysical evidence for a selective loss of M ganglion cells in glaucoma 37: 1079
Early impairment of foveal magno- and parvocellular pathways in juxta chiasmal tumours 37: 1401
Separate magnocellular and parvocellular contributions from temporal analysis of the multifocal VEP 37: 2161
Rod inputs to macaque ganglion cells 37: 2813
Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531

PATHWAYS, ON-OFF-
Isolation and interaction of ON and OFF pathways in human vision: contrast discrimination at pattern offset 37: 185
An electrophysiological metric of activity within the ON- and OFF- pathways in humans 37: 669
ON and OFF field potentials in the rat superior colliculus during development 37: 3079

PERIPHERAL VISION
Cortical magnification neutralizes the eccentricity effect in visual search 37: 63
Aliased frequencies enable the discrimination of compound gratings in peripheral vision 37: 283

Vernier acuity with non-simultaneous targets: the cortical magnification factor estimated by psychophysics 37: 325
Disentangling the role of spatial scale, separation and eccentricity in Weber's law for position 37: 515
Blending transparent motion patterns in peripheral vision 37: 645
M and P components of the VEP and their visual field distribution 37: 675
Analytic approximation of the off-axis modulation transfer function of the eye 37: 697
The effects of eccentricity and stimulus magnification on simultaneous performance in position and movement acuity tasks 37: 1261
Saccadic suppression of displacement: separate influences of saccade size and of target retinal eccentricity 37: 1779
Sharpness overconstancy in peripheral vision 37: 2035
The peripheral flicker effect: desensitization of the luminance pathway by static and modulated light 37: 2419
Moving vernier in amblyopic and peripheral vision: greater tolerance to motion blur 37: 2527
Interaction between sub- and supra-Nyquist spatial frequencies in peripheral vision 37: 2545
Irrelevant peripheral visual stimuli impair manual reaction times in Parkinson's disease 37: 3549

PERSISTENCE (*see also* AFTEREFFECTS)
Retention of local information in generation of subjective contours 37: 1429

PHASE SENSITIVITY
The spatial mechanisms mediating symmetry perception 37: 2915

PHOTOCHEMISTRY
Properties of glutamate-gated ion channels in horizontal cells of the perch retina 37: 2023
A quantitative estimate of flash-induced Ca^{2+}- and Na^{+}-influx and Na^{+}/Ca^{2+}-exchange in blowfly *Calliphora* photoreceptors 37: 2477

PHOTOPIGMENTS
The visual photopigments of simple deuteranomalous trichromats inferred from color matching 37: 1115
Rayleigh match ranges of red/green color-deficient observers: phsychophysical and molecular studies 37: 1897
Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909
Visual pigments and oil droplets from six classes of photoreceptor in the retinas of birds 37: 2183
The primary structure and distribution of killifish visual pigments 37: 3089

PHOTORECEPTORS (*see also* CONES; RODS)
Local photoreceptor alignment measured with a scanning laser ophthalmoscope 37: 243
Preference of peanut agglutinin labeling for long-wavelength-sensitive cone photoreceptors in the dace retina 37: 383
Characterization of glutamate transporter function in the tiger salamander retina 37: 827
Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909
Properties of glutamate-gated ion channels in horizontal cells of the perch retina 37: 2023

Visual pigments and oil droplets from six classes of photoreceptor in the retinas of birds 37: 2183
Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471
A quantitative estimate of flash-induced Ca^{2+}- and Na^{+}-influx and Na^{+}/Ca^{2+}-exchange in blowfly *Calliphora* photoreceptors 37: 2477
The α-wave of the human electroretinogram recorded with a minimally invasive technique 37: 2943
Stomatopod photoreceptor spectral tuning as an adaptation for colour constancy in water 37: 3299
Processing of natural time series of intensities by the visual system of the blowfly 37: 3407

PIGMENT EPITHELIUM
Behavioral estimates of absolute visual threshold in mice 37: 2427
Serotonin elevates the *c*-wave of the electroretinogram of the rabbit eye by increasing the transepithelial potential 37: 2495

PLASTICITY
Temporal aspects of contrast visual evoked potentials in the pigmented rat: effect of dark rearing 37: 389
Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091
The horizontal optokinetic reflex of the opossum *(Didelphis marsupialis aurita)*: physiological and anatomical studies in normal and early monoenucleated specimens 37: 1207
Specificity of saccadic adaptation in three-dimensional space 37: 1367
Involvement of NMDA in a plasticity phenomenon observed in the adult frog monocular optokinetic nystagmus 37: 1511
Specificity of learning curvature, orientation, and vernier discriminations 37: 1885
BCM network develops orientation selectivity and ocular dominance in natural scene environment 37: 3339

POLARIZED LIGHT
No evidence of polarization sensitivity in freshwater sunfish from multi-unit optic nerve recordings 37: 967
Is the use of underwater polarized light by fish restricted to crepuscular time periods? 37: 975

PUPILS
The mydriatic effect of tropicamide and its diagnostic use in Alzheimer's disease 37: 165

REACTION TIME
Saccadic reaction times: a statistical analysis of multimodal distributions 37: 2119
The spatial relationship between scanning saccades and express saccades 37: 2745
Motion processing for saccadic eye movements during the visually induced sensation of ego-motion in humans 37: 3163
Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193
Irrelevant peripheral visual stimuli impair manual reaction times in Parkinson's disease 37: 3549

READING
Some remarks on the magnocellular deficit theory of dyslexia 37: 965
Psychophysics of reading–XVI. The visual span in normal and low vision 37: 1999

Simulated cataract does not reduce the benefit of RSVP 37: 2639
Fillers and spaces in text: the importance of word recognition during reading 37: 2899
Reversible dissociation of sensitivity to dynamic stimuli in Parkinson's disease: is magnocellular function essential to reading motion-defined letters? 37: 3531

RECEPTIVE FIELDS (*see also individual cell types)*
Pitfalls in estimating motion detector receptive field geometry 37: 99
A fast stimulus procedure to determine local receptive field properties of motion-sensitive visual interneurons 37: 225
Visual receptive fields in neurons in primary visual cortex (V1) move in space with the eye movements of fixation 37: 257
Binocular matching of dissimilar features in phantom stereopsis 37: 633
Receptive field dimensions of lateral geniculate cells in the common marmoset *(Callithrix jacchus)* 37: 2171
Cortical end-stopped perceptive fields: evidence from dichoptic and amblyopic studies 37: 2261
Dual component in receptive field centre of bipolar cells in carp retina 37: 2331
Sparse coding with an overcomplete basis set: a strategy employed by V1? 37: 3311

RECEPTOR POTENTIAL (*see* CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Corneal curvatures and refractions of Central American frogs 37: 169
"Lens mitochondria" in the retinal cones of the tree-shrew *Tupaia belangeri* 37: 267
Local changes in eye growth induced by imposed local refractive error despite active accommodation 37: 659
The effect of an interrupted daily period of normal visual stimulation on form deprivation myopia in chicks 37: 1557
Adaptation to the prismatic effects of refractive lenses 37: 1851
Contrast and spatial-frequency requirements for emmetropization in chicks 37: 2011
Flicker parameters are different for suppression of myopia and hyperopia 37: 2661

RETINA
"Lens mitochondria" in the retinal cones of the tree-shrew *Tupaia belangeri* 37: 267
Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
Preference of peanut agglutinin labeling for long-wavelength-sensitive cone photoreceptors in the dace retina 37: 383
Effects of ageing on spatial aspects of the pattern electroretinogram in male and female quail 37: 505
Characterization of glutamate transporter function in the tiger salamander retina 37: 827
Using the POBF as an index of interocular blood flow effects during unilateral vascular stress 37: 1085
Effects of nitric oxide on the horizontal cell network and dopamine release in the carp retina 37: 1091
Retinal dopamine depletion in young quail mimics some of the effects of ageing on visual function 37: 1103
Hepatic retinopathia. Changes in retinal function 37: 1699
Comparative study of astrocytes in human and rabbit retinae 37: 1707
Functional recovery of retina after sodium iodate injection in mice 37: 1859
Expression of visual and nonvisual opsins in American chameleon 37: 1867
Foveal cone spacing and cone photopigment density difference: objective measurements in the same subjects 37: 1909

Reticalmin: a novel calcium/calmodulin-dependent protein kinase IV-like protein in rat retina 37: 2029
Visual pigments and oil droplets from six classes of photoreceptor in the retinas of birds 37: 2183
Dual component in receptive field centre of bipolar cells in carp retina 37: 2331
Effect of ocular perfusion pressure on retinal function in the rabbit 37: 2339
Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471
Filtering effect of cone oil droplets detected in the P-III response spectra of Japanese quail 37: 2829
Hemiretinal contribution to the timing of the full-field PVEP as determined with the motor reaction time 37: 3193
Retinal ischemia leads to apoptosis which is ameliorated by aurintricarboxylic acid 37: 3445
Adenosine receptor blockade and nitric oxide synthase inhibition in the retina: impact upon post-ischemic hyperemia and the electroretinogram 37: 3453
Activity at the GABA transporter contributes to acute cellular swelling produced by metabolic impairment in retina 37: 3463
Differences in the retinal GABA system among control, *spastic* mutant and *retinal degeneration* mutant mice 37: 3471

RETINAL DISEASE (*see* PATHOLOGY)

ROD-CONE INTERACTION (*see* CONES; RODS)

RODS
Impaired retinal function in young labrador retriever dogs heterozygous for late onset rod-cone degeneration 37: 365
Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
Influence of rod signals on hue perception: evidence from successive scotopic contrast 37: 1295
Cone and rod function in cone degenerations 37: 2303
Piscine *(Sparus aurata)* α subunit of the G-protein transducin is homologous to mammalian cone and rod transducin 37: 2487
Rod inputs to macaque ganglion cells 37: 2813

SACCADES (*see* EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (*see* SUPPRESSION)

SATURATION
Contrast dependencies of two types of motion aftereffect 37: 553

SCOTOPIC VISION
Psychophysical evidence for losses in rod sensitivity in the aging visual system 37: 475
Motion-reversal reveals two motion mechanisms functioning in scotopic vision 37: 745
Increased phase lag of the fundamental harmonic component of the 30 Hz flicker ERG in Schubert-Bornschein complete type CSNB 37: 2471

SEGMENTATION
Mechanisms underlying segmentation of colored textures 37: 83
Spatial layout affects speed discrimination 37: 397
Object grouping contingent upon background 37: 1313
Image segmentation enhances discrimination of motion in visual noise 37: 1415

SIZE PERCEPTION
The distance used for scaling disparities is the same as the one used for scaling retinal size 37: 757
Dependencies of motion assimilation and motion contrast on spatial properties of stimuli: spatial-frequency nonselective and selective interactions between local motion detectors 37: 1565

SPATIAL FREQUENCY (*see also* PHASE SENSITIVITY)
The size and number of plaid blobs mediate the misperception of Type-II plaid direction 37: 143
The effect of spatial frequency and field size on the spread of exclusive visibility in binocular rivalry 37: 175
The spatial limit for motion detection in noise depends on element size, not on spatial frequency 37: 729
Modeling the apparent frequency-specific suppression in simple cell responses 37: 1535
Dependencies of motion assimilation and motion contrast on spatial properties of stimuli: spatial-frequency nonselective and selective interactions between local motion detectors 37: 1565
Linking lower and higher stages of motion processing? 37: 1755
Contrast and spatial-frequency requirements for emmetropization in chicks 37: 2011
What spatial frequency do we use to detect the orientation of a Landolt C? 37: 2153
Spatial frequency masking with the sweep-VEP 37: 2349
Interaction between sub- and supra-Nyquist spatial frequencies in peripheral vision 37: 2545
Dual multiple-scale processing for motion in the human visual system 37: 2685
The spatial mechanisms mediating symmetry perception 37: 2915
Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109
Texture density aftereffects in the perception of artificial and natural textures 37: 3273
Visual sensitivity, blur and the sources of variability in the amplitude spectra of natural scenes 37: 3367

SPATIAL VISION (*see also* PHASE SENSITIVITY)
Cortical magnification neutralizes the eccentricity effect in visual search 37: 63
Perceived location of bars and edges in one-dimensional images: computational models and human vision 37: 127
Disentangling the role of spatial scale, separation and eccentricity in Weber's law for position 37: 515
Abnormal long-range spatial interactions in amblyopia 37: 737
The effects of eccentricity and stimulus magnification on simultaneous performance in position and movement acuity tasks 37: 1261
Vernier acuity with plaid masks: the role of oriented filters in vernier acuity 37: 1325
The effect of attentional spread on spatial resolution 37: 1499
Contrast sensitivity in infants and children with Down syndrome 37: 1545
Independent coding across spatial scales in moving fractal images 37: 1873
Receptive field dimensions of lateral geniculate cells in the common marmoset *(Callithrix jacchus)* 37: 2171
The influence of adaptation on perceived visual location 37: 2207
Spatial vision thresholds in the near absence of attention 37: 2409
Cortical components of the Westheimer function 37: 2535
Analysis of the effect of pattern adaptation on pattern pedestal effects: a two-process model 37: 2779
Spatial facilitation predicted with end-stopped spatial filters 37: 3117
In search of a contrast metric: Matching the perceived contrast of Gabor patches at different phases and bandwidths 37: 3217
Perception of stationary plaids: The role of spatial filters in edge analysis 37: 3255

SPECTRAL SENSITIVITY
Metric analysis of threshold spectral sensitivity in the honeybee 37: 425
Primary structure of locust opsins: a speculative model which may account for ultraviolet wavelength light detection 37: 495
L and M cone input into spectral sensitivity functions: a reanalysis 37: 799
Cone and rod function in cone degenerations 37: 2303
The peripheral flicker effect: desensitization of the luminance pathway by static and modulated light 37: 2419
Stomatopod photoreceptor spectral tuning as an adaptation for colour constancy in water 37: 3299

SPEED (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

SPHERICAL ABERRATION (*see* ABERRATION)

STEREOPSIS
Spatial properties of shear disparity processing 37: 315
Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
Influence of the luminance and opponent chromatic channels on stereopsis with random-dot stereograms 37: 591
Binocular matching of dissimilar features in phantom stereopsis 37: 633
Integrating contours within and through depth 37: 691
The distance used for scaling disparities is the same as the one used for scaling retinal size 37: 757
Direction-selective coding of stereoscopic (cyclopean) motion 37: 865
Speed discrimination of stereoscopic (cyclopean) motion 37: 871
Capture of visual direction: an unexpected phenomenon in binocular vision 37: 1193
On the independence of chromatic and achromatic stereopsis mechanisms 37: 1271
Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo 37: 1409
A physiological model for motion-stereo integration and a unified explanation of Pulfrich-like phenomena 37: 1683
Capture of the visual direction of monocular objects by adjacent binocular objects 37: 1735
Disparity modulation sensitivity for narrow-band-filtered stereograms 37: 1769
Physiological computation of binocular disparity 37: 1811
Direction discrimination of cyclopean (stereoscopic) and luminance motion 37: 2041
Is stereopsis effective in breaking camouflage for moving targets? 37: 2047
Computing stereo channels from masking data 37: 2143
Evidence for an early motion system which integrates information from the two eyes 37: 2361
The interaction between stereoscopic and luminance motion 37: 2553
The development of stereoacuity in infant rhesus monkeys 37: 2675
Human stereo matching is not restricted to epipolar lines 37: 2717
The aperture problem in stereopsis 37: 2737
Spatial limitation of vertical-size disparity processing 37: 2871
The influence of subject instruction on horizontal and vertical vergence tracking 37: 2891
Definition and detection of binocular disparity 37: 2953
Scale selection for second-order (non-linear) stereopsis 37: 2981
Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109

STILES-CRAWFORD EFFECT
Local photoreceptor alignment measured with a scanning laser ophthalmoscope 37: 243
Accommodation without feedback suggests directional signals specify ocular focus 37: 2511

STRABISMUS (*see also* AMBLYOPIA)
Orientation anisotropy and strabismus 37: 151
Stereopsis and disparity vergence in monkeys with subnormal binocular vision 37: 483
Extraretinal eye position signals determine perceived target location when they conflict with visual cues 37: 775
Visual responses of neurons from areas V1 and MT in a monkey with late onset strabismus: a case study 37: 853
A reduced motion aftereffect in strabismic amblyopia 37: 1303
Listing's plane dependence on alternating fixation in a strabismus patient 37: 1355
Context-specific adaptation of vertical vergence to correlates of eye position 37: 1929
Impairment of the binocular coordination of saccades in strabismus 37: 2757
Deficiency of adaptive control of the binocular coordination of saccades in strabismus 37: 2767
Quantitative perimetry under binocular viewing conditions in microstrabismus 37: 2801
Contour integration in strabismic amblyopia: the sufficiency of an explanation based on positional uncertainty 37: 3145

SUMMATION, PROBABILITY
Absence of linear subthreshold summation between red-green and luminance mechanisms over a wide range of spatio-temporal conditions 37: 1157

SUMMATION, SPATIAL
Pitfalls in estimating motion detector receptive field geometry 37: 99
The effect of stimulus size on human cortical potentials evoked by chromatic patterns 37: 649
Comparison between spatial interactions in perceived contrast and perceived brightness 37: 1141
Concentric orientation summation in human form vision 37: 2325
Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427

SUMMATION, TEMPORAL
Spatio-temporal properties of motion detectors matched to low image velocities in hovering insects 37: 3427

SUPPRESSION (*see also* BINOCULAR RIVALRY)
A comparison of saccadic and blink suppression in normal observers 37: 3171

TECHNIQUES
A fast stimulus procedure to determine local receptive field properties of motion-sensitive visual interneurons 37: 225
Local photoreceptor alignment measured with a scanning laser ophthalmoscope 37: 243
Habituation-like effects cause a significant decrease in response in MRI neuroactivation during visual stimulation 37: 1243
Principles of an adaptive method for measuring the slope of the psychometric function 37: 1595
A subspace reverse-correlation technique for the study of visual neurons 37: 2455
Biometric investigation of changes in the anterior eye segment during accommodation 37: 2789
The α-wave of the human electroretinogram recorded with a minimally invasive technique 37: 2943
Binary masks yielding Gaussian light distributions in Maxwellian view 37: 2975
Rapid communication: first-order motion from contrast modulated noise? 37: 3073

TEMPORAL DISCRIMINATION
Vernier acuity with non-simultaneous targets: the cortical magnification factor estimated by psychophysics 37: 325
Probing visual motion signals with a priming paradigm 37: 541
Selective temporal interactions between processing streams with differential sensitivity for colour and luminance contrast 37: 1129
Recruitment mechanisms in speed and fine-direction discrimination tasks 37: 3129

TEMPORAL FREQUENCY
A dissociation between brain activity and perception: chromatically opponent cortical neurons signal chromatic flicker that is not perceived 37: 377
Spatial layout affects speed discrimination 37: 397
Contrast affects flicker and speed perception differently 37: 1255
Development of temporal contrast sensitivity in human infants 37: 1747
Temporal filter of the motion sensor in glaucoma 37: 2315
Temporal properties of marmoset lateral geniculate cells 37: 2649

TEXTURE PERCEPTION
Mechanisms underlying segmentation of colored textures 37: 83
Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo 37: 1409
Vernier step acuity and bisection acuity for texture-defined form 37: 1713
The detection of structure in Glass patterns: psychophysics and computational models 37: 2227
Surface orientation from texture: isotropy or homogeneity (or both)? 37: 2283
The orientational resolution of human texture perception 37: 2993
Scaling effects in the perception of higher-order spatial correlations 37: 3097
Sequential stereopsis using high-pass spatial frequency filtered textures 37: 3109
The computation of orientation statistics from visual texture 37: 3181
Texture density aftereffects in the perception of artificial and natural textures 37: 3273

THRESHOLD (*see* CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRANSPARENCY
Capture and transparency in coarse quantized images 37: 2609
Velocity decomposition and surface decomposition–reciprocal interactions between motion and form processing 37: 2879

VELOCITY (*see* MOTION PERCEPTION (SPEED SENSITIVITY))

VERNIER ACUITY (*see* HYPERACUITY)

VISUAL DIRECTION
Capture of visual direction: an unexpected phenomenon in binocular vision 37: 1193
The computation of binocular visual direction: a re-examination of Mansfield and Legge (1996) 37: 1605
Binocular visual direction, the cyclopean eye, and vergence: reply to Banks, van Ee and Backus 37: 1610
Capture of the visual direction of monocular objects by adjacent binocular objects 37: 1735

WAVELENGTH DISCRIMINATION (*see* COLOR DISCRIMINATION)

PRINTED IN GREAT BRITAIN BY PAGE BROS, NORWICH

JOURNAL PACKAGES

Information on money-saving ways to buy journals such as...

Atmospheric Environment
Biochemical Pharmacology
Environmental Pollution
Life Sciences
Neuropharmacology
Neuroscience
Tetrahedron Letters
Trends in Pharmacological Sciences

Which Libraries Benefit?

Those libraries which take all the journals from a package will see an immediate benefit and saving. Libraries which take all but one of the journals may find that they can buy the missing title for a nominal amount.

What Should Libraries Do Next to Take Advantage of These Packages?

Subscription Agents have been informed about these money-saving packages and are in a position to help librarians take advantage of the savings offered. You may, of course, contact your nearest Regional Sales Office directly for more information and help.

CONTACT YOUR NEAREST ELSEVIER SCIENCE OFFICE FOR FURTHER INFORMATION

For customers in the Americas (North, South and Central America):
Elsevier Science, Regional Sales Office, Customer Support Department, 655 Ave of the Americas, New York, NY 10010, USA ☎ Telephone: +1-212-633-3730 Toll-free for customers in the USA and Canada: 1-888-437-4636 (1-888-4ES-INFO) Fax: +1-212-633-3680 ✉ E-mail: usinfo-f@elsevier.com

Far East and Australasia (except Japan):
Elsevier Science Pte Ltd, Regional Sales Office, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192
☎ Telephone: +65-434-3727 Fax: +65-337-2230 ✉ E-mail: asiainfo@elsevier.com.sg

Japan:
Elsevier Science, Regional Sales Office, Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo, 106 Japan ☎ Telephone: +81-3-5561-5033 Fax: +81-3-5561-5047 ✉ E-mail: info@elsevier.co.jp

For customers elsewhere:
Elsevier Science, Regional Sales Office, Customer Support Department, PO Box 211, 1000 AE Amsterdam, The Netherlands ☎ Telephone: +31 20-485-3757 Fax: +31 20-485-3432 ✉ E-mail: nlinfo-f@elsevier.nl

ELSEVIER

PERGAMON

NORTH HOLLAND

EXCERPTA MEDICA

CO7A05/p16

BACK ISSUES OF THIS JOURNAL

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

SAVE UP TO 25% BY PURCHASING COMPLETE SETS

Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS

Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST

Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

• Elsevier Science, Regional Sales Office, Customer Support Department, PO Box 211, 1000 AE Amsterdam, The Netherlands
• Telephone: +31 20-4853757 • Fax: +31 20-4853432 • E-mail: nlinfo-f@elsevier.nl

• Elsevier Science, Regional Sales Office, Customer Support Department, 655 Ave of the Americas, New York, NY 10010, USA
• Telephone: +1-212-633-3730 • Fax: +1-212-633-3680 • E-mail: usinfo-f@elsevier.com

CO7A05/p3

Second Annual *Vision Research* Conference

Retinal Development, Degeneration and Functional Restitution

Two-day satellite symposium prior to the 1998 meeting of ARVO

Friday 8 - Saturday 9 May 1998
Fort Lauderdale, Florida, USA

ORGANIZERS
W. Baehr (USA)
H. Spekreijse (The Netherlands)
E. Zrenner (Germany)

ELSEVIER SCIENCE

First Announcement and Call for Papers

Following the success of the First Annual Vision Research Conference at ARVO in 1997 attended by more than 300 delegates, Elsevier and Vision Research will organize a second pre-ARVO satellite meeting in 1998.

What's happening now in basic and clinical retinal research?

Numerous new findings have resulted in a better understanding of the development of the retina, of the possible origins of its degeneration and of the mechanisms of functional restitution. Such understanding stems from molecular biology and cell biology, as well as from clinical research. The meeting is intended to provide an up-to-date interdisciplinary perspective.

The scope of the conference is reflected in the following sessions:

- Development of the retina
- Degeneration - apoptosis
- Genetics of retinal degeneration
- Retinal morphology and function
- Pathophysiological and clinical aspects of retinal degenerations
- Regeneration of retina and optic nerve
- Role of glia cells in degeneration and regeneration
- Restitution by visual prosthesis

Exchange the latest scientific knowledge...

Leading experts will present the most recent concepts and data on the themes of the conference. The aim is to stimulate discussion and hence further research, which will assist us in eventually solving problems of retinal development, degeneration and regeneration processes. As such, the two-day program should appeal to a mixed audience of basic molecular and cell biologists as well as to clinical researchers and ophthalmologists.

Call for Posters

Non-speaker participants may present their data in poster sessions. Abstracts for posters should be submitted no later than 15 January 1998 to the *Vision Research* Conference Secretariat.

For the latest developments bookmark the conference website on www.elsevier.nl/locate/vision98

For information on submitting an abstract and to request a copy of the Full Program and Registration Brochure contact the *Vision Research* Conference Secretariat:
Amy Richardson
Elsevier Science Ltd.,The Boulevard
Langford Lane, Kidlington, Oxford OX5 1GB, UK
Tel: +44 (0) 1865 843643
Fax: +44 (0) 1865 843958
E-mail: a.richardson@elsevier.co.uk

Or in the US
Carol Corcoran
Vision Research Conference Secretariat
Elsevier Science, 655 Avenue of the Americas
New York, NY-10010 USA

Or use the Website
www.elsevier.nl/locate/vision98

VISION RESEARCH

INSTRUCTIONS TO AUTHORS

General

Five double-spaced typewritten copies of the manuscript and illustrations are required. The original plus three copies must be submitted to the central office, preferably by airmail:

Vision Research
P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

and one copy to one of the 10 Section Editors whose subject area most closely relates to the work submitted. This holds for full papers as well as for Rapid Communications. (Please indicate to the central office which Section Editor you have selected; every sixth issue of *Vision Research* contains a full description of the scope of each section). To speed up the reviewing process, the title and abstract of your manuscript should be Emailed simultaneously to the Section Editor of your choice. Should you prefer to send your manuscript by express *courier*, please contact the Central Office by email (e.borghols@ioi.knaw.nl) to obtain the appropriate address, since courier services do not accept packages addressed to a P.O. Box number.

Section 1

GÜNTER NIEMEYER, Department of Ophthalmology, Neurophysiology Laboratory, University Hospital, Rämistrasse 100, CH-8091 Zürich, Switzerland [*Email* niemeyer@opht.unizh.ch]

SAMUEL M. WU, Mail Station NC–205, Cullen Eye Institute, Baylor College of Medicine, Houston, TX 77030, U.S.A. [*Email* sam@cephalo.neusc.bcm.tmc.edu]

Section 2

DENNIS M. LEVI, University of Houston, Central Campus, College of Optometry, 4901 Calhoun Boulevard, Houston, TX 77204-6052, U.S.A. [*Email* dlevi@uh.edu]

STEVEN K. SHEVELL, Visual Sciences Center, The University of Chicago, 939 East 57th Street, Chicago, IL 60637, U.S.A. [*Email* shevell@uchicago.edu]

Section 3

EILEEN KOWLER, Department of Psychology, Rutgers University, New Brunswick, NJ 08903, U.S.A. [*Email* kowler@rci.rutgers.edu]

CHRISTA NEUMEYER, Institut für Zoologie (Abt. III), Johannes Gutenberg Universität, 55099 Mainz, Germany [*Email* neumeyer@mzdmza.zdv.uni-mainz.de]

Section 4

ELLEN C. HILDRETH, Department of Computer Science, Wellesley College, Wellesley, MA 02181, U.S.A. [*Email* ehildreth@wellesley.edu]

CONCETTA MORRONE, Istituto di Neurofisiologia del C.N.R., Via S. Zeno, 51, 56100, Pisa, Italy [*Email* concetta@neuro.in.pi.cnr.it]

Section 5

IVAN BODIS-WOLLNER, Department of Neurology, SUNY Health Science Center at Brooklyn, 450 Clarkson Avenue, Box 1213, Brooklyn, NY 11203, U.S.A. [*Email* bodisi01@hscbklyn.edu]

EBERHART ZRENNER, Department of Pathophysiology of Vision and Neuro-Ophthalmology, University of Tübingen, Schleichstraße 12–16, 72076 Tübingen, Germany [*Email* eberhart.zrenner@uni-tuebingen.de]

Authors are urged to be as concise as their material will allow, both in text and in illustrations and to take particular care to ensure that the paper is in final form once submitted. Papers of monograph length will not be considered, nor will a series of numbered papers. *Rapid Communications* should not exceed a length of about 2000 words.

All manuscripts should be accompanied by a clear statement that the work has not been published elsewhere and is not under review with another journal, and that if published in *Vision Research* it will not be reprinted elsewhere in any language in the same form without the consent of the publisher, who holds the copyright. Authors should keep copies of all material submitted. Manuscripts will not be returned, and top copies of the artwork will be returned only if this is specifically indicated.

All authors must sign the 'Transfer of Copyright' agreement before the article can be published. This transfer agreement enables Elsevier Science Ltd to protect the copyrighted material for the authors, but does not relinquish the author's proprietary rights. The copyright transfer covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations, and includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems. Authors are responsible for obtaining from the copyright holder permission to reproduce any figures for which copyright exists.

Full papers and Rapid Communications will be judged by two qualified reviewers. If in response to a published article a letter to the Editor is received, this letter will be sent out for review and at the same time be forwarded to the author(s) tackled. If the letter is accepted, the author(s) of the initial paper will be invited to write a reply within a short period of time, and the reviewers of the letter will be asked to review the reply. Authors volunteering to prepare *Minireviews* are invited to submit proposals to the appropriate Section Editor including the following information: (1) title, (2) justification for a Minireview at this time on the topic selected, (3) a rough outline and (4) a **firm** date for submission of the completed work, should the Section Editor accept the proposal. *Vision Research* has a restrictive *Obituary* policy. Obituaries should be submitted to the appropriate Section Editor and the Chairman, and should not exceed a length of one printed page including photograph.

Specific

1. Papers should be written in the English language, accompanied by an abstract. The title page should include up to five key words selected from the key word list published bi-annually in the first and thirteenth issues of *Vision Research*. If a key word which does not appear in the list is needed, it should be underlined. Animal classification should also be given to serve as a guideline for abstracting and indexing. A running head of no more than 40 characters should be provided.
2. The abstract must be no longer than 100 words and should supplement the title informing the reader of the essential points of the paper.
3. Authors are encouraged to use 95% confidence limits. For purely descriptive studies, rather than those which aim to compare means, the standard deviation is an appropriate measure.
4. The manuscript should be single-sided, double-space *typewritten* with generous margins. All material will be discarded **one month** after publication, unless the publisher is requested to return orginal material to the author.

5. Rejected manuscripts and figures will not be returned to authors, unless specifically required. Rejected manuscripts will not be reconsidered for publication, so they cannot be resubmitted as a revision. Submission as a new paper is possible if manuscript and experiments have been extended substantially.
6. Authors should return a revised manuscript within 6 months, otherwise it will be treated as a new submission. All material will be discarded after 1 year.
7. *Electronic Manuscripts*

   Authors are encouraged to submit a computer disk (5.25″ or 3.5″ HD/DD disk) containing the *final* version of the paper along with the *final* manuscript to the Editorial office. Please observe the following criteria:

   (a) Send only hard copy when first submitting your paper.

   (b) When your paper has been refereed, revised if necessary and accepted, send a disk containing the final version with the final hard copy. **It is essential that the printed version supplied is produced directly from the electronic version.** In the event of differences between disk and hard copy, the hard copy will be considered to be definitive.

   (c) Specify what software was used, including which release (e.g. WordPerfect 4.0).

   (d) Specify what computer was used (either IBM compatible PC or Apple Macintosh).

   (e) Include the text file and separate table and illustration files, if available.

   (f) The file should follow the general instructions on style/arrangement and, in particular, the reference style of this journal as given in item (10).

   (g) The file should be single spaced and should use the wrap-around end-of-line feature (i.e. no returns at the end of each line). Use hard returns (i.e. the enter key) only at the end of paragraphs. Page design will be handled by the publisher. There is no need therefore to use formatting commands such as centring, justifying text, indenting etc. Use the word processor's facilities to indicate the following text attributes: bold, underline, italic, superscript, subscript, strikeout. When using symbols to denote special characters please supply a list of all codes used. Do not use the hyphenation facilities available on the word processor. Authors should not use their own macros. When preparing tables, tabs should be used, not spaces, to align columns.

   (h) Authors wishing to submit their articles as a LaTeX/TeX file are recommended to use the "Article" style or LaTeX package which is available via anonymous FTP and CTAN centres on the Internet.

Host names	CTAN directory
ftp.dante.de	/pub/tex/macros/latex209/contrib/elsevier
ftp.tex.ac.uk	/pub/archive/macros/latex209/contrib/elsevier
ftp.shsu.ed	/tex-archive/macros/latex209/contrib/elsevier

   Further details on TeX can be obtained from Sebastian Rahtze: *Tel.* 44 1865 843662; *Fax* 44 1865 843905; *Email* s.rahtze@elsevier.co.uk.

   (i) Keep a back-up disk for reference and safety.
8. Reprints can be provided at a reasonable cost if ordered when the page proofs are returned. A reprint order form will accompany the proofs. Copies of the particular issue in which the article appears may also be ordered on this form, at a generous discount offer.
9. **Corrections to the proofs must be restricted to printer's errors.** Other than these, any substantial changes will be charged to the author.
10. When human subjects are used, manuscripts must be accompanied by a statement that the experiments were undertaken with the understanding and written consent of each subject. Authors should be aware of the Code of Ethics of the World Medical Association (Declaration of Helsinki), which has been printed in the *British Medical Journal* (18 July 1964). When experimental animals are used, the Methods section must clearly indicate that adequate measures were taken to minimize pain or discomfort. Experiments should be carried out in accordance with the European Communities Council Directive of 24 November 1986 (86/609/EEC) or with the Guidelines laid down by the NIH in the US regarding the care and use of animals for experimental procedures. Editors reserve the right to reject papers if there is doubt whether appropriate procedures have been used.
11. *References*

   (a) These should be cited in the text by giving the last name of the author (or authors) followed by the year of publication in parentheses, e.g. Hays (1963), Van den Brink and Bouman (1957) or (Zrenner & Gouras, 1981). If there are three or more authors, citations should read Kuhn *et al.* (1981). If there is more than one work by an author (or authors) in a given year, then they should be labelled alphabetically within each year (e.g. Rushton, 1965a,b).

   (b) The full references should be typed on a separate page and placed at the end of the article. They should not be given as footnotes. References should include the names of all the authors and their initials, the year of publication in parentheses, the full title of the article or book, name of the journal, the volume number and the pages. For books, the city of publication and the publisher should be given. The following may serve as illustrations.:

   Zrenner, E. & Gouras, P. (1981). Characteristics of the blue sensitive cone mechanism in primate retinal ganglion cells. *Vision Research, 21*, 1605–1609.

   Semmlow, J. L. & Hung, G. K. (1983). The near responses: Theories of control. In Schor, C. M. & Ciuffreda, K. J. (Eds), *Vergence eye movements: Basic and clinical aspects* (pp. 175–195). London: Butterworths.

   (c) Unpublished work, work in press or conference proceedings should be cited only exceptionally, and preprints *must* accompany the paper if they are essential to its argument.
12. *Illustrations and Tables*

   (a) Only standard size (*ca* 8½ × 12 in.) should be sent with the paper. They should not be affixed in place, but the proper places for insertion should be indicated in the text. All photographs, graphs and diagrams should be referred to as "Figures" and should be numbered consecutively, as should the tables. The legends should be typed, correspondingly, on a separate sheet at the end of the article. The author's name, the number, and an indication of the proper orientation should be written lightly on the back of each figure or table.

   (b) Halftone illustrations (e.g. micrographs) should be glossy prints and should be approximately 1.5 times the final size. In general, it is preferable that any lines or letters that are to appear on the photographs be inserted by the publisher. Their position should be drawn on a leaf of drawing paper firmly attached to the photograph, or on an additional print. Where possible, the author should include a guide to the Production Department which will help them identify the salient features to be reproduced.

   (c) Line drawings should be drawn on stiff white paper or tracing cloth, high quality computer graphics are acceptable. They should be approximately twice their final size. The letters and symbols should be drawn so that they will be clearly legible when reduced. The following standard symbols are readily available to the publisher: ○ △ □ ● ▲ ■ + ×. Other special symbols (e.g. Greek letters) should be made particularly legible and explicit.

CONTENTS DIRECT

Tables of Contents by e-mail

It's Direct
Too busy to surf the Net? ContentsDirect comes directly to you.

It's Free
ContentsDirect is provided as a service to individuals interested in our journals. There is no charge.

It's Pre-Publication
The Contents message will arrive directly on your pc approximately two to four weeks prior to a journal's appearance in libraries.

It's Easy
There is no training required. If you use e-mail then you can receive ContentsDirect.

It's Frequent and Regular
Every time a journal issue is published, it will be preceded by its own ContentsDirect update.

Which Journals?
For a list of ContentsDirect journals, please send an e-mail message to **cdhelp@elsevier.co.uk**

How to Subscribe by E-mail
Send a message to **cdsubs@elsevier.co.uk** giving the following information:

- Your name
- Your e-mail address
- Your full postal address and fax number
- The journals for which you would like to receive the ContentsDirect service.

How to Subscribe by Post or Fax
Send the information above to your nearest Elsevier Science office.

Journal contents pages delivered directly to your pc for free!
Don't wait for your existing contents service to catch up - sign up today!

IMPORTANT: ContentsDirect can be sent to your Internet e-mail address only. If in doubt about your Internet e-mail address, contact your institution's information technology/telecommunications department for advice.

ELSEVIER SCIENCE

Elsevier Science, Regional Sales Office, Customer Support Department,
655 Ave of the Americas, New York, NY 10010, USA
☎ Telephone: +1-212-633-3730 Fax: +1-212-633-3680

or

Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK
☎ Telephone: +44 (0) 1865 843404 Fax: +44 (0) 1865 843986

CO7A05/p17